

Issue to pull request

Week 7 Friday activity · hard · about 30 minutes

Brian C. Keegan, Ph.D. · Department of Information Science, University of Colorado Boulder

October 2, 2026

What you do

You fix the problem that an issue describes, in GitHub's web editor. Then you open a pull request that closes the issue when it merges. You do all of it in the browser: you need no terminal and no copy of the book on your laptop.

Your chapter's board in week 7's slides lists issues that have no pull request. Start with one that a triage comment calls **small**.

Work in pairs. One partner works in the browser, and the other reads this handout aloud.

The three Friday activities

Triage an issue	easy
Review a pull request	medium
Issue to pull request	hard

Do not

- click **Merge pull request**;
- change a file in notebooks/ or images/: a script makes the notebooks from the chapters;
- put two fixes in one pull request.

The instructor merges, closes, and resolves conflicts.

1 · Claim the issue

1. Sign in to GitHub.
2. Open the issue (<https://github.com/cuinfoscience/Web-Data-Science-Book/issues/> and its number). Read it, and read its comments.
3. Write the comment I'm taking this. and click **Comment**. Then no other pair starts the same fix.

2 · Open the chapter in the editor

1. Open the book at the chapter: <https://cuinfoscience.github.io/Web-Data-Science-Book/>
2. Click **Edit this page** ①, at the bottom of the right-hand sidebar (Figure 1). GitHub opens the chapter's source file, `ch-NN-name.qmd`.
3. Click the pencil icon, **Edit this file**. If GitHub asks you to **fork** the repository, accept. A fork is your own copy of the book, and GitHub makes it for you. The steps after this are the same.

Foundations > 4 Data Formats: XML and JSON

4 Data Formats: XML and JSON

</> Code

Learning Objectives

- Distinguish between XML and JSON as structured data formats and identify when each is typically encountered
- Parse XML documents using BeautifulSoup's tree navigation methods
- Navigate nested JSON structures using Python's native lists and dictionaries
- Convert nested data structures into pandas DataFrames for analysis
- Handle common edge cases in structured data parsing

Companion Notebook

Run this chapter's code as you read: open the [companion notebook](#) (see [Appendix A](#) for all of them).

Table of contents

- 4.1 Why Data Formats Matter
- 4.2 XML and BeautifulSoup
- 4.3 JSON and Python Data Structures
- 4.4 When to Use Which
- 4.5 Recommended Exercises
- 4.6 Additional Exercises
- 4.7 Social History and Public Interest
- 4.8 Common Issues to Debug
- 4.9 Key Takeaways
- 4.10 Further Reading

Edit this page ①

Report an issue

Figure 1. A chapter of the book (here chapter 4). **Edit this page** ① is at the bottom of the right-hand sidebar, above **Report an issue**.

3 • Make one change

1. Click in the editor and press Ctrl+F (Cmd+F on a Mac). This opens the editor's own search bar ① (Figure 2). Your browser's search cannot see the whole file. Search for words from the section, such as its heading ②.




Figure 2. GitHub's web editor, with its own search bar open ①. The search for *missing manual* found the callout's heading ②.

2. Make the change that the issue asks for. Change nothing else.
3. Keep the Markdown correct. Put an empty line above a heading (##) or a callout (:::). Write a link as [text](https://...), with no space between] and (.
4. Click **Preview** ① (Figure 3). Compare the old line ② with the new line ③. Then click **Commit changes...** ④.




Figure 3. The **Preview** tab ① after an edit. The old line ② is red, and the new line ③ is green. **Commit changes...** ④ is at the top right.

4 • Commit to a new branch

1. In **Commit message** ①, say what you changed and where, for example Ch. 5: say where requests stores redirect hops.
2. Select **Create a new branch for this commit and start a pull request** ② (Figure 4). The dialog selects *Commit directly to the main branch* first: change it. *main* refuses direct commits.
3. Click the green button ③. When a new branch is selected, the button says **Propose changes**. (In a fork, GitHub makes the branch for you, and the button always says **Propose changes**.)




Figure 4. The **Commit changes** dialog: the commit message ①, the option that makes a new branch and starts a pull request ②, and the green button ③, which says **Propose changes** once that option is selected.

5 • Open the pull request

1. GitHub shows **Comparing changes**: your branch and main, with the difference between them. Make sure that only your change shows. Click **Create pull request**.
2. Write a title that says what and where. Do not write `Update ch-05-protocols.qmd`. Write `Ch. 5: say where requests stores redirect hops`.
3. The description starts with the book's template. Replace each [bracketed hint]:
 - **Closes #N**: the issue's number, for example `Closes #175`. GitHub closes the issue when the pull request merges.
 - **Location, Problem, Why, and Change**: the file and the heading, what was wrong, who it affects, and what you changed.
 - **AI assistance**: none, or the tool and what it did.
 - **Checks**: tick the first box. After the second box, write `Edited in the browser`, so notebooks not regenerated. Tick the third box when the `Render` check is green.
4. Click **Create pull request**.

6 • After you open it

Then watch your pull request. If you see one of these, do what the right-hand column says.

You see	Do this
Render with a red ×	Click Details . Find the first <code>ERROR</code> line. A broken cross-reference (<code>@sec-...</code>) or a code block that does not close is the usual cause. Fix it on the same branch, as in the next row.
A review that asks for changes	Open your pull request, and click Files changed . Click the file's <code>...</code> menu, then Edit file . Make the change, and commit it to the same branch. Do not open a new pull request.
Notebook sync with a red ×	Normal for a change made in the browser. The instructor regenerates the notebooks after merging.
<i>This branch has conflicts that must be resolved</i>	Leave it. The instructor resolves conflicts.

Next. Ask a pair in your chapter to review your pull request (`review-a-pull-request.pdf`), and review theirs.