

Government Data APIs

Week 11 · APIs module · Textbook Chapter 11

Brian C. Keegan, Ph.D.

Associate Professor, Department of Information Science
University of Colorado Boulder

October 26, 28 & 30, 2026

We query the data the government is *required* to publish — and combine it into stories no single dataset can tell.

Monday | Concepts & API keys

- Why government data is open; managing keys like a professional

Wednesday | Notebook lab

- Query the Census, FRED, and FEC — then join two of them

Friday | Textbook revisions

- Propose & peer-review pull requests improving Chapter 11

Companion notebook

`ch-11-government.ipynb`

Get your keys now

Three free keys — **Census**, **FRED**, **FEC**.
Approval is fast, but no code below runs without them.

1. Monday • Concepts

Government APIs exist because of democratic commitments to **transparency** — not business strategy:

- The **Census Bureau** is constitutionally mandated to count the population.
- The **Federal Reserve** is required to publish economic data.
- The **FEC** must disclose campaign-finance records.

They embody the **openness** value from Ch. 3, *The Post-API Age*: public data, freely accessible by mandate rather than platform goodwill.


Stable, but less polished

Agencies don't pivot business models or get acquired — so these APIs are unusually **stable**. The tradeoff: dense docs, cryptic variable names, unhelpful errors. Navigating that *is* the skill.

The challenge is navigation, not access

The Census API is free and well-maintained. The hard part is **finding the right variable** among thousands.

- Start at the **groups index**; search broad categories (housing, income, “commut”).
- Drill into a group’s variables and read the labels — population denominators differ.
- Codes shift across survey years: *learn to read them*, don’t memorize them.
- Always **sanity-check**: Boulder median income near \$70,000, not 7 or 70,000,000.



Read the code: group, index, E=estimate / M=margin of error.

Manage your keys like a professional

A **key** identifies your app, tracks usage, and enforces rate limits. **Never hardcode one** — share the notebook and the key goes with it.

Two safe patterns, both ending at the same variables:

- **Environment variables** — `export CENSUS_API_KEY=...`, then `os.environ.get()`.
- **A JSON config** — `api_keys.json`, added to `.gitignore` *before your first commit*.

Because both yield `census_key / fred_key / fec_key`, downstream code is identical.



This week's companion notebook works three agencies, then combines two:

- **Census** — navigate the ACS catalog; housing age for Boulder; compare cities side by side.
- **FRED** — income time series; server-side transformations; Denver vs. national inflation.
- **FEC** — search a candidate; pull their campaign-finance totals.
- **Integrate** — join Census housing vintage with FRED mortgage rates in one figure.

Public interest (Ch. 3)

Open data is a mandate, not a guarantee. Datasets get withdrawn and APIs deprecated; political pressure can shape what is collected and how. The **fragility** of public data infrastructure is itself a public-interest concern.

2. Wednesday · Notebook Lab

Load every key once — and fail fast

Read the keys at the top; stop immediately with a helpful message if one is missing:

```
import os, requests, pandas as pd

# Set each in your shell first -- never hardcode a key in a notebook:
# export CENSUS_API_KEY="your-key-here"
census_key = os.environ.get("CENSUS_API_KEY")
fred_key = os.environ.get("FRED_API_KEY")
fec_key = os.environ.get("FEC_API_KEY")

for name, key in [("CENSUS_API_KEY", census_key),
                  ("FRED_API_KEY", fred_key), ("FEC_API_KEY", fec_key)]:
    if not key:
        raise ValueError(f"{name} not set -- get a free key first.")
```

Textbook Ch. 11, “Environment Variables.” The loop turns a confusing `None` downstream into a clear error now.

Geographies use FIPS codes, which are **strings** — Colorado is 08, Boulder is place 07850. Keep the leading zeros:

```
census_url = "https://api.census.gov/data/2022/acs/acs5"

# Housing age for Boulder, CO -- browse groups at ../acs5/groups.html
params = {
    "get": "NAME,B25034_001E,B25034_002E,B25034_003E",
    "for": "place:07850", # FIPS are STRINGS -- do not strip 0s
    "in": "state:08",
    "key": census_key,
}
data = requests.get(census_url, params=params).json()
df = pd.DataFrame(data[1:], columns=data[0]) # row 0 is the header
```

Textbook Ch. 11, “Querying for Specific Places.” Pass `place:07850,45970` to compare Boulder and Longmont.

FRED — let the server do the math

Ask FRED for a **transformation** and it returns the result — here, year-over-year percent change:

```
fred_url = ("https://api.stlouisfed.org"
            "/fred/series/observations")

params = {
    "series_id": "CUURS49BSA0", # Denver CPI
    "api_key": fred_key,
    "file_type": "json",
    "units": "pc1", # % change vs. 1yr ago
    "observation_start": "2019-01-01",
}

obs = requests.get(fred_url,
                   params=params).json()["observations"]
df = pd.DataFrame(obs)
```



Find series IDs on the FRED website, then copy
them *exactly*.


Textbook Ch. 11, "Server-Side Transformations." Other units: chg, log, pca.

FEC — money in politics in two steps

Search by name to get a `candidate_id`, then pull that candidate's financial totals:

```
fec_url = "https://api.open.fec.gov/v1/candidates/search/"
params = {"q": "Biden", "office": "P", # P/S/H
          "election_year": 2024,
          "api_key": fec_key, "per_page": 5}
for c in requests.get(fec_url,
                      params=params).json()["results"]:
    print(c["name"], c["party_full"], c["candidate_id"])

cid = "P80000722" # a "P" id = presidential candidate
url = f"https://api.open.fec.gov/v1/candidate/{cid}/totals/"
tot = requests.get(url, params={"api_key": fec_key,
                                "election_year": 2024}).json()
```



IDs encode the office: P/S/H = candidate, C = committee.

Textbook Ch. 11, "FEC API" & "Getting Campaign Finance Data." This data powers accountability journalism.


Combine two agencies — and mind the sentinels

The payoff is integration. But guard Census sentinel values — suppressed cells return as -666666666, not null:

```
def census_int(v): # NEVER trust a bare int()
    if v is None or str(v).startswith("-6666"):
        return None
    return int(v)

housing = requests.get(census_url,
                       params=housing_params).json()
counts = [census_int(housing[1][i])
          for i in range(2, 8)] # by decade

# FRED: 30-yr mortgage rate = the economic "why"
rate = requests.get(fred_url,
                    params=mortgage_params).json()
df_rate = pd.DataFrame(rate["observations"])
```



Census says *what* the housing stock is; FRED says *why*.

Lab: work these, then show-and-tell

Work the chapter exercises in pairs:

1. Census: one variable group across ≥ 5 geographies + a comparative viz.
2. FRED: two related local series on shared axes — what story do they tell?
3. FEC: contributions in a local congressional race.
4. Multi-source: combine two government APIs in one analysis.
5. County-level: a Census variable for all CO counties (`county : *`), top-20 bar chart.
6. **5617**: read Lazer et al. (2020); link two APIs and write a formal limitations section (measurement & coverage).

Show-and-Tell

Come ready to share:

- a challenging bug
- a surprising number you pulled
- a provocation for a research design

Open data is a public *commitment* — not a guarantee.
Datasets get withdrawn. APIs get deprecated.

Pull it, document it, and never assume it'll be there tomorrow.


3. Friday • Textbook Revisions

Improving Chapter 11 together

Today we make the book better. Each of you opens a **pull request** against `ch-11-government.qmd` and reviews a classmate's.

The workflow (from Week 1):

1. Branch / fork the book repo
2. Edit the chapter; commit with a clear message
3. Open a PR describing *what* and *why*
4. Review two peers' PRs: kind, specific, actionable



Contributions & reviews count toward the Textbook Revisions grade (30%).

High-value targets — pick one and scope it to a single PR:

- **Test the code against live APIs.** Series IDs, endpoints, and election years drift; keys expire. Run the notebook, report what broke, and fix it.
- **Close a gap in “Common Issues to Debug.”** Add a worked -666666666 sentinel-value example, or a rate-limit / retry snippet (FRED ≈ 120 req/min; FEC 1,000 req/hr).
- **Add a figure.** An annotated variable-code diagram, or the key $\rightarrow$ request $\rightarrow$ JSON $\rightarrow$ DataFrame pipeline.
- **Strengthen a thin exercise.** The six exercises are open-ended — add expected output, a rubric, or a starter cell so they self-check.
- **Extend “Further Reading.”** A data-journalism example tied to the **Public Interest** callout — a documented withdrawn dataset or deprecated API.

Targets drawn from the chapter's callouts, “Common Issues to Debug,” and “Further Reading.”

What makes a good revision & a good review

A strong PR

- One focused change, clearly titled
- Explains the problem it fixes
- Builds (`quarto render`) without errors
- Matches the book's voice and notation
- Discloses any AI assistance

A strong review

- Runs / reads the change, not just skims
- Names specifics (line, claim, code)
- Separates “must fix” from “nice to have”
- Is generous — assume good faith
- Ends with a clear verdict

Next week: **Social & media platform APIs** — OAuth, Mastodon, and Bluesky in the post-API age.

Key takeaways

1. Government APIs serve **transparency mandates** — valuable, reliable, and unusually stable data.
2. The core skill is **navigating catalogs**, not memorizing codes that change every survey year.
3. **Guard your keys**: environment variables or a git-ignored config — never hardcoded.
4. **Combine sources** for stories no single dataset tells: Census says *what*, FRED says *why*.
5. Mind the **institutional context** — using open data well is a form of civic engagement.

Reading: Textbook Ch. 11. Related: Salganik (2018); Munzert et al. (2014).