




**CC2430 JTAG Programmer - Debugger**  
*Use with IAR MCS-51 for Windows*


## USB CONNECTOR




# *Holes*




# C8051F320 MASTER MCU



## CC2430 DEBUG CONNECTOR





## C8051F320 RESET




## C8051F320 DEBUG CONNECTOR

	CC2430						
	cc2430emulator				1		v1.1
	崔庆伟		2007-6-14				






# CC\_SoC Emluator















# Bill of Materials

<Parameter Title not found>

Source Data From:	Documents.PrjPcb
Project:	Documents.PrjPcb
Variant:	None

Creation Date:	2009-8-5	12:06:16
Print Date:	40030	40030.5044

Footprint	Comment	LibRef	Designator	Description	Quantity
0805	0R	RES1	*R1, *R2, R1, R2, R5, R7, R8	Capacitor	7
0805	104	CAP	C1, C4, C5, C7		4
1206	106	C2	C2, C3, C6		3
USB-B	USB-B	USB-B	CN1	Diode	1
1N5819	1N5819	DIODE	D1		1
SIP3	JK3	JK3	J1		1
FKV10LN	CC2430 DEBUG	HDR2X5	J2	312 Connector	1
LED-0205/CR	LED-0205/CR	LED-0205/CR	LED1		1
HOLE3_1	3MM	CON1	O1, O2, O3, O4		4
0805	1K	RES2	R3, R4		2
0805	510	RES2	R6		1
B3F-31XX	SW-PB	SW-PB	S1		1
SOT-223	AS1117	AS1117	U1		1
LQFP-32	C8051F320	C8051F320	U2		1
					29

Approved	Notes