

# LSKVC Return to Play (Outdoor) Players Pack

Nicolas Vecchione (Powerball Rep)

07/08/2020

## Contents

<b>Motivation</b>	<b>2</b>
<b>1 Players Rules</b>	<b>3</b>
1.1 Prior to Activity: . . . . .	3
1.2 During Activity: . . . . .	3
1.3 After the Activity: . . . . .	3
<b>2 Risk Assessment</b>	<b>4</b>
2.1 Background . . . . .	4
2.2 Method . . . . .	4
2.3 Results . . . . .	5
2.4 References and acronyms . . . . .	7

# Motivation

This document aims to support LSKVC in their organisation and running of official LSKVC outdoor volleyball sessions returning from the COVID19 hiatus. Its overarching aim is to provide means to reduce the risks of virus propagation, protecting our members and the general population and create the start of a sustainable way to play volleyball during the ongoing pandemic.

The **Players Rules** section outlines what will be sent to players with the expectation of compliance.

The Player Rules are made of:

- Rules and obligations as extracted and adapted for our purposes from the Volleyball England document titled “Procedure and Risk Assessments for Outdoor Volleyball Training and Matches During COVID-19 Controls” ([link](#))
- Additional specific rules based on our specific Risk Assessment (see below)

The **Risk Assessment** section outlines the specific risk assessment for our activity on top of the Volleyball England Risk Assessment which is generic (references to the Volleyball England documents are at the end of that section).

The Risk Assessment is based on:

- Volleyball England Return to Outdoor Volleyball Specific Action Plan ([link](#))
- Return to recreational team sport framework ([link](#))
- VE Webinar Return to Volleyball held on 06/08/20 (Nicolas Vecchione attended)

# 1 Players Rules

## 1.1 Prior to Activity:

- Let us know you plan to attend the activity. This can be made by replying to the event created on Facebook. Numbers are capped at *26 players*, if you have not let us know you are coming, you will not be able to attend.
- Before you attend you need to opt-in to the present rules, confirming that you read and understood them as well as the risk assessment and agree with the residual risk involved in the activity. Please get in touch if you have any issue understanding the documents.
- Whether in advance or on the day, you have to provide up to date contact information – mobile number as a minimum. This is for track and trace.
- Individuals should bring their own food and drink – water bottles or other refreshment containers should not be shared.
- You should remember to follow all current UK Government guidances (insert link) This includes most importantly not taking part if you experience any symptoms of Covid19 as well as maintaining social distancing in making your way to the venue.
- Make yourself aware of the attached risk assessment that those rules are based on: <https://media.volleyballengland.org/docs/Return%20to%20play%20outdoor%20volleyball%20-%20risk%20assessment.pdf>

## 1.2 During Activity:

- Each player will have to sanitise hands before the start and after the end of each set.
- Congratulatory touches are not permitted
- Players should not to touch their face, mouth, nose or eyes.
- Shouting should be avoided.
- Sets will be capped at **15 points** with 2 points difference or first team to 17 points.
- Each player can play a maximum of **5 sets** if we play 6v6 (*6 sets* total if we play 5v5 and *8 sets* total if we play 4v4).
- Any participants not on court must maintain social distancing. Any seating arrangement (where you keep your stuff) should be 2m away from the next persons.
- Water and drinks should not be shared

## 1.3 After the Activity:

- Sanitise your hands after the completion of activity
- Leave the playing area whilst maintaining social distancing.
- If you have not done so yet please provide up to date contact details before leaving. It will be kept for 21 days to provide track and trace
- If you have suggestions on running the session or observed something you think could be improved especially in terms of safety please get in touch with the organisers

## 2 Risk Assessment

### 2.1 Background

We are looking to adapt the measures from the ones outlined by the return to sport document as a minimum, to one that compensate for aspects of our play that differs from the conditions under which the analysis was made. VE analysis was ran as mandated by gvt Return to Sport. See references for links to those.

VE study concluded that a normal volleyball game of 6v6 on a 9 by 9 metres court would result in a 1 minutes per 20m set virus exposure for each player, totaling 5 minutes exposure for a full 5 sets game. This was used to justify the exposure risk as being medium as defined by Return to Sport. This approach was accepted and validated by the sport governing body. We have based the risk assessment in the play configurations required to attain a similar level of exposure to the virus as the one in the study.

### 2.2 Method

An estimation of the virus exposure is derived as a function of the court size, number of players per team and set duration. VE Study was for 6v6 game in a 9 metres x 9 metres court. Basically if the court gets smaller, or the number of players increases, then the exposure increases.

A reference weighted exposure  $r_e^*$  is derived by considering duration of exposure per duration of playing time per player per court surface. The values for the Volleyball England study were an exposure time  $Te^* = 1min$  per set of  $T_{play}^* = 20min$ . The court side was  $L^* = 9m$  and the number of players per team was  $N_{team}^* = 6$ .

$$r_e^* = \frac{T_e^*}{T_{play}^* \frac{N_{team}^*}{L^{*2}}}$$

To obtain the duration of exposure  $Te$  for our specific park activity, we multiply the reference weighted exposure by the parameters corresponding to our specific activity :  $T_{play}$  play duration in minutes, court side  $L$  in metres and  $N_{team}$  the number of players per team.

We also multiply that exposure time by a safety factor equal to 1.5 to account for a scrappier play in the park compared to what was obtained the in VE study which was quoted in the webinar held on 06/08 to be national league finals games.

$$Te = T_{play} \frac{N_{team}}{L^2} r_e^* S_f$$

Obviously this choice constitutes an educated guess, and the actual exposure time should be validated by observation of typical park play which is an exercise that has not been carried out so far.

Example 1: in the case of a 6v6 play on a 9mx9m court, for a set duration of 15 minutes, the exposure will be  $Te^* = 0.75$  minutes - the exposure is a bit less than the VE reference of 1 minute because the set is shorter, everything else being equal.

Example 2: in the case of a 6v6 play on a 8mx8m court, for a set duration of 20 minutes, the exposure will be  $Te^* = 1.27$  minutes - the exposure is a bit larger than the VE reference of 1 minute because the court is smaller, everything else being equal.

Example 3: in the case of a 6v6 play on a 8mx8m court, for a set duration of 20 minutes, safety factor of 1.5, the exposure will be  $Te^* = 1.9$  minutes - the exposure is larger than Example 2 because the play is scrappier, everything else being equal.

Based on this it is possible to calculate the maximum advisable number of sets per player depending on the chosen acceptable virus exposure per session.

$$N_{set}^{max} = \frac{T_e^{max}}{T_{set} \frac{N_{team}}{L^2} r_e^* S_f}$$

Example 1 (continued): in the case of a 6v6 play on a 9mx9m court, for a set duration of 15 minutes, the maximum number of sets per player will be  $N_{set}^{max} = 6.67$  sets. This is a bit more than the 5 sets in the VE reference because the sets are shorter, everything else being equal.

Example 2 (continued): in the case of a 6v6 play on a 8mx8m court, for a set duration of 20 minutes, the maximum number of sets per player will be  $N_{set}^{max} = 3.95$  sets. This is a bit less than the 5 sets in the VE reference because the court is smaller, everything else being equal.

Example 3 (continued): in the case of a 6v6 play on a 8mx8m court, for a set duration of 20 minutes, safety factor of 1.5, the maximum number of sets per player will be  $N_{set}^{max} = 2.63$  sets. This is less than Example 3 because the play is scrappier, everything else being equal.

As a default in this risk assessment, the acceptable total exposure per session was considered to be **10 minutes**. This compares to the value of *5 minutes* measured for the VE study and *15 minutes* for the Return to Sport maximum for a Medium risk.

The rationale for that choice is that we want to remain under the value mandated by government for a medium risk (as this is a requirement of return to sport) with some allowance.

It is necessary that the  $N_{set}^{max}$  is obtained from the results table below and enforced either organically by a careful choice of session duration and numbers cap or by monitoring as an alternative.

## 2.3 Results

Below are tables giving  $N_{set}^{max}$  (and noted NSM) using the method above for a few choices of number of players per team, number of courts, set duration.

Please use the column NSM for the maximum recommended number of sets per player for each configuration.

### 2.3.1 Definitions

Table 1: Acronyms

Abbreviation	Definition
CaseDesc	Cases Description
LC	court length (metres) - Input
NTM	Nb players per team - Input
DS	Set duration (minutes) - Input
SF	Safety Factor
ET	Max Session Virus Exposure (minutes) - Input
NTT	Nb players total - Input
NC	Nb courts - Input
ES	Set Virus Exposure (minutes) - Calculated
NSM	Max Number of Sets - Calculated
DP	Playtime duration per player - Calculated
DS	Session duration (no breaks) - Calculated

### 2.3.2 30 players

Table 2: Park Play Configurations - 30 players

CaseDesc	Inputs							Ouputs			
	LC	NTM	DS	SF	ET	NTT	NC	ES	NSM	DP	DS
LSKVC 4X4 20m 10exp	8	4	20	1.5	10	30	2	1.3	7.9	2h38m	4h56m
LSKVC 5X5 20m 10exp	8	5	20	1.5	10	30	2	1.6	6.3	2h06m	3h10m
LSKVC 5X5 20m 10exp	8	5	20	1.5	10	30	1	1.6	6.3	2h06m	6h19m
LSKVC 6X6 20m 10exp	8	6	20	1.5	10	30	2	1.9	5.3	1h45m	2h12m
LSKVC 6X6 20m 10exp	8	6	20	1.5	10	30	1	1.9	5.3	1h45m	4h23m

### 2.3.3 24 players

Table 3: Park Play Configurations - 24 players

CaseDesc	Inputs							Ouputs			
	LC	NTM	DS	SF	ET	NTT	NC	ES	NSM	DP	DS
LSKVC 4X4 20m 10exp	8	4	20	1.5	10	24	2	1.3	7.9	2h38m	3h57m
LSKVC 5X5 20m 10exp	8	5	20	1.5	10	24	2	1.6	6.3	2h06m	2h32m
LSKVC 5X5 20m 10exp	8	5	20	1.5	10	24	1	1.6	6.3	2h06m	5h03m
LSKVC 6X6 20m 10exp	8	6	20	1.5	10	24	2	1.9	5.3	1h45m	1h45m
LSKVC 6X6 20m 10exp	8	6	20	1.5	10	24	1	1.9	5.3	1h45m	3h31m

### 2.3.4 12 players

Table 4: Park Play Configurations - 12 players

CaseDesc	Inputs							Ouputs			
	LC	NTM	DS	SF	ET	NTT	NC	ES	NSM	DP	DS
LSKVC 4X4 20m 10exp	8	4	20	1.5	10	12	1	1.3	7.9	2h38m	3h57m
LSKVC 5X5 20m 10exp	8	5	20	1.5	10	12	1	1.6	6.3	2h06m	2h32m
LSKVC 6X6 20m 10exp	8	6	20	1.5	10	12	1	1.9	5.3	1h45m	1h45m

### 2.3.5 8 players

Table 5: Park Play Configurations - 8 players

CaseDesc	Inputs							Ouputs			
	LC	NTM	DS	SF	ET	NTT	NC	ES	NSM	DP	DS
LSKVC 4X4 20m 10exp	8	4	20	1.5	10	8	1	1.3	7.9	2h38m	2h38m

### 2.3.6 All configurations

Table 6: Park Play Configurations - All

CaseDesc	Inputs							Ouputs			
	LC	NTM	DS	SF	ET	NTT	NC	ES	NSM	DP	DS
VE STUDY 6X6 20m 5exp	9	6	20	1.0	5	12	1	1.0	5.0	1h40m	1h40m
LSKVC 4X4 20m 10exp	8	4	20	1.5	10	8	1	1.3	7.9	2h38m	2h38m
LSKVC 4X4 20m 10exp	8	4	20	1.5	10	12	1	1.3	7.9	2h38m	3h57m
LSKVC 4X4 20m 10exp	8	4	20	1.5	10	24	2	1.3	7.9	2h38m	3h57m
LSKVC 4X4 20m 10exp	8	4	20	1.5	10	30	2	1.3	7.9	2h38m	4h56m
LSKVC 5X5 20m 10exp	8	5	20	1.5	10	12	1	1.6	6.3	2h06m	2h32m
LSKVC 5X5 20m 10exp	8	5	20	1.5	10	24	2	1.6	6.3	2h06m	2h32m
LSKVC 5X5 20m 10exp	8	5	20	1.5	10	30	2	1.6	6.3	2h06m	3h10m
LSKVC 5X5 20m 10exp	8	5	20	1.5	10	24	1	1.6	6.3	2h06m	5h03m
LSKVC 5X5 20m 10exp	8	5	20	1.5	10	30	1	1.6	6.3	2h06m	6h19m
LSKVC 6X6 20m 10exp	8	6	20	1.5	10	12	1	1.9	5.3	1h45m	1h45m
LSKVC 6X6 20m 10exp	8	6	20	1.5	10	24	2	1.9	5.3	1h45m	1h45m
LSKVC 6X6 20m 10exp	8	6	20	1.5	10	30	2	1.9	5.3	1h45m	2h12m
LSKVC 6X6 20m 10exp	8	6	20	1.5	10	24	1	1.9	5.3	1h45m	3h31m
LSKVC 6X6 20m 10exp	8	6	20	1.5	10	30	1	1.9	5.3	1h45m	4h23m

First line is the case reproducing the results obtained from measurement by Volleyball England which validates the formula used as we obtained 1 minute exposure per set of 20 minutes. The rest are cases calculated specifically for our purpose of park play.

## 2.4 References and acronyms

Analysis/return to sport doc link

Volleyball England Risk assessment link

Volleyball England Return to sport webinar link tbc

Return to Sport Guidance link