



# Channel Manager Integration Specification

API Version 2.3.8

# Channel Manager API

This API is based on OTA Standard Version 2015B. for detail can be refer to <http://opentravel.org/>

## Authentication

Applications implementing or interacting with this API are expected to use HTTP Basic authentication. Every channel manager will use one username and password to access the API. Credentials will be provided in the beginning of the integration.

## Revision History

V 2.3.7	
V 2.3.8	<ul style="list-style-type: none"><li>- added Revision History</li><li>- added new structures that enable hotels to use various rate plan codes. *(only rate plan code = “retail” for the previous version)</li><li>- added <i>lengths of stay</i> to enable (minimum length of stay, maximum length of stay, minimum stay through, and maximum stay through)</li><li>- change @RatePlanCode description</li></ul>

# List of API

## 1. URL Testing

[https://asicm.asi.staging-traveloka.com/\[endpoint\]/\[cm\\_ID\]](https://asicm.asi.staging-traveloka.com/[endpoint]/[cm_ID])

- [endpoint] will follow information provided in the table below.
- [cm\_ID] will be communicated in the beginning of the integration.

Example: <https://asicm.asi.staging-traveloka.com/api/v1/cm/ping/travelokacm>

## 2. URL Production

TBA after testing is done.

No	Name	Endpoint
1	<b>Ping Service</b> OTA_PingRQ	/api/v1/cm/ping/
2	<b>Get Room List</b> OTA_HotelAvailRQ	/api/v1/cm/hotelRooms/
3	<b>Update Room Allotments</b> OTA_HotelAvailNotifRQ	/api/v1/cm/notif/hotelAvailabilityRestrictions/
4	<b>Update Room Rates</b> OTA_HotelRateAmountNotifRQ	/api/v1/cm/notif/hotelRates/
5	<b>Booking Notification</b> OTA_HotelResNotifRQ	(Provided by each CM)

## 1. Ping Service (OTA\_PingRQ)

This API is to ensure that connection between Traveloka and channel manager is alive.

### *Request*

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_PingRQ Version="2.0"
    Timestamp="2016-05-26T11:11:50-0400"
    xmlns="http://www.opentravel.org/OTA/2003/05">
    <EchoData> hi ? </EchoData>
</OTA_PingRQ>
```

### *Response*

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<OTA_PingRS Timestamp="2017-06-23T13:39:43.751+07:00" Version="1"
xmlns="http://www.opentravel.org/OTA/2003/05">
    <Success/>
    <EchoData> hi ? </EchoData>
</OTA_PingRS>
```

### *Request Node*

Node	Min	Max	Description
/OTA_PingRQ	1	1	Root element
EchoData /OTA_PingRQ	1	1	Contains string that shall be echoed in the response.

### *Response Node*

Node	Min	Max	Description
/OTA_PingRS	1	1	Root element
Success /OTA_PingRS	0	1	Empty element to indicate that the request was successful. Required to indicate success, but expected to be omitted when there are errors.
EchoData /OTA_PingRs	1	1	String echoed from original request

## 2. Get Room List (OTA\_HotelAvailRQ)

This API is to get a list of available hotel rooms along with active rateplans. *In this new API version, we provide new capability for the new Room and RatePlan Structure in our Extranet by adding RatePlanCode attribute.*

- *Old structure: Only return RETAIL rateplan*
- *New structure: Old Structure + new RatePlanCode attribute*

### ***Request***

```
<OTA_HotelAvailRQ xmlns="http://www.opentravel.org/OTA/2003/05" Version="1.0"
TimeStamp="2005-08-01T09:30:47+02:00" EchoToken="fb57388d"
AvailRatesOnly="true">
  <AvailRequestSegments>
    <AvailRequestSegment AvailReqType="Room">
      <HotelSearchCriteria>
        <Criterion>
          <HotelRef HotelCode="HOTEL001"/>
        </Criterion>
      </HotelSearchCriteria>
    </AvailRequestSegment>
  </AvailRequestSegments>
</OTA_HotelAvailRQ>
```

### ***Response (old structure)***

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<OTA_HotelAvailRS EchoToken="fb57388d"
xmlns="http://www.opentravel.org/OTA/2003/05">
  <Success/>
  <RoomStays>
    <RoomStay>
      <RoomTypes>
        <RoomType RoomTypeCode="10001009">
          <RoomDescription Name="Whiz Single"/>
        </RoomType>
      </RoomTypes>
      <RatePlans>
        <RatePlan RatePlanCode="RETAIL">
          <RatePlanDescription Name="RETAIL"/>
        </RatePlan>
      </RatePlans>
      <GuestCounts>
        <GuestCount Count="2"/>
      </GuestCounts>
    </RoomStay>
    <RoomStay>
      <RoomTypes>
        <RoomType RoomTypeCode="10001010">
          <RoomDescription Name="Whiz Twin"/>
        </RoomType>
      </RoomTypes>
```

```
<RatePlans>
  <RatePlan RatePlanCode="RETAIL">
    <RatePlanDescription Name="RETAIL"/>
  </RatePlan>
</RatePlans>
<GuestCounts>
  <GuestCount Count="2"/>
</GuestCounts>
</RoomStay>
<RoomStay>
  <RoomTypes>
    <RoomType RoomTypeCode="10001011">
      <RoomDescription Name="Whiz Double"/>
    </RoomType>
  </RoomTypes>
  <RatePlans>
    <RatePlan RatePlanCode="RETAIL">
      <RatePlanDescription Name="RETAIL"/>
    </RatePlan>
  </RatePlans>
  <GuestCounts>
    <GuestCount Count="2"/>
  </GuestCounts>
</RoomStay>
<RoomStay>
  <RoomTypes>
    <RoomType RoomTypeCode="10010031">
      <RoomDescription Name="Whiz Twin Room Only"/>
    </RoomType>
  </RoomTypes>
  <RatePlans>
    <RatePlan RatePlanCode="RETAIL">
      <RatePlanDescription Name="RETAIL"/>
    </RatePlan>
  </RatePlans>
  <GuestCounts>
    <GuestCount Count="2"/>
  </GuestCounts>
</RoomStay>
</RoomStays>
</OTA_HotelAvailRS>
```

***Response (since API Version 2.3.8)***

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<OTA_HotelAvailRS EchoToken="fb57388d"
xmlns="http://www.opentravel.org/OTA/2003/05">
  <Success/>
  <RoomStays>
    <RoomStay>
      <RoomTypes>
        <RoomType RoomTypeCode="10001009">
          <RoomDescription Name="Whiz Single"/>
        </RoomType>
      </RoomTypes>
      <RatePlans>
        <RatePlan RatePlanCode="RETAIL">
          <RatePlanDescription Name="RETAIL"/>
        </RatePlan>
      </RatePlans>
      <GuestCounts>
        <GuestCount Count="2"/>
      </GuestCounts>
    </RoomStay>
    <RoomStay>
      <RoomTypes>
        <RoomType RoomTypeCode="10001010">
          <RoomDescription Name="Whiz Twin"/>
        </RoomType>
      </RoomTypes>
      <RatePlans>
        <RatePlan RatePlanCode="2179">
          <RatePlanDescription Name="With Breakfast"/>
        </RatePlan>
      </RatePlans>
      <GuestCounts>
        <GuestCount Count="2"/>
      </GuestCounts>
    </RoomStay>
    <RoomStay>
      <RoomTypes>
        <RoomType RoomTypeCode="10001010">
          <RoomDescription Name="Whiz Twin"/>
        </RoomType>
      </RoomTypes>
      <RatePlans>
        <RatePlan RatePlanCode="2180">
          <RatePlanDescription Name="Room Only"/>
        </RatePlan>
      </RatePlans>
      <GuestCounts>
```

```
        <GuestCount Count="2"/>
    </GuestCounts>
</RoomStay>
<RoomStay>
    <RoomTypes>
        <RoomType RoomTypeCode="10001011">
            <RoomDescription Name="Whiz Double"/>
        </RoomType>
    </RoomTypes>
    <RatePlans>
        <RatePlan RatePlanCode="2181">
            <RatePlanDescription Name="Breakfast with MLOS"/>
        </RatePlan>
    </RatePlans>
    <GuestCounts>
        <GuestCount Count="2"/>
    </GuestCounts>
</RoomStay>
<RoomStay>
    <RoomTypes>
        <RoomType RoomTypeCode="10001011">
            <RoomDescription Name="Whiz Double"/>
        </RoomType>
    </RoomTypes>
    <RatePlans>
        <RatePlan RatePlanCode="2179">
            <RatePlanDescription Name="With Breakfast"/>
        </RatePlan>
    </RatePlans>
    <GuestCounts>
        <GuestCount Count="2"/>
    </GuestCounts>
</RoomStay>
</RoomStays>
</OTA_HotelAvailRS>
```



### ***Failed Response***

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<OTA_HotelAvailRS EchoToken="fb57388d"
TimeStamp="2017-08-21T15:18:17.552+07:00" Version="1.0"
xmlns="http://www.opentravel.org/OTA/2003/05">
  <Errors>
    <Error Type="..." ShortText="..." Code="..." />
  </Errors>
</OTA_HotelAvailRS>
```

### ***Request Node***

<b>Node</b>	<b>Min</b>	<b>Max</b>	<b>Description</b>
/OTA_HotelAvailRQ	1	1	Root element
AvailRequestSegments ./OTA_HotelAvailRQ	1	1	
AvailRequestSegment ./OTA_HotelAvailRQ /AvailRequestSegments	1	1	
@AvailReqType ./AvailRequestSegments/AvailRequestSegment	1	1	Only “Room” is supported as the value for this.
HotelSearchCriteria ./AvailRequestSegments/AvailRequestSegment	1	1	
Criterion ./AvailRequestSegment/HotelSearchCriteria	1	1	
HotelRef ./Criterion	1	1	Hotel search criteria
@HotelCode ./Criterion/HotelRef	1	1	Hotel code

## Response Node

Node	Min	Max	Description
/OTA_HotelAvailRS	1	1	Root element
Success /OTA_HotelAvailRS	0	1	Indicates success. If omitted, indicates failure
RoomStays /OTA_HotelAvailRS	1	1	List of RoomStay
RoomStay /OTA_HotelAvailRS/RoomStays	0	*	
RoomTypes /OTA_HotelAvailRS/RoomStays /RoomStay	1	1	
RoomType /OTA_HotelAvailRS/RoomStays/RoomStay/RoomTypes	1	1	Detail of hotel's room
@RoomTypeCode /OTA_HotelAvailRS/RoomStays/RoomStay/RoomTypes /RoomType	1	1	Hotel room code
RoomDescription /OTA_HotelAvailRS/RoomStays/RoomStay/RoomTypes /RoomType	1	1	
@Name /OTA_HotelAvailRS/RoomStays/RoomStay/RoomTypes /RoomType/RoomDescription	1	1	Name of hotel room
RatePlans /OTA_HotelAvailRS/RoomStays/RoomStay	1	1	
RatePlan /OTA_HotelAvailRS/RoomStays/RoomStay/RatePlans	1	1	Rateplan detail
@RatePlanCode /OTA_HotelAvailRS/RoomStays/RoomStay/RatePlans/RatePlan	1	1	*old version (only consist of “RETAIL”)  *since API Version 2.3.8 (consist of “RETAIL” and other code values that represent rate plan)
RatePlanDescription /OTA_HotelAvailRS/RoomStays/RoomStay/RatePlans/RatePlan	1	1	

<b>@Name</b> /OTA_HotelAvailRS/RoomStays/RoomStay/RatePlans/RatePlan/RatePlanDescription	1	1	Rateplan Name
<b>GuestCounts</b> /OTA_HotelAvailRS/RoomStays/RoomStay	1	1	Parent Element of GuestCount
<b>GuestCount</b> /OTA_HotelAvailRS/RoomStays/RoomStay/GuestCounts	1	1	
<b>@Count</b> /OTA_HotelAvailRS/RoomStays/RoomStay/GuestCounts/GuestCounts/GuestCount	1	1	Number of Max. Occupancy

### Failed Response Node

Node	Min	Max	Description
OTA_HotelAvailRS	1	1	Root element
Errors /OTA_HotelAvailRS	1	1	Required to indicate failed response
Error /OTA_HotelAvailRS/Errors	1	1	Details of error response
<b>@Type</b> /OTA_HotelAvailRS/Errors/Error	1	1	Please See error list for available value
<b>@ShortText</b> /OTA_HotelAvailRS/Errors/Error	1	1	Please See error list for available value
<b>@Code</b> /OTA_HotelAvailRS/Errors/Error	1	1	Please See error list for available value

### 3. Update Room Allotments (OTA\_HotelAvailNotifRQ)

*This API is to update allotment and availability restriction from CM such as close-out, no check-in/close-to-arrival, no check-out/close-to-departure.*

*At this new version, we provide capability to set Minimum and Maximum Length of Stay (MLOS) and Minimum and Maximum Stay Through (MST) following with capability in our current extranet. To notes:*

- *In previous version, we only provide capability to send for RETAIL rateplancode only, now Channel Manager can send the request with other rateplancode*
- *There's difference between rateplancode text and numbers. For numbers, CM can send with all rateplancode, for text code still can only send with RETAIL*
- *Min/Max Length of Stay: the restriction applies to reservations checking in on that day.*
- *Min/Max Stay Through: the restriction applies to reservations that are booked across that day.*

#### ***Request (old structure)***

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRQ Version="1.0"
    TimeStamp="2016-05-26T11:11:50-0400"
    EchoToken="001-1466531393"
    xmlns="http://www.opentravel.org/OTA/2003/05">
  <AvailStatusMessages HotelCode="HOTEL001">
    <AvailStatusMessage BookingLimit="10">
      <StatusApplicationControl Start="2017-01-15" End="2017-01-16"
InvTypeCode="10001010" RatePlanCode="RETAIL" />
      <RestrictionStatus Restriction="Master" Status="Open" />
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl Start="2017-01-15" End="2017-01-16"
InvTypeCode="10001011" RatePlanCode="RETAIL" />
      <RestrictionStatus Restriction="Arrival" Status="Close" />
    </AvailStatusMessage>
    <AvailStatusMessage>
      <StatusApplicationControl Start="2017-01-15" End="2017-01-16"
InvTypeCode="10001011" RatePlanCode="RETAIL" />
      <RestrictionStatus Restriction="Departure" Status="Close" />
    </AvailStatusMessage>
  </AvailStatusMessages>
</OTA_HotelAvailNotifRQ>
```

### ***Request (since API Version 2.3.8)***

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelAvailNotifRQ Version="1.0"
    TimeStamp="2016-05-26T11:11:50-0400"
    EchoToken="001-1466531393"
    xmlns="http://www.opentravel.org/OTA/2003/05">
    <AvailStatusMessages HotelCode="HOTEL001">
        <AvailStatusMessage BookingLimit="10">
            <StatusApplicationControl Start="2017-01-15" End="2017-01-16"
InvTypeCode="10001010" RatePlanCode="RETAIL" />
            <RestrictionStatus Restriction="Master" Status="Open" />
        </AvailStatusMessage>
        <AvailStatusMessage>
            <StatusApplicationControl Start="2017-01-15" End="2017-01-16"
InvTypeCode="10001011" RatePlanCode="RETAIL" />
            <RestrictionStatus Restriction="Arrival" Status="Close" />
        </AvailStatusMessage>
        <AvailStatusMessage>
            <StatusApplicationControl Start="2017-01-15" End="2017-01-16"
InvTypeCode="10001011" RatePlanCode="RETAIL" />
            <RestrictionStatus Restriction="Departure" Status="Close" />
        </AvailStatusMessage>
        <AvailStatusMessage BookingLimit="10">
            <StatusApplicationControl Start="2017-01-15" End="2017-01-16"
InvTypeCode="10001010" RatePlanCode="2179" />
            <RestrictionStatus Restriction="Master" Status="Open" />
        </AvailStatusMessage>
        <AvailStatusMessage>
            <StatusApplicationControl Start="2017-01-15" End="2017-01-16"
InvTypeCode="10001011" RatePlanCode="2179" />
            <RestrictionStatus Restriction="Arrival" Status="Close" />
        </AvailStatusMessage>
        <AvailStatusMessage>
            <StatusApplicationControl Start="2017-01-15" End="2017-01-16"
InvTypeCode="10001011" RatePlanCode="2179" />
            <RestrictionStatus Restriction="Departure" Status="Close" />
        </AvailStatusMessage>
        <AvailStatusMessage>
            <StatusApplicationControl Start="2017-01-15" End="2017-01-16"
InvTypeCode="10001010" RatePlanCode="2179" />
            <LengthsOfStay>
                <LengthOfStay MinMaxMessageType="SetMinLOS" Time="1"/>
                <LengthOfStay MinMaxMessageType="SetMaxLOS" Time="2"/>
            </LengthsOfStay>
        </AvailStatusMessage>
    </AvailStatusMessages>
</OTA_HotelAvailNotifRQ>
```

## Response

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<OTA_HotelAvailNotifRS xmlns="http://www.opentravel.org/OTA/2003/05">
  <Success/>
</OTA_HotelAvailNotifRS>
```

## Failed Response

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<OTA_HotelAvailNotifRS EchoToken="001-1466531393" Version="1.0"
xmlns="http://www.opentravel.org/OTA/2003/05">
  <Errors>
    <Error Type="..." ShortText="..." Code="..." />
  </Errors>
</OTA_HotelAvailNotifRS>
```

## Request Node

Node	Min	Max	Description
/OTA_HotelAvailNotifRQ	1	1	Root element
AvailStatusMessages /OTA_HotelAvailNotifRQ	1	1	List of availability status messages for the given hotel
@HotelCode /OTA_HotelAvailNotifRQ/AvailStatusMessages	1	1	Hotel code
AvailStatusMessage /OTA_HotelAvailNotifRQ/AvailStatusMessages	0	*	
@BookingLimit /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage	0	1	Number of room available for date range
StatusApplicationControl /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage	1	1	
@Start /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage/StatusApplicationControl	1	1	Start date in YYYY-MM-DD format
@End /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage/StatusApplicationControl	1	1	End date in YYYY-MM-DD format
@InvTypeCode /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage/StatusApplicationControl	1	1	Value of RoomTypeCode from OTA_HotelAvailRS

<b>@RatePlanCode</b>  /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage/StatusApplicationControl	1	1	*old version (only consist of “RETAIL”)  *since API Version 2.3.8 (consist of “RETAIL” and other code values that represent rate plan)
<b>RestrictionStatus</b>  /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage	1	1	Contain restriction status
<b>@Restriction</b>  /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage/RestrictionStatus	1	1	Restriction status for now support - <b>Master</b> = You can close or open your allotment on certain date even though it still has availability. - <b>Arrival</b> = If you set “Close” it will restrict check-in on this date - <b>Departure</b> = If you set “Close” it will restrict check-out on this date
<b>@Status</b>  /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage/RestrictionStatus	1	1	Status of restriction <b>Open or Close</b>
<b>LengthsOfStay</b>  /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage	0	1	
<b>LengthOfStay</b>  /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage/LengthsOfStay	1	*	
<b>@MinMaxMessageType</b>  /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage/LengthsOfStay/LengthOfStay	1	1	Length of stay for now support: - <b>SetMinLOS:</b> <i>For Minimum Length of Stay</i> - <b>SetMaxLOS:</b> <i>For Maximum Length of Stay</i> - <b>SetForwardMinStay:</b> <i>For Minimum Stay Through</i> - <b>SetForwardMaxStay:</b> <i>For Maximum Stay Through</i>
<b>@Time</b>  /OTA_HotelAvailNotifRQ/AvailStatusMessages /AvailStatusMessage/LengthsOfStay/LengthOfStay	1	1	Time days unit <i>for MLOS and MST</i>



### ***Response Node***

<b>Node</b>	<b>Min</b>	<b>Max</b>	<b>Description</b>
/OTA_HotelAvailNotifRS	1	1	Root element
Success /OTA_HotelAvailNotifRS	0	1	Indicates success. If omitted, indicates failure

### **Failed Response Node**

<b>Node</b>	<b>Min</b>	<b>Max</b>	<b>Description</b>
OTA_HotelAvailNotifRS	1	1	Root element
Errors /OTA_HotelAvailNotifRS	1	1	Required to indicate failed response
Error /OTA_HotelAvailNotifRS/Errors	1	1	Details of error response
@Type /OTA_HotelAvailNotifRS/Errors/Error	1	1	Please See error list for available value
@ShortText /OTA_HotelAvailNotifRS/Errors/Error	1	1	Please See error list for available value
@Code /OTA_HotelAvailNotifRS/Errors/Error	1	1	Please See error list for available value

## 4. Update Room Rates

### A. OTA\_HotelRateAmountNotifRQ

This API is to update hotel room rate. Similar to **OTA\_HotelAvailNotifRQ**, this API is capable to update room rate for old structure and new structure. The detail is in Section 3.

- *In previous version, we only provide capability to send for RETAIL rateplancode only, now Channel Manager can send the request with other rateplancode*
- *There's difference between rateplancode text and numbers. For numbers, CM can send with all rateplancode, for text code still can only send with RETAIL*

#### Request

```
<OTA_HotelRateAmountNotifRQ
  xmlns="http://www.opentravel.org/OTA/2003/05"
  EchoToken="0d18caee-9fdd-4df7-8043-d1d7ee3a1299"
  TimeStamp="2015-04-01T19:52:01+11:00" Version="1.0">
  <RateAmountMessages HotelCode="HOTEL001">
    <RateAmountMessage>
      <StatusApplicationControl End="2017-07-30" InvTypeCode="10001010"
RatePlanCode="RETAIL" Start="2017-07-24"/>
      <Rates>
        <Rate>
          <BaseByGuestAmts>
            <BaseByGuestAmt AgeQualifyingCode="10"
AmountAfterTax="800000.00" NumberOfGuests="1" CurrencyCode="IDR"/>
            <BaseByGuestAmt AgeQualifyingCode="10"
AmountAfterTax="850000.00" NumberOfGuests="2" CurrencyCode="IDR"/>
          </BaseByGuestAmts>
        </Rate>
      </Rates>
    </RateAmountMessage>
    <RateAmountMessage>
      <StatusApplicationControl End="2017-07-30" InvTypeCode="10001011"
RatePlanCode="RETAIL" Start="2017-07-24"/>
      <Rates>
        <Rate>
          <BaseByGuestAmts>
            <BaseByGuestAmt AgeQualifyingCode="10"
AmountAfterTax="800000.00" NumberOfGuests="2" CurrencyCode="IDR"/>
            <BaseByGuestAmt AgeQualifyingCode="10"
AmountAfterTax="500000.00" NumberOfGuests="1" CurrencyCode="IDR"/>
          </BaseByGuestAmts>
        </Rate>
      </Rates>
    </RateAmountMessage>
    <RateAmountMessage>
      <StatusApplicationControl End="2017-07-30" InvTypeCode="10001010"
RatePlanCode="2130" Start="2017-07-24"/>
      <Rates>
        <Rate>
          <BaseByGuestAmts>
            <BaseByGuestAmt AgeQualifyingCode="10"
AmountAfterTax="800000.00" NumberOfGuests="1" CurrencyCode="IDR"/>
            <BaseByGuestAmt AgeQualifyingCode="10"
AmountAfterTax="850000.00" NumberOfGuests="2" CurrencyCode="IDR"/>
          </BaseByGuestAmts>
        </Rate>
      </Rates>
    </RateAmountMessage>
  </RateAmountMessages>
</OTA_HotelRateAmountNotifRQ>
```

```
        </Rate>
      </Rates>
    </RateAmountMessage>
  </RateAmountMessages>
</OTA_HotelRateAmountNotifRQ>
```

## Response

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<OTA_HotelRatePlanNotifRS EchoToken="001-1466531393"
xmlns="http://www.opentravel.org/OTA/2003/05">
  <Success/>
</OTA_HotelRatePlanNotifRS>
```

## Failed Response

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<OTA_HotelRateAmountNotifRS EchoToken="0d18caee-9fdd-4df7-8043-d1d7ee3a1299"
TimeStamp="2017-08-22T03:56:11.982Z" Version="1.0"
xmlns="http://www.opentravel.org/OTA/2003/05">
  <Errors>
    <Error Type="..." ShortText="..." Code="..." />
  </Errors>
</OTA_HotelRateAmountNotifRS>
```

## Request Node

Node	Min	Max	Description
/OTA_HotelRateAmountNotifRQ	1	1	Root element
RateAmountMessages /OTA_HotelRateAmountNotifRQ	1	1	List of rate amount detail
@HotelCode /OTA_HotelRateAmountNotifRQ/RateAmountMessages	1	1	Hotel code
RateAmountMessage /OTA_HotelRateAmountNotifRQ/RateAmountMessages	1	*	Rate detail
StatusApplicationControl /OTA_HotelRateAmountNotifRQ/RateAmountMessages /RateAmountMessage	1	1	Specifies date range and product to which this availability data applies
@Start /OTA_HotelRateAmountNotifRQ/RateAmountMessages /RateAmountMessage/StatusApplicationControl	1	1	Start date in YYYY-MM-DD format
@End /OTA_HotelRateAmountNotifRQ/RateAmountMessages /RateAmountMessage/StatusApplicationControl	1	1	End date in YYYY-MM-DD format
@InvTypeCode /OTA_HotelRateAmountNotifRQ/RateAmountMessages /RateAmountMessage/StatusApplicationControl	1	1	Value of RoomTypeCode from OTA_HotelAvailRS

<b>@RatePlanCode</b>  /OTA_HotelRateAmountNotifRQ/RateAmountMessages /RateAmountMessage/StatusApplicationControl	1	1	*old version (only consist of “RETAIL”)  *since API Version 2.3.8 (consist of “RETAIL” and other code values that represent rate plan)
<b>Rates</b>  /OTA_HotelRateAmountNotifRQ/RateAmountMessages	1	1	
<b>Rate</b>  /OTA_HotelRateAmountNotifRQ/RateAmountMessages /Rates	1	1	
<b>BaseByGuestAmts</b>  /OTA_HotelRateAmountNotifRQ/RateAmountMessages /Rates./Rate	1	1	List of base guest amount
<b>BaseByGuestAmt</b>  /OTA_HotelRateAmountNotifRQ/RateAmountMessages /Rates./Rate/BaseByGuestAmts	1	*	Detail of base by guest amount. Currently, only support 2 rates, single and max. occupancy rate.
<b>@AgeQualifyingCode</b>  /OTA_HotelRateAmountNotifRQ/RateAmountMessages /Rates./Rate/BaseByGuestAmts/BaseByGuestAmt	1	1	Indicating the age of the guest, currently the available value is only <b>10</b> for adult.
<b>@AmountAfterTax</b>  /OTA_HotelRateAmountNotifRQ/RateAmountMessages /Rates./Rate/BaseByGuestAmts/BaseByGuestAmt	1	1	Rate amount after tax
<b>@NumberOfGuests</b>  /OTA_HotelRateAmountNotifRQ/RateAmountMessages /Rates./Rate/BaseByGuestAmts/BaseByGuestAmt	1	1	NumberOfGuest = 1 for single rate NumberOfGuest = “X” for max room occupancy(“X” is for value in Guest Count from OTA_HotelAvailRQ response)
<b>@CurrencyCode</b>  /OTA_HotelRateAmountNotifRQ/RateAmountMessages /Rates./Rate/BaseByGuestAmts/BaseByGuestAmt	1	1	Only accept currency code of the property that is already set on extranet.

### ***Response Node***

<b>Node</b>	<b>Min</b>	<b>Max</b>	<b>Description</b>
/OTA_HotelRatePlanNotifRS	1	1	Root element
Success /OTA_HotelRatePlanNotifRS	1	1	Indicates success. If omitted, indicates failure

### **Failed Response Node**

<b>Node</b>	<b>Min</b>	<b>Max</b>	<b>Description</b>
OTA_HotelRateAmountNotifRS	1	1	Root element
Errors /OTA_HotelRateAmountNotifRS	1	1	Required to indicate failed response
Error /OTA_HotelRateAmountNotifRS/Errors	1	1	Details of error response
@Type /OTA_HotelRateAmountNotifRS/Errors/Error	1	1	Please See error list for available value
@ShortText /OTA_HotelRateAmountNotifRS/Errors/Error	1	1	Please See error list for available value
@Code /OTA_HotelRateAmountNotifRS/Errors/Error	1	1	Please See error list for available value

## 5. Booking Notification (OTA\_HotelResNotifRQ)

This message for new, modify and cancel booking. For authentication use HTTP Basic authentication if channel manager need, otherwise no authentication is set.

### A. New Booking Notification

#### *Request Booking (old version)*

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResNotifRQ EchoToken="lBDPHxpKUO"
TimeStamp="2021-04-06T06:59:34.280" Version="1.0"
xmlns="http://www.opentravel.org/OTA/2003/05">
  <POS>
    <Source>
      <BookingChannel Type="7">
        <CompanyName Code="traveloka">traveloka</CompanyName>
      </BookingChannel>
    </Source>
  </POS>
  <HotelReservations>
    <HotelReservation ResStatus="Commit"
CreateDateTime="2021-04-06T06:59:03.415Z">
      <RoomStays>
        <RoomStay IndexNumber="1">
          <RatePlans>
            <RatePlan RatePlanCode="RETAIL">
              <RatePlanDescription>
                <Text>RETAIL</Text>
              </RatePlanDescription>
              <Commission>
                <CommissionableAmount CurrencyCode="IDR" Amount="323000"/>
              </Commission>
            </RatePlan>
          </RatePlans>
          <RoomRates>
            <RoomRate RoomTypeCode="30000026" NumberOfUnits="1"
RatePlanCode="RETAIL">
              <Rates>
                <Rate RoomPricingType="Per night" EffectiveDate="2021-05-02"
ExpireDate="2021-05-03">
                  <Base AmountBeforeTax="785124" AmountAfterTax="950000"/>
                </Rate>
                <Rate RoomPricingType="Per night" EffectiveDate="2021-05-03"
ExpireDate="2021-05-04">
                  <Base AmountBeforeTax="785124" AmountAfterTax="950000"/>
                </Rate>
              </Rates>
            </RoomRate>
          </RoomRates>
          <GuestCounts>
            <GuestCount AgeQualifyingCode="10" Count="3"/>
          </GuestCounts>
          <TimeSpan Start="2021-05-02" End="2021-05-04"/>
          <Total AmountBeforeTax="1570248" AmountAfterTax="1900000"
CurrencyCode="IDR"/>
          <BasicPropertyInfo HotelCode="soqNyBLQttVo"/>
          <ResGuestRPHs>0</ResGuestRPHs>
        </RoomStay>
        <RoomStay IndexNumber="2">
          <RatePlans>
            <RatePlan RatePlanCode="RETAIL">
```

```

        <RatePlanDescription>
            <Text>RETAIL</Text>
        </RatePlanDescription>
        <Commission>
            <CommissionableAmount CurrencyCode="IDR" Amount="323000"/>
        </Commission>
    </RatePlan>
</RatePlans>
<RoomRates>
    <RoomRate RoomTypeCode="30000026" NumberOfUnits="1"
RatePlanCode="RETAIL">
        <Rates>
            <Rate RoomPricingType="Per night" EffectiveDate="2021-05-02"
ExpireDate="2021-05-03">
                <Base AmountBeforeTax="785124" AmountAfterTax="950000"/>
            </Rate>
            <Rate RoomPricingType="Per night" EffectiveDate="2021-05-03"
ExpireDate="2021-05-04">
                <Base AmountBeforeTax="785124" AmountAfterTax="950000"/>
            </Rate>
        </Rates>
    </RoomRate>
</RoomRates>
<GuestCounts>
    <GuestCount AgeQualifyingCode="10" Count="3"/>
</GuestCounts>
<TimeSpan Start="2021-05-02" End="2021-05-04"/>
<Total AmountBeforeTax="1570248" AmountAfterTax="1900000"
CurrencyCode="IDR"/>
    <BasicPropertyInfo HotelCode="soqNyBLQttVo"/>
    <ResGuestRPHs>1</ResGuestRPHs>
</RoomStay>
<RoomStay IndexNumber="3">
    <RatePlans>
        <RatePlan RatePlanCode="RETAIL">
            <RatePlanDescription>
                <Text>RETAIL</Text>
            </RatePlanDescription>
            <Commission>
                <CommissionableAmount CurrencyCode="IDR" Amount="323000"/>
            </Commission>
        </RatePlan>
    </RatePlans>
    <RoomRates>
        <RoomRate RoomTypeCode="30000026" NumberOfUnits="1"
RatePlanCode="RETAIL">
            <Rates>
                <Rate RoomPricingType="Per night" EffectiveDate="2021-05-02"
ExpireDate="2021-05-03">
                    <Base AmountBeforeTax="785124" AmountAfterTax="950000"/>
                </Rate>
                <Rate RoomPricingType="Per night" EffectiveDate="2021-05-03"
ExpireDate="2021-05-04">
                    <Base AmountBeforeTax="785124" AmountAfterTax="950000"/>
                </Rate>
            </Rates>
        </RoomRate>
    </RoomRates>
    <GuestCounts>
        <GuestCount AgeQualifyingCode="10" Count="3"/>
    </GuestCounts>

```



```
<TimeSpan Start="2021-05-02" End="2021-05-04"/>
<Total AmountBeforeTax="1570248" AmountAfterTax="1900000"
CurrencyCode="IDR"/>
<BasicPropertyInfo HotelCode="soqNyBLQttVo"/>
<ResGuestRPHs>2</ResGuestRPHs>
</RoomStay>
</RoomStays>
<Services/>
<ResGuests>
  <ResGuest ResGuestRPH="0">
    <Profiles>
      <ProfileInfo>
        <Profile>
          <Customer>
            <PersonName>
              <GivenName>irfan</GivenName>
              <Surname>nst</Surname>
            </PersonName>
            <Telephone PhoneNumber=""/>
            <Email></Email>
            <Address/>
          </Customer>
        </Profile>
      </ProfileInfo>
    </Profiles>
    <SpecialRequests>
      <SpecialRequest/>
    </SpecialRequests>
  </ResGuest>
</ResGuests>
<ResGlobalInfo>
  <Total AmountBeforeTax="4710744" AmountAfterTax="5700000"
CurrencyCode="IDR"/>
  <HotelReservationIDs>
    <HotelReservationID ResID_Type="13" ResID_Value="200000052029"/>
  </HotelReservationIDs>
</ResGlobalInfo>
</HotelReservation>
</HotelReservations>
</OTA_HotelResNotifRQ>
```

### ***Request Booking (since API Version 2.3.8)***

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResNotifRQ EchoToken="lBDPHxpKUO"
TimeStamp="2021-04-06T06:59:34.280" Version="1.0"
xmlns="http://www.opentravel.org/OTA/2003/05">
  <POS>
    <Source>
      <BookingChannel Type="7">
        <CompanyName Code="traveloka">traveloka</CompanyName>
      </BookingChannel>
    </Source>
  </POS>
  <HotelReservations>
    <HotelReservation ResStatus="Commit"
CreateDateTime="2021-04-06T06:59:03.415Z">
      <RoomStays>
        <RoomStay IndexNumber="1">
          <RatePlans>
            <RatePlan RatePlanCode="2179">
              <RatePlanDescription>
                <Text>With Breakfast</Text>
              </RatePlanDescription>
              <Commission>
                <CommissionableAmount CurrencyCode="IDR" Amount="323000"/>
              </Commission>
            </RatePlan>
          </RatePlans>
          <RoomRates>
            <RoomRate RoomTypeCode="30000026" NumberOfUnits="1"
RatePlanCode="2179">
              <Rates>
                <Rate RoomPricingType="Per night" EffectiveDate="2021-05-02"
ExpireDate="2021-05-03">
                  <Base AmountBeforeTax="785124" AmountAfterTax="950000"/>
                </Rate>
                <Rate RoomPricingType="Per night" EffectiveDate="2021-05-03"
ExpireDate="2021-05-04">
                  <Base AmountBeforeTax="785124" AmountAfterTax="950000"/>
                </Rate>
              </Rates>
            </RoomRate>
          </RoomRates>
          <GuestCounts>
            <GuestCount AgeQualifyingCode="10" Count="3"/>
          </GuestCounts>
          <TimeSpan Start="2021-05-02" End="2021-05-04"/>
          <Total AmountBeforeTax="1570248" AmountAfterTax="1900000"
CurrencyCode="IDR"/>
          <BasicPropertyInfo HotelCode="soqNyBLQttVo"/>
          <ResGuestRPHs>1</ResGuestRPHs>
        </RoomStay>
        <RoomStay IndexNumber="2">
          <RatePlans>
            <RatePlan RatePlanCode="2180">
              <RatePlanDescription>
                <Text>Room Only - RETAIL</Text>
              </RatePlanDescription>
              <Commission>
                <CommissionableAmount CurrencyCode="IDR" Amount="323000"/>
              </Commission>
            </RatePlan>
          </RatePlans>
        </RoomStay>
      </RoomStays>
    </HotelReservation>
  </HotelReservations>
</OTA_HotelResNotifRQ>
```

```

        </RatePlan>
    </RatePlans>
    <RoomRates>
        <RoomRate RoomTypeCode="30000026" NumberOfUnits="1"
RatePlanCode="2180">
            <Rates>
                <Rate RoomPricingType="Per night" EffectiveDate="2021-05-02"
ExpireDate="2021-05-03">
                    <Base AmountBeforeTax="785124" AmountAfterTax="950000"/>
                </Rate>
                <Rate RoomPricingType="Per night" EffectiveDate="2021-05-03"
ExpireDate="2021-05-04">
                    <Base AmountBeforeTax="785124" AmountAfterTax="950000"/>
                </Rate>
            </Rates>
        </RoomRate>
    </RoomRates>
    <GuestCounts>
        <GuestCount AgeQualifyingCode="10" Count="3"/>
    </GuestCounts>
    <TimeSpan Start="2021-05-02" End="2021-05-04"/>
    <Total AmountBeforeTax="1570248" AmountAfterTax="1900000"
CurrencyCode="IDR"/>
    <BasicPropertyInfo HotelCode="soqNyBLQttVo"/>
    <ResGuestRPHs>2</ResGuestRPHs>
</RoomStay>
</RoomStays>
<Services/>
<ResGuests>
    <ResGuest ResGuestRPH="0">
        <Profiles>
            <ProfileInfo>
                <Profile>
                    <Customer>
                        <PersonName>
                            <GivenName>irfan</GivenName>
                            <Surname>nst</Surname>
                        </PersonName>
                        <Telephone PhoneNumber=""/>
                        <Email></Email>
                        <Address/>
                    </Customer>
                </Profile>
            </ProfileInfo>
        </Profiles>
        <SpecialRequests>
            <SpecialRequest/>
        </SpecialRequests>
    </ResGuest>
</ResGuests>
<ResGlobalInfo>
    <Total AmountBeforeTax="4710744" AmountAfterTax="5700000"
CurrencyCode="IDR"/>
    <HotelReservationIDs>
        <HotelReservationID ResID_Type="13" ResID_Value="200000052029"/>
    </HotelReservationIDs>
</ResGlobalInfo>
</HotelReservation>
</HotelReservations>
</OTA_HotelResNotifRQ>

```

### ***Request Booking with Pay at Property info***

Pay at property information will be added on */ResGlobalInfo* element.

```
<ResGlobalInfo>
  <Comments>
    <Comment>
      <Text>Hotel should collect payment from guest</Text>
    </Comment>
  </Comments>
  <Total AmountBeforeTax="743802" AmountAfterTax="900000"
CurrencyCode="IDR"/>
  <HotelReservationIDs>
    <HotelReservationID ResID_Type="13"
ResID_Value="200000050304"/>
  </HotelReservationIDs>
</ResGlobalInfo>
```

### ***Request Booking with Extra Bed Info***

Extrabed information will be added on */HotelReservation/Services* element.

```
<Services>
  <Service ServiceInventoryCode="EXTRA-BED" Inclusive="true"
Quantity="1">
    <Price>
      <Total AmountAfterTax="170000.0" CurrencyCode="IDR"/>
      <RateDescription>
        <Text>1 extra bed per room per night</Text>
      </RateDescription>
    </Price>
  </Service>
</Services>
```

### ***Response***

```
<OTA_HotelResNotifRS Version="1.0"
  Timestamp="2016-05-26T11:11:50-0400"
  EchoToken="dVlIeeYCOvW"
  xmlns="http://www.opentravel.org/OTA/2003/05">
  <Success />
  <HotelReservations>
    <HotelReservation ResStatus="Commit">
      <ResGlobalInfo>
        <HotelReservationIDs>
          <HotelReservationID ResID_Type="13"
ResID_Value="1000200027" />
        </HotelReservationIDs>
      </ResGlobalInfo>
    </HotelReservation>
  </>
```

## B. Modify Booking Notification

### *Request (Old Version)*

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
EchoToken="dVIeeYCOvW" TimeStamp="2017-08-22T15:10:01.443" Version="1.0">
  <POS>
    <Source>
      <BookingChannel Type="7">
        <CompanyName Code="traveloka">traveloka</CompanyName>
      </BookingChannel>
    </Source>
  </POS>
  <HotelReservations>
    <HotelReservation ResStatus="Modify"
LastModifyDateTime="2017-07-28T16:40:43.000">
      <RoomStays>
        <RoomStay IndexNumber="1" PromotionCode="10001639">
          <RatePlans>
            <RatePlan RatePlanCode="RETAIL">
              <RatePlanDescription>
                <Text>RETAIL</Text>
              </RatePlanDescription>
              <Commission>
                <CommissionableAmount CurrencyCode="IDR"
Amount="148000" />
              </Commission>
            </RatePlan>
          </RatePlans>
          <RoomRates>
            <RoomRate RoomTypeCode="10002233" NumberOfUnits="1"
RatePlanCode="RETAIL">
              <Rates>
                <Rate RoomPricingType="Per night"
EffectiveDate="2017-07-28" ExpireDate="2017-07-29">
                  <Base AmountBeforeTax="535537"
AmountAfterTax="648000" />
                </Rate>
              </Rates>
            </RoomRate>
          </RoomRates>
          <GuestCounts>
            <GuestCount Count="1" AgeQualifyingCode="10" />
            <GuestCount Count="1" AgeQualifyingCode="8" />
          </GuestCounts>
          <TimeSpan Start="2017-07-28" End="2017-07-29" />
          <Total AmountBeforeTax="535537" AmountAfterTax="648000"
CurrencyCode="IDR" />
          <BasicPropertyInfo HotelCode="HOTEL001" />
          <Comments>
            <Comment>
              <Text></Text>
            </Comment>
          </Comments>
          <ResGuestRPHs>0</ResGuestRPHs>
        </RoomStay>
        <RoomStay IndexNumber="2" PromotionCode="10001639">
          <RatePlans>
            <RatePlan RatePlanCode="RETAIL">
```

```

        <RatePlanDescription>
            <Text>RETAIL</Text>
        </RatePlanDescription>
        <Commission>
            <CommissionableAmount CurrencyCode="IDR"
Amount="148000" />
        </Commission>
    </RatePlan>
</RatePlans>
<RoomRates>
    <RoomRate RoomTypeCode="10002233" NumberOfUnits="1"
RatePlanCode="RETAIL">
        <Rates>
            <Rate RoomPricingType="Per night"
EffectiveDate="2017-07-28" ExpireDate="2017-07-29">
                <Base AmountBeforeTax="535537"
AmountAfterTax="648000" />
            </Rate>
        </Rates>
    </RoomRate>
</RoomRates>
<GuestCounts>
    <GuestCount Count="1" AgeQualifyingCode="10" />
    <GuestCount Count="1" AgeQualifyingCode="8" />
</GuestCounts>
<TimeSpan Start="2017-07-28" End="2017-07-29" />
<Total AmountBeforeTax="535537" AmountAfterTax="648000"
CurrencyCode="IDR" />
    <BasicPropertyInfo HotelCode="HOTEL001" />
    <Comments>
        <Comment>
            <Text></Text>
        </Comment>
    </Comments>
    <ResGuestRPHs>0</ResGuestRPHs>
</RoomStay>
</RoomStays>
<ResGuests>
    <ResGuest ResGuestRPH="0">
        <Profiles>
            <ProfileInfo>
                <Profile>
                    <Customer>
                        <PersonName>
                            <GivenName>asfdasdfas</GivenName>
                            <Surname>dfasdfasdf</Surname>
                        </PersonName>
                        <Telephone PhoneNumber="" />
                        <Email></Email>
                        <Address />
                    </Customer>
                </Profile>
            </ProfileInfo>
        </Profiles>
        <SpecialRequests>
            <SpecialRequest>
                <Text>No Smoking</Text>
            </SpecialRequest>
        </SpecialRequests>
    </ResGuest>
</ResGuests>

```

```
        <ResGlobalInfo>
          <HotelReservationIDs>
            <HotelReservationID ResID_Type="13" ResID_Value="1000200027"
/>
          </HotelReservationIDs>
            <Total CurrencyCode="IDR" AmountBeforeTax="535537"
AmountAfterTax="648000" />
          </ResGlobalInfo>
        </HotelReservation>
      </HotelReservations>
    </OTA_HotelResNotifRQ>
```

### ***Request (since API Version 2.3.8)***

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
EchoToken="dVIeeYCOvW" TimeStamp="2017-08-22T15:10:01.443" Version="1.0">
  <POS>
    <Source>
      <BookingChannel Type="7">
        <CompanyName Code="traveloka">traveloka</CompanyName>
      </BookingChannel>
    </Source>
  </POS>
  <HotelReservations>
    <HotelReservation ResStatus="Modify"
LastModifyDateTime="2017-07-28T16:40:43.000">
      <RoomStays>
        <RoomStay IndexNumber="1" PromotionCode="10001639">
          <RatePlans>
            <RatePlan RatePlanCode="2179">
              <RatePlanDescription>
                <Text>With Breakfast</Text>
              </RatePlanDescription>
              <Commission>
                <CommissionableAmount CurrencyCode="IDR"
Amount="148000" />
              </Commission>
            </RatePlan>
          </RatePlans>
          <RoomRates>
            <RoomRate RoomTypeCode="10002233" NumberOfUnits="1"
RatePlanCode="RETAIL">
              <Rates>
                <Rate RoomPricingType="Per night"
EffectiveDate="2017-07-28" ExpireDate="2017-07-29">
                  <Base AmountBeforeTax="535537"
AmountAfterTax="648000" />
                </Rate>
              </Rates>
            </RoomRate>
          </RoomRates>
          <GuestCounts>
            <GuestCount Count="1" AgeQualifyingCode="10" />
            <GuestCount Count="1" AgeQualifyingCode="8" />
          </GuestCounts>
          <TimeSpan Start="2017-07-28" End="2017-07-29" />
          <Total AmountBeforeTax="535537" AmountAfterTax="648000"
CurrencyCode="IDR" />
          <BasicPropertyInfo HotelCode="HOTEL001" />
          <Comments>
            <Comment>
              <Text></Text>
            </Comment>
          </Comments>
          <ResGuestRPHs>0</ResGuestRPHs>
        </RoomStay>
      </RoomStays>
      <ResGuests>
        <ResGuest ResGuestRPH="0">
          <Profiles>
            <ProfileInfo>
              <Profile>
```



```

        <Customer>
            <PersonName>
                <GivenName>asfdasdfas</GivenName>
                <Surname>dfasdfasdf</Surname>
            </PersonName>
            <Telephone PhoneNumber="" />
            <Email></Email>
            <Address />
        </Customer>
    </Profile>
</ProfileInfo>
</Profiles>
<SpecialRequests>
    <SpecialRequest>
        <Text>No Smoking</Text>
    </SpecialRequest>
</SpecialRequests>
</ResGuest>
</ResGuests>
<ResGlobalInfo>
    <HotelReservationIDs>
        <HotelReservationID ResID_Type="13" ResID_Value="1000200027"
/>
    </HotelReservationIDs>
    <Total CurrencyCode="IDR" AmountBeforeTax="535537"
AmountAfterTax="648000" />
</ResGlobalInfo>
</HotelReservation>
</HotelReservations>
</OTA_HotelResNotifRQ>

```

## Response

```

<OTA_HotelResNotifRS Version="1.0"
    Timestamp="2017-08-22T15:10:05.443"
    EchoToken="dVIeeYCovW"
    xmlns="http://www.opentravel.org/OTA/2003/05">
    <Success />
    <HotelReservations>
        <HotelReservation ResStatus="Modify">
            <ResGlobalInfo>
                <HotelReservationIDs>
                    <HotelReservationID ResID_Type="13"
ResID_Value="1000200027" />
                </HotelReservationIDs>
            </ResGlobalInfo>
        </HotelReservation>
    </HotelReservations>
</OTA_HotelResNotifRS>

```

## C. Cancel Booking Notification

### *Request (Old Version)*

```
<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
EchoToken="YDGIAtuhLl" TimeStamp="2017-08-22T15:27:58.292" Version="1.0">
  <POS>
    <Source>
      <BookingChannel Type="7">
        <CompanyName Code="traveloka">traveloka</CompanyName>
      </BookingChannel>
    </Source>
  </POS>
  <HotelReservations>
    <HotelReservation ResStatus="Cancel" LastModifyDateTime="2018-05-16T0
9:40:44.725Z">
      <RoomStays>
        <RoomStay IndexNumber="1" PromotionCode="20126689">
          <RatePlans>
            <RatePlan RatePlanCode="2179">
              <RatePlanDescription>
                <Text>With Breakfast</Text>
              </RatePlanDescription>
              <Commission>
                <CommissionableAmount CurrencyCode="IDR"
                  Amount="94248"/>
              </Commission>
            </RatePlan>
          </RatePlans>
          <RoomRates>
            <RoomRate RoomTypeCode="10093461" NumberOfUnits="1"
              RatePlanCode="RETAIL">
              <Rates>
                <Rate RoomPricingType="Pernight"
                  EffectiveDate="2018-11-18" Expired
                    ate="2018-11-19">
                  <Base AmountBeforeTax="458182"
                    AmountAfterTax="554400"/>
                </Rate>
              </Rates>
            </RoomRate>
          </RoomRates>
          <GuestCounts>
            <GuestCount Count="1" AgeQualifyingCode="10" />
            <GuestCount Count="1" AgeQualifyingCode="8" />
          </GuestCounts>
          <TimeSpan Start="2018-11-18" End="2018-11-19"/>
          <Total AmountBeforeTax="458182" AmountAfterTax="554400"
            CurrencyCode="IDR"/>
          <BasicPropertyInfo HotelCode="QsplzUQPEQNm"/>
          <ResGuestRPHs>0</ResGuestRPHs>
        </RoomStay>
      </RoomStays>
      <ResGlobalInfo>
        <Total AmountBeforeTax="458182" AmountAfterTax="554400"
          CurrencyCode="IDR"/>
        <HotelReservationIDs>
          <HotelReservationID ResID_Type="13"
            ResID_Value="1018245537"/>
        </HotelReservationIDs>
      </ResGlobalInfo>
    </HotelReservation>
  </HotelReservations>
</OTA_HotelResNotifRQ>
```

```

        </HotelReservationIDs>
    </ResGlobalInfo>
</HotelReservation>
</HotelReservations>
</OTA_HotelResNotifRQ>

```

### ***Request (since API Version 2.3.8)***

```

<?xml version="1.0" encoding="UTF-8"?>
<OTA_HotelResNotifRQ xmlns="http://www.opentravel.org/OTA/2003/05"
EchoToken="YDGIAtuhLl" TimeStamp="2017-08-22T15:27:58.292" Version="1.0">
    <POS>
        <Source>
            <BookingChannel Type="7">
                <CompanyName Code="traveloka">traveloka</CompanyName>
            </BookingChannel>
        </Source>
    </POS>
    <HotelReservations>
        <HotelReservation ResStatus="Cancel" LastModifyDateTime="2018-05-16T0
9:40:44.725Z">
            <RoomStays>
                <RoomStay IndexNumber="1" PromotionCode="20126689">
                    <RatePlans>
                        <RatePlan RatePlanCode="RETAIL">
                            <RatePlanDescription>
                                <Text>RETAIL</Text>
                            </RatePlanDescription>
                            <Commission>
                                <CommissionableAmount CurrencyCode="IDR"
                                    Amount="94248"/>
                            </Commission>
                        </RatePlan>
                    </RatePlans>
                    <RoomRates>
                        <RoomRate RoomTypeCode="10093461" NumberOfUnits="1"
                            RatePlanCode="RETAIL">
                            <Rates>
                                <Rate RoomPricingType="Pernight"
                                    EffectiveDate="2018-11-18" Expired
                                        ate="2018-11-19">
                                    <Base AmountBeforeTax="458182"
                                        AmountAfterTax="554400"/>
                                </Rate>
                            </Rates>
                        </RoomRate>
                    </RoomRates>
                    <GuestCounts>
                        <GuestCount Count="1" AgeQualifyingCode="10" />
                        <GuestCount Count="1" AgeQualifyingCode="8" />
                    </GuestCounts>
                    <TimeSpan Start="2018-11-18" End="2018-11-19"/>
                    <Total AmountBeforeTax="458182" AmountAfterTax="554400"
                        CurrencyCode="IDR"/>
                    <BasicPropertyInfo HotelCode="QsplzUQPEQNm"/>
                    <ResGuestRPHs>0</ResGuestRPHs>
                </RoomStay>
            </RoomStays>

```

```

        <ResGlobalInfo>
            <Total AmountBeforeTax="458182" AmountAfterTax="554400"
                CurrencyCode="IDR"/>
            <HotelReservationIDs>
                <HotelReservationID ResID_Type="13"
                    ResID_Value="1018245537"/>
            </HotelReservationIDs>
        </ResGlobalInfo>
    </HotelReservation>
</HotelReservations>
</OTA_HotelResNotifRQ>

```

## ***Response***

```

<OTA_HotelResNotifRS Version="1.0"
    Timestamp="2017-08-22T15:10:05.443"
    EchoToken="dVlIeeYCOvW"
    xmlns="http://www.opentravel.org/OTA/2003/05">
    <Success />
    <HotelReservations>
        <HotelReservation ResStatus="Cancel">
            <ResGlobalInfo>
                <HotelReservationIDs>
                    <HotelReservationID ResID_Type="13"
ResID_Value="1000200027" />
                </HotelReservationIDs>
            </ResGlobalInfo>
        </HotelReservation>
    </HotelReservations>
</OTA_HotelResNotifRS>

```

**Request Node**

<b>Node</b>	<b>Min</b>	<b>Max</b>	<b>Description</b>
/OTA_HotelResNotifRQ	1	1	Root element
POS /OTA_HotelResNotifRQ	1	1	
Source /OTA_HotelResNotifRQ/POS	1	1	
BookingChannel /OTA_HotelResNotifRQ/POS/Source/	1	1	
@Type /OTA_HotelResNotifRQ/POS/Source/BookingChannel	1	1	"7" (OTA Reservation Method Code, 7 is for direct supplier) is the only currently supported value.
@Code /OTA_HotelResNotifRQ/POS/Source/BookingChannel	1	1	OTA Partner identifier code Will always be "traveloka"
CompanyName /OTA_HotelResNotifRQ/POS/Source/BookingChannel	1	1	Will always be "traveloka"
HotelReservations /OTA_HotelResNotifRQ	1	1	
HotelReservation /OTA_HotelResNotifRQ/HotelReservations	1	1	
@ResStatus /OTA_HotelResNotifRQ/HotelReservations/HotelReservation	1	1	Reservation status. Commit, Cancel, Modify
@CreateDateTime /OTA_HotelResNotifRQ/HotelReservations/HotelReservation	0	1	Timestamp indicating when the reservation was created
@LastModifyDateTime /OTA_HotelResNotifRQ/HotelReservations/HotelReservation	0	1	Timestamp indicating when the reservation was modified
RoomStays /OTA_HotelResNotifRQ/HotelReservations/HotelReservation	1	1	
RoomStay /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays	1	*	Room stay detail

<b>@IndexNumber</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay	1	1	Should be start from “1”
<b>@PromotionCode</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay	0	1	Promotion code. This is simply informational to be delivered to the hotel.
<b>RatePlans</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay	1	1	
<b>/RatePlan</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RatePlans	1	1	
<b>@RatePlanCode</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RatePlans/RatePlan	1	1	*old version (only consist of “RETAIL”)  *since API Version 2.3.8 (consist of “RETAIL” or other code values that represent rate plan)
<b>RatePlanDescription</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RatePlans/RatePlan	1	1	
<b>/Text</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RatePlans/RatePlan/RatePlanDescription	1	1	Name of RatePlan
<b>Commission</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RatePlans/RatePlan	1	1	
<b>CommissionableAmount</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RatePlans/RatePlan/Commission			
<b>@CurrencyCode</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RatePlans/RatePlan/Commission /CommissionableAmount	1	1	Currency Code Of commission

<b>@Amount</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RatePlans/RatePlan/Commision /CommissionableAmount	1	1	Amount of Commission
<b>RoomRates</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay	1	1	
<b>RoomRate</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RoomRates	1	*	
<b>@NumberOfUnits</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RoomRates/RoomRate	1	1	Number of rooms booked with these stay details. Currently only a value of "1" is supported. Additional rooms must be specified by individual RoomStay elements instead.
<b>@RoomTypeCode</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RoomRates/RoomRate	1	1	Room type identifier
<b>@RatePlanCode</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RoomRates/RoomRate	1	1	Rate plan code
<b>Rates</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RoomRates/RoomRate	1	1	List of rate
<b>Rate</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RoomRates/RoomRate/Rates	1	*	Rate details. For each RoomStay, the Rate date ranges must be contiguous, they must not overlap ambiguously, and the combination of all Rate date ranges must account for the entire RoomStay's TimeSpan.
<b>@RoomPricingType</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate	1	1	For now only "Per night" is supported

<b>@EffectiveDate</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate	1	1	Start date of pricing date range in YYYY-MM-DD format
<b>@ExpireDate</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate	1	1	End date of pricing date range in YYYY-MM-DD format
<b>Base</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate	1	1	
<b>@AmountBeforeTax</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/Base	1	1	Base price before tax (Goods&Service Tax and Service Charge)
<b>@AmountAfterTax</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/RoomRates/RoomRate/Rates/Rate/Base	1	1	Base price after tax (Goods&Service Tax and Service Charge)
<b>GuestCounts</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay	1	1	List of guest counts
<b>GuestCount</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/GuestCounts	1	*	
<b>@Count</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/GuestCounts/GuestCount	1	1	Number of guest
<b>@AgeQualifyingCode</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/GuestCounts/GuestCount	1	1	Age code of these guests. For now only support “10”, adults and “8”, child.
<b>BasicPropertyInfo</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay	1	1	
<b>@HotelCode</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/BasicPropertyInfo	1	1	Hotel code



<b>TimeSpan</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay	1	1	Date range for the stay
<b>@Start</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/TimeSpan	1	1	Check in date of this stay in YYYY-MM-DD format
<b>@End</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/TimeSpan	1	1	Check out date of this stay in YYYY-MM-DD format
<b>Total</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay	1	1	Total price of the given room stay. This is not necessarily the total price of the entire reservation (such as when a reservation contains multiple <b>RoomStay</b> elements ).
<b>@CurrencyCode</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/Total	1	1	ISO 4217 currency code
<b>@AmountBeforeTax</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/Total	1	1	Total price before tax
<b>@AmountAfterTax</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay/Total	1	1	Total price after tax
<b>ResGuestRPHs</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/RoomStays/RoomStay	0	1	Guest RPH associated with this RoomStay that described in <i>/ResGuests</i> element.
<b>Services</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation	1	1	
<b>Service</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/Services	0	1	
<b>@ServiceInventoryCode</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation/Services/Service	0	1	Code for Service Inventory code. For example: Extra-Bed

<b>@Inclusive</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /Services/Service	0	1	Only “true” is supported as the value for this.
<b>@Quantity</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /Services/Service	0	1	Number of service inventory included
<b>/Price</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /Services/Service	0	1	
<b>Total</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /Services/Service/Price	0	1	
<b>@AmountAfterTax</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /Services/Service/Price/Total	0	1	Amount After Tax for Service inventory
<b>@CurrencyCode</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /Services/Service/Price/Total	0	1	Currency Code for Service inventory
<b>RateDescription</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /Services/Service/Price	0	1	
<b>Text</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /Services/Service/Price/RateDescription	0	1	Description of Service inventory
<b>ResGuests</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation	0	1	Optional list of guest
<b>ResGuest</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests	1	*	List of guests associated with this reservation. At least one ResGuest is expected per RoomStay in a reservation.
<b>@ResGuestRPH</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest	1	1	Index by which this guest can be referenced within the <b>RoomStay</b> elements
<b>/Profiles</b> /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest	1	1	

<b>ProfileInfo</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/Profiles	1	1	
<b>Profile</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/Profiles/ProfileInfo	1	1	
<b>Customer</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/Profiles/ProfileInfo/Profile	1	1	
<b>PersonName</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/Profiles/ProfileInfo/Profile/Customer	1	1	
<b>GivenName</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/Profiles/ProfileInfo/Profile/Customer /PersonName	1	1	Guest given name
<b>Surname</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/Profiles/ProfileInfo/Profile/Customer /PersonName	1	1	Guest surname
<b>Telephone</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/Profiles/ProfileInfo/Profile/Customer	0	1	Guest phone number
<b>@PhoneNumber</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/Profiles/ProfileInfo/Profile/Customer/Telephone	0	1	Guest phone number
<b>Email</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/Profiles/ProfileInfo/Profile/Customer	0	1	Guest email
<b>Address</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/Profiles/ProfileInfo/Profile/Customer	0	1	
<b>SpecialRequests</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest	0	*	List of special request for this guest
<b>/SpecialRequests/SpecialRequest</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/SpecialRequests	0	1	

<b>Text</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGuests/ResGuest/SpecialRequests/SpecialRequest	0	1	Comment text
<b>ResGlobalInfo</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation	1	1	
<b>Comments</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo	0	1	List of comments associated with this guest
<b>Comment</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo/Comments	0	1	
<b>Text</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo/Comments/Comment	0	1	Comment text. Can be filled that inform Guest Pay directly at hotel (Pay At Hotel)
<b>HotelReservationIDs</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo	1	1	
<b>HotelReservationID</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo/HotelReservationIDs	1	1	
<b>@ResID_Type</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo/HotelReservationIDs/HotelReservationID	1	1	Reservation ID type based on Unique ID Type. for now only support "13" Internet Broker
<b>@ ResID_Value</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo/HotelReservationIDs/HotelReservationID	1	1	Reservation ID
<b>Total</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo	1	1	Total rate for the entire reservation
<b>@CurrencyCode</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo/Total	1	1	ISO 4217 currency code
<b>@AmountBeforeTax</b>  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo/Total	1	1	Total price before tax

@AmountAfterTax  /OTA_HotelResNotifRQ/HotelReservations/HotelReservation /ResGlobalInfo/Total	1	1	Total price after tax
--	---	---	-----------------------

**Response Node**

<b>Node</b>	<b>Min</b>	<b>Max</b>	<b>Description</b>
/OTA_HotelResNotifRS	1	1	Root node
Success /OTA_HotelResNotifRS	1	1	Indicates success, If omitted, indicates failure.
HotelReservations /OTA_HotelResNotifRS	1	1	
HotelReservation /OTA_HotelResNotifRS/HotelReservations	1	1	
@ResStatus /OTA_HotelResNotifRS/HotelReservations/HotelReservation	1	1	Reservation status can be on of the "Commit" for new booking notification "Modify" for modify booking notification "Cancel" for cancel booking notification
ResGlobalInfo /OTA_HotelResNotifRS/HotelReservations/HotelReservation	1	1	
HotelReservationIDs /OTA_HotelResNotifRS/HotelReservations/HotelReservation /ResGlobalInfo	1	1	
HotelReservationID /OTA_HotelResNotifRS/HotelReservations/HotelReservation /ResGlobalInfo/HotelReservationIDs	1	1	Detail of reservation
@ResID_Type /OTA_HotelResNotifRS/HotelReservations/HotelReservation /ResGlobalInfo/HotelReservationIDs/HotelReservationID	1	1	Reservation ID type based on Unique ID Type. for now only support "13" Internet Broker
@ResID_Value /OTA_HotelResNotifRS/HotelReservations/HotelReservation /ResGlobalInfo/HotelReservationIDs/HotelReservationID	1	1	Booking ID

## Error List

If there is a violation of xml OTA standard XSD, error message will be thrown as shown in the example below.

### Simple error message if violate OTA standard XSD

Some xml field value not expected:

`hotelInvCountRequests.hotelInvCountRequest` may not be null

Other than that will return error code below:

Error Code	Error Type	Description
321	10	Required Field Missing
175	4	Password Invalid
392	3	Invalid Hotel Code
404	12	Invalid start-end date combination
448	13	System Error
313	13	Room Type Invalid
249	13	Invalid Rate Code

Error code and error type follow Open Travel Alliance (OTA). Error codes for detail can be see in <http://opentravel.org/>

For Example:

### Example error code and error type

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<OTA_HotelInvCountRS EchoToken="001-1466531393"
TimeStamp="2017-08-22T11:29:18.661Z" Version="1.0"
xmlns="http://www.opentravel.org/OTA/2003/05">
  <Errors>
    <Error Type="13" ShortText="Room type invalid" Code="131"/>
  </Errors>
</OTA_HotelInvCountRS>
```