

Contents

Evolutionary Thinking

Introduction (Lecture)	2
----------------------------------	---

Studying Adaptation

Hypothesis Testing: Oxpeckers Reconsidered.	3
Experimental Design	3

Evolutionary Trees

How to Read an Evolutionary Tree.	4
Inferring Phylogenetic Trees	5

Natural Selection

Lecture Notes.	7
------------------------	---

Mendelian Genetics

.	8
.	9
.	10
.	11
.	12
.	13
.	14
.	15
.	16
.	17
.	18
.	19
.	20

1 Evolutionary Thinking

Introduction (Lecture)

- ▷ Essential questions of evolutionary biology:
 - Why do organisms look so different?
 - Why develop elaborate sexual traits?
 - Why do organisms senesce?
- ▷ Evolution is mainly an historical science and thus must rely on other methods of reconstructing the past or making inferences about evolutionary forces.
- ▷ **Proximate**: a question about a mechanistic cause; provides an immediate explanation about **how** a mechanistic cause functions.
- ▷ **Ultimate**: **why**, or the reason, a trait or organism is the way it is; an evolutionary explanation.
- ▷ Example of proximate vs ultimate in Galapagos finches:
 - Proximate: developmental growth factor is increased/decreased in some birds.
 - Ultimate: different habits are selected on breaks that maximize food gathering ability.
- ▷ Evolutionary biology's approach to answering questions:
 - **Empirical data**: **observation** studies, experiments; the *comparative method*.
 - **Theory**: **predictions** that use models and mathematical reasoning which can be **tested** with empirical data.
- ▷ Overview of the components of evolution by natural selection:
 - Genetic variation exists, via mutations.
 - Mutations are heritable.
 - There is an advantage to survival and/or reproduction from the mutation.
 - Individuals with the advantage in survival/reproduction are selected for.

10 Studying Adaptation

Hypothesis Testing: Oxpeckers Reconsidered

- ▷ **Adaption:** a trait, or a suite of traits, that increases the fitness of its possessor.
- ▷ No hypothesis for the adaptive value of a trait should be accepted simply because of its plausibility.
- ▷ Oxpeckers and impalas traditionally were thought to have a mutually beneficial existence; oxpeckers ate ticks and impalas provided a safe environment.
- ▷ Experiments on cattle were done to test whether this observation was true:
 - Results show red-billed oxpeckers have no effect tick loads of cattle.
 - Red-billed oxpeckers maintained open wounds, even enlarging existing wounds to feed on the cattle's blood.
 - Red-billed oxpeckers removed hosts' earwax; whether this is good or bad is unclear.
 - Even these results must remain in question, as cattle are not the native host for the birds.
- ▷ Other important points to remember:
 - Differences among populations or species are not always adaptive.
 - Not every trait is adaptive.
 - Not every adaptation is perfect, often the adaptation just happened to work well enough or by chance better than other adaptations.

Experimental Design

- ▷ Defining and testing effective control groups is critical.
- ▷ Treatments of controls and experimental measures must be handled as close to exactly alike as possible.
- ▷ Randomization is a key technique for equalizing miscellaneous effects and a tool to avoid bias.
- ▷ Reproduction is essential in order to help remove potential outlier effects.
 - Allows for greater understanding of precision, accuracy, and variation by providing more data for statistical tests.

4 Evolutionary Trees

How to Read an Evolutionary Tree

- ▷ **Phylogeny**: aka evolutionary tree or phylogenetic tree, is a diagram showing the history of divergence and evolutionary change. Essentially, it's the **genealogical relationships** of organisms based on descent with modification.
 - **Taxa**: the units you are analyzing, e.g. certain species or DNA sequences.
 - **Character**: a feature or trait present among the taxa of interest, e.g. teeth of mammals or nucleotides of DNA sequences.
 - *Character state(s)*: an **alternative condition** of a character, which are able to evolve one to another, e.g. pointed/flat teeth of mammals.
 - **Ancestral character**: a trait that was **possessed by the common ancestor**.
 - **Derived character**: a trait the was **not possessed by the common ancestor** and instead **evolved** in at least one of the descendants.
 - **Synapomorphy**: derived character state shared by **two or more** taxa and used to define a clade of taxa.
 - **Autapomorphy**: derived character state in only **one** taxon.
 - **Outgroup**: a taxon or taxa that are used to root the phylogeny or determine ancestral character states.
 - **Ingroup**: the set of taxa that are the focus of the phylogeny.
 - **Nodes**: points at which the tree splits; represents mutations, speciation events, or **character changes**.
 - **Anagenesis**: descent with modification, but **no speciation**.
 - **Cladogenesis**: **speciation**, origin of clades.
 - **Clade**: also known as a **monophyletic group**, an ancestor and **all** of its descendants.
 - **Paraphyletic group**: a group of organisms consisting of an ancestor and **some** of its descendants.
 - **Sister**: a taxa or clade that are most closely related to each other; they **share the most recent** common ancestor.
- ▷ **Homology**: similarity due to common descent; **continuity** of a trait, character, or character state through time.

- *Homologous trait*: found in a taxa that inherited the trait from a common ancestor.
- ▷ **Homoplasy**: or analogous, similarity in the characters or traits in different taxa due to convergent evolution, parallelism, or reversal, but **not due to common descent**.
 - **Convergent evolution**: similar traits due to selective forces and **not shared ancestry**.
 - **Parallelism**: convergent evolution in **recently diverged** taxa.
 - **Reversal**: derived traits or character states that revert to the ancestral form.

Inferring Phylogenetic Trees

- ▷ **Parsimony**: relationships that require the **smallest number of character changes** are most likely to be correct.
 - Based on shared and **derived** traits(synapomorphies).
 - Reconstruction using parsimony:
 1. Code characters.
 2. Make up a taxon×character matrix.
 3. Search for synapomorphies, and the shortest tree.
 - Outgroups can help polarize (ancestral vs derived) the characters.
 - **Treelength**: a measure of evolutionary change using parsimony.
 - Shortest tree length produces most parsimonious tree.
 - Length determined by number of synapomorphies.
 - Homoplasious characters increase tree length.
- ▷ **Distance Methods**: converts a sequence alignment to genetic distances between pairs of sequences.
 - Branch length is proportional to genetic differences.
- ▷ **Maximum likelihood**: a method of estimating the parameters of a probability distribution by **maximizing a likelihood function**.
 - One of the more dominant means of statistical inference.
 - **Likelihood**: measure of goodness of fit of a statistical model to a sample of data for given values of the unknown parameters.
 - $P(D|H)$; probability(P), Data(D), Hypothesis(H)

- **Bayesian:** uses the likelihood function to create a quantity called the *posterior probability* of trees using a model of evolution based on prior probabilities in order to produce the most likely tree.
- **Bootstrapping:** creating a value that indicates how many times out of 100 (normally) that the same branch was observed when repeating the phylogenetic reconstruction on re-sampled (pseudoreplicated) set of data.
- ▷ **Molecular clocks:** the average rate at which species' genomes accumulate mutations over time.
 - Generally a linear rate.
 - Used to measure evolutionary divergence.

3 Natural Selection

Lecture Notes



6 Mendelian Genetics



18



20



