



Elasticsearch Sensitive Data Discovery

Authorized read-only scan of index mappings and sampled documents. All report outputs use the same canonical, masked finding model.

Generated 2026-08-28 10:50:03 UTC | schema 1.1 | scan mode NORMAL

Targets scanned	1 (reachable 1)
Indices inspected	1
Documents sampled	49
Documents examined	49
Fields examined	53
Bytes examined	2743
Scan duration	496ms
Findings	81 (field 65, correlated 16)
Occurrences	83
Severity counts	CRITICAL 52, HIGH 16, MEDIUM 13, LOW 0, INFO 0

Category distribution

Category	Findings
API keys	2
Access Key + Secret Key	1
Client ID + Client Secret	1
Credential pairs	4
Database connection strings	15
Database credentials	1
HTTP Basic credentials	1
Password hashes	6
Passwords	10
Possible secrets	7
Private keys	5
Token pairs	1
credential.authorization	1
credential.cloud	1
credential.cloud.aws	3
credential.cloud.azure	2
credential.cloud.gcp	1
credential.docker	1
credential.encryption_key	1
credential.env	1
credential.generic	1
credential.github	2
credential.gitlab	1
credential.jwt	1

Category	Findings
credential.kubernetes	1
credential ldap	1
credential.oauth	2
credential.slack	1
credential.smtp	2
credential.token	3
credential.webhook	1

Credential correlations

Correlation	Findings
Access Key + Secret Key	1
Client ID + Client Secret	1
Connection Strings	6
Database Credentials	1
HTTP Basic	1
SMTP Credentials	1
Token Pairs	1
Username + Password	4

Targets

http://127.0.0.1:19200/ (reachable)

Cluster	docker-cluster
Version	8.19.20
Authenticated identity	elastic
Indices inspected	1
Documents sampled	49
Documents examined	49
Fields examined	53
Bytes examined	2743

Findings

1. SEC-000001 CRITICAL Correlated credential material detected

Field	Value
Category	Access Key + Secret Key
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	aws-keys
Field path	aws_access_key_id
Detector	credential-pair
Confidence	confirmed-pattern
Related fields	aws_access_key_id, aws_secret_access_key
Credential type	access_key_pair
Masked values	access_key=AKIA*****, password=w*****Y
Occurrences	1
Reason	Access key and secret key detected within the same object
Masked preview	access_key=AKIA***** password=w*****Y
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

2. SEC-000002 CRITICAL Sensitive credential material detected

Field	Value
Category	API keys
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	kebab-case-key
Field path	api-key
Detector	entropy
Confidence	high

Field	Value
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	garga-...CDEF
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

3. SEC-000003 CRITICAL

Sensitive credential material detected

Field	Value
Category	API keys
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	api-key-field
Field path	api_key
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	garga-...CDEF
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

4. SEC-000004 CRITICAL

Correlated credential material detected

Field	Value
Category	Client ID + Client Secret
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	oauth
Field path	client_id
Detector	credential-pair
Confidence	high
Related fields	client_id, client_secret
Credential type	client_credentials
Masked values	client_id=garga-...ient, password=garga-...6789
Occurrences	1
Reason	Client identifier and client secret detected within the same object
Masked preview	client_id=garga-...ient password=garga-...6789
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

5. SEC-000005 CRITICAL

Sensitive credential material detected

Field	Value
Category	credential.cloud
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	aws-keys
Field path	aws_secret_access_key
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	w*****Y
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

6. SEC-000006 CRITICAL

Sensitive credential material detected

Field	Value
Category	credential.cloud.aws
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	aws-keys
Field path	aws_access_key_id
Detector	aws-access-key
Confidence	confirmed-pattern
Occurrences	1
Reason	AWS Access Key ID
Masked preview	AKIA*****
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

7. SEC-000007 CRITICAL

Sensitive credential material detected

Field	Value
Category	credential.cloud.aws
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test

Confidential - Authorized Secret Scan - Masked Values Only

Field	Value
Document	aws-keys
Field path	aws_secret_access_key
Detector	aws-secret-access-key
Confidence	high
Occurrences	1
Reason	AWS Secret Access Key in a secret-named field
Masked preview	W*****Y
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

8. SEC-000008 CRITICAL
Sensitive credential material detected

Field	Value
Category	credential.cloud.azure
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	azure-client-secret
Field path	config
Detector	azure-client-secret
Confidence	high
Occurrences	1
Reason	Azure client secret assignment
Masked preview	azure_...REAL
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

9. SEC-000009 CRITICAL
Sensitive credential material detected

Field	Value
Category	credential.cloud.azure
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	azure-storage
Field path	connection_string
Detector	azure-storage-key
Confidence	high
Occurrences	1
Reason	Azure storage account key
Masked preview	A*****A

Field	Value
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

10. SEC-000010 CRITICAL

Sensitive credential material detected

Field	Value
Category	credential.cloud.gcp
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	gcp-api-key
Field path	google_api_key
Detector	google-api-key
Confidence	confirmed-pattern
Occurrences	1
Reason	Google API key
Masked preview	A*****A
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

11. SEC-000011 CRITICAL

Sensitive credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	azure-storage
Field path	connection_string
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Default....net
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

12. SEC-000012 CRITICAL
Sensitive credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	elasticsearch-url
Field path	connection_string
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	https://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:9200/
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

13. SEC-000013 CRITICAL
Sensitive credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	postgres-url
Field path	connection_string
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	postgres://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:5432/garga_test
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

14. SEC-000014 CRITICAL
Correlated credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster

Field	Value
Index	garga-sensitive-test
Document	postgres-url
Field path	connection_string
Detector	postgres-url
Confidence	confirmed-pattern
Related fields	
Credential type	connection_string
Masked values	host=localhost:5432, password=F*****y, scheme=postgres, username=g*****t
Occurrences	1
Reason	Connection string with embedded username and password
Masked preview	postgres://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:5432/garga_test
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

15. SEC-000015 CRITICAL

Sensitive credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	mongodb-url
Field path	dsn
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	mongodb://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:27017/garga_test
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

16. SEC-000016 CRITICAL

Correlated credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	mongodb-url
Field path	dsn

Field	Value
Detector	mongodb-url
Confidence	confirmed-pattern
Related fields	
Credential type	connection_string
Masked values	host=localhost:27017, password=F*****y, scheme=mongodb, username=g*****t
Occurrences	1
Reason	Connection string with embedded username and password
Masked preview	mongodb://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:27017/garga_test
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

17. SEC-000017 CRITICAL

Sensitive credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	mssql-url
Field path	dsn
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	mssql://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:1433/garga_test
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

18. SEC-000018 CRITICAL

Sensitive credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	mysql-url
Field path	dsn
Detector	entropy
Confidence	high
Occurrences	1

Field	Value
Reason	Sensitive field name + high-entropy value
Masked preview	mysql://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:3306/garga_test
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

19. SEC-000019 CRITICAL

Correlated credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	mysql-url
Field path	dsn
Detector	mysql-url
Confidence	confirmed-pattern
Related fields	
Credential type	connection_string
Masked values	host=localhost:3306, password=F*****y, scheme=mysql, username=g*****t
Occurrences	1
Reason	Connection string with embedded username and password
Masked preview	mysql://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:3306/garga_test
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

20. SEC-000020 CRITICAL

Sensitive credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	redis-url
Field path	dsn
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	redis://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:6379/0

23. SEC-000023 CRITICAL

Correlated credential material detected

Field	Value
Category	Database credentials
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	env-db-block
Field path	config
Detector	credential-pair
Confidence	high
Object path	config
Related fields	config.DB_USER, config.DB_PASSWORD
Credential type	database_credentials
Masked values	password=fake-p...ONLY, username=g*****t
Occurrences	1
Reason	Database user and password detected within the same object
Masked preview	username=g*****t password=fake-p...ONLY
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

24. SEC-000024 CRITICAL

Sensitive credential material detected

Field	Value
Category	credential.encryption_key
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	high-entropy-secret
Field path	encryption_key
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	s*****a
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

25. SEC-000025 CRITICAL

Sensitive credential material detected

Field	Value
Category	credential.env
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	env-log
Field path	message
Detector	env-assignment
Confidence	high
Occurrences	1
Reason	.env-style secret assignment
Masked preview	API_KEY=garga-...REAL
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

26. SEC-000026 CRITICAL

Sensitive credential material detected

Field	Value
Category	credential.github
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	github-fine-grained
Field path	token
Detector	github-fine-grained-pat
Confidence	confirmed-pattern
Occurrences	1
Reason	GitHub fine-grained personal access token
Masked preview	github...0000
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

27. SEC-000027 CRITICAL

Sensitive credential material detected

Field	Value
Category	credential.github
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test

Field	Value
Document	github-token
Field path	token
Detector	github-pat
Confidence	confirmed-pattern
Occurrences	1
Reason	GitHub personal access token
Masked preview	ghp_00...0000
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

28. SEC-000028 CRITICAL

Sensitive credential material detected

Field	Value
Category	credential.gitlab
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	gitlab-token
Field path	gitlab_token
Detector	gitlab-pat
Confidence	confirmed-pattern
Occurrences	1
Reason	GitLab personal access token
Masked preview	glpat-...AAAA
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

29. SEC-000029 CRITICAL

Correlated credential material detected

Field	Value
Category	HTTP Basic credentials
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	basic-auth-header
Field path	headers
Detector	authorization-header
Confidence	confirmed-pattern
Credential type	http_basic
Masked values	credential=A*****Z, scheme=basic
Occurrences	1

Confidential - Authorized Secret Scan - Masked Values Only

Field	Value
Reason	HTTP Authorization header
Masked preview	A*****Z
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

30. SEC-000030 CRITICAL
Sensitive credential material detected

Field	Value
Category	credential.kubernetes
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	kubernetes-sa
Field path	token
Detector	kubernetes-sa-token
Confidence	high
Occurrences	1
Reason	Kubernetes service account token material
Masked preview	kubern...ount
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

31. SEC-000031 CRITICAL
Sensitive credential material detected

Field	Value
Category	credential.oauth
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	camel-case-secret
Field path	clientSecret
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	gargaC...6789
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

32. SEC-000032 CRITICAL

Sensitive credential material detected

Field	Value
Category	credential.oauth
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	oauth
Field path	client_secret
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	garga-...6789
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

33. SEC-000033 CRITICAL

Correlated credential material detected

Field	Value
Category	Credential pairs
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	accounts-array
Field path	accounts[0]
Detector	credential-pair
Confidence	high
Object path	accounts[0]
Related fields	accounts[0].username, accounts[0].password
Credential type	username_password
Masked values	password=fake-p...ONLY, username=g*****1
Occurrences	1
Reason	Username and password fields detected within the same object
Masked preview	username=g*****1 password=fake-p...ONLY
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

34. SEC-000034 CRITICAL

Correlated credential material detected

Field	Value
Category	Credential pairs
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	accounts-array
Field path	accounts[1]
Detector	credential-pair
Confidence	high
Object path	accounts[1]
Related fields	accounts[1].username, accounts[1].password
Credential type	username_password
Masked values	password=fake-p...ONLY, username=g*****2
Occurrences	1
Reason	Username and password fields detected within the same object
Masked preview	username=g*****2 password=fake-p...ONLY
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

35. SEC-000035 CRITICAL

Correlated credential material detected

Field	Value
Category	Credential pairs
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	nested-services
Field path	services[0]
Detector	credential-pair
Confidence	high
Object path	services[0]
Related fields	services[0].username, services[0].password
Credential type	username_password
Masked values	password=nested...ONLY, username=s*****a
Occurrences	1
Reason	Username and password fields detected within the same object
Masked preview	username=s*****a password=nested...ONLY
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

36. SEC-000036 CRITICAL

Correlated credential material detected

Field	Value
Category	Credential pairs
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-field
Field path	username
Detector	credential-pair
Confidence	high
Related fields	username, password
Credential type	username_password
Masked values	password=fake-p...ONLY, username=g*****r
Occurrences	1
Reason	Username and password fields detected within the same object
Masked preview	username=g*****r password=fake-p...ONLY
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

37. SEC-000037 CRITICAL

Sensitive credential material detected

Field	Value
Category	Passwords
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	accounts-array
Field path	accounts[0].password
Detector	sensitive-field
Confidence	high
Occurrences	1
Reason	Sensitive field name + credential-like value
Masked preview	fake-p...ONLY
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

38. SEC-000038 CRITICAL

Sensitive credential material detected

Field	Value
Category	Passwords
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	accounts-array
Field path	accounts[1].password
Detector	sensitive-field
Confidence	high
Occurrences	1
Reason	Sensitive field name + credential-like value
Masked preview	fake-p...ONLY
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

39. SEC-000039 CRITICAL

Sensitive credential material detected

Field	Value
Category	Passwords
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-field
Field path	password
Detector	sensitive-field
Confidence	high
Occurrences	1
Reason	Sensitive field name + credential-like value
Masked preview	fake-p...ONLY
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

40. SEC-000040 CRITICAL

Sensitive credential material detected

Field	Value
Category	Passwords
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test

Field	Value
Document	password-hash-argon2
Field path	password_hash
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (argon2id)
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

41. SEC-000041 CRITICAL

Sensitive credential material detected

Field	Value
Category	Passwords
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-bcrypt
Field path	password_hash
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (bcrypt)
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

42. SEC-000042 CRITICAL

Sensitive credential material detected

Field	Value
Category	Passwords
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-md5crypt
Field path	password_hash
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (md5crypt)

Field	Value
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

43. SEC-000043 CRITICAL Sensitive credential material detected

Field	Value
Category	Passwords
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-pbkdf2
Field path	password_hash
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (pbkdf2)
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

44. SEC-000044 CRITICAL Sensitive credential material detected

Field	Value
Category	Passwords
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-scrypt
Field path	password_hash
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (scrypt)
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

45. SEC-000045 CRITICAL

Sensitive credential material detected

Field	Value
Category	Passwords
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-sha512crypt
Field path	password_hash
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (sha512crypt)
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

46. SEC-000046 CRITICAL

Sensitive credential material detected

Field	Value
Category	Passwords
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	nested-services
Field path	services[0].password
Detector	sensitive-field
Confidence	high
Occurrences	1
Reason	Sensitive field name + credential-like value
Masked preview	nested...ONLY
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

47. SEC-000047 CRITICAL

Private key material detected

Field	Value
Category	Private keys
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test

Field	Value
Document	pgp-private-key
Field path	private_key
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Private key detected
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

48. SEC-000048 CRITICAL

Private key material detected

Field	Value
Category	Private keys
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	rsa-private-key
Field path	private_key
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Private key detected
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

49. SEC-000049 CRITICAL

Private key material detected

Field	Value
Category	Private keys
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	rsa-private-key
Field path	private_key
Detector	pem-private-key
Confidence	confirmed-pattern
Occurrences	2
Reason	PEM or OpenSSH private key
Masked preview	Private key detected

Field	Value
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

50. SEC-000050 CRITICAL Private key material detected

Field	Value
Category	Private keys
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	openssh-private-key
Field path	ssh_key
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Private key detected
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

51. SEC-000051 CRITICAL Private key material detected

Field	Value
Category	Private keys
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	openssh-private-key
Field path	ssh_key
Detector	pem-private-key
Confidence	confirmed-pattern
Occurrences	1
Reason	PEM or OpenSSH private key
Masked preview	Private key detected
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

52. SEC-000052 CRITICAL

Correlated credential material detected

Field	Value
Category	credential.smtp
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	smtp-auth
Field path	config
Detector	credential-pair
Confidence	high
Object path	config
Related fields	config.smtp_user, config.smtp_password
Credential type	smtp_credentials
Masked values	password=garga-...ONLY, username=g*****t
Occurrences	1
Reason	SMTP user and password detected within the same object
Masked preview	username=g*****t password=garga-...ONLY
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

53. SEC-000053 HIGH

Sensitive credential material detected

Field	Value
Category	credential.authorization
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	jwt
Field path	authorization
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Bearer eyJhbG...REAL
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

54. SEC-000054 HIGH

Sensitive credential material detected

Field	Value
Category	credential.cloud.aws
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	aws-session
Field path	session_token
Detector	aws-session-token
Confidence	high
Occurrences	1
Reason	AWS session token in a token-named field
Masked preview	*****A
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

55. SEC-000055 HIGH

Correlated credential material detected

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	elasticsearch-url
Field path	connection_string
Detector	elasticsearch-url
Confidence	high
Related fields	
Credential type	connection_string
Masked values	host=, password=F*****y, scheme=https, username=g*****t
Occurrences	1
Reason	Connection string with embedded username and password
Masked preview	https:...nly@
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

56. SEC-000056 HIGH**Correlated credential material detected**

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	mssql-url
Field path	dsn
Detector	mssql-url
Confidence	confirmed-pattern
Related fields	
Credential type	connection_string
Masked values	host=localhost:1433, password=F*****y, scheme=mssql, username=g*****t
Occurrences	1
Reason	Connection string with embedded username and password
Masked preview	mssql://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:1433/garga_test
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

57. SEC-000057 HIGH**Sensitive credential material detected**

Field	Value
Category	Database connection strings
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	jdbc-url
Field path	jdbc
Detector	jdbc-url
Confidence	high
Occurrences	2
Reason	JDBC URL
Masked preview	jdbc:p...Only
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

58. SEC-000058 HIGH**Sensitive credential material detected**

Field	Value
Category	credential.docker
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	docker-auth
Field path	config
Detector	docker-auth
Confidence	high
Occurrences	1
Reason	Docker registry auth configuration
Masked preview	"*****{
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

59. SEC-000059 HIGH**Sensitive credential material detected**

Field	Value
Category	credential.generic
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	jdbc-url
Field path	jdbc
Detector	text-assignment
Confidence	medium
Occurrences	1
Reason	Secret assignment in text content
Masked preview	password=F*****y
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

60. SEC-000060 HIGH**Sensitive credential material detected**

Field	Value
Category	credential.jwt
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test

Field	Value
Document	jwt
Field path	authorization
Detector	jwt
Confidence	confirmed-pattern
Occurrences	1
Reason	JSON Web Token
Masked preview	eyJhbG...REAL
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

61. SEC-000061 HIGH

Sensitive credential material detected

Field	Value
Category	credential ldap
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	ldap-bind
Field path	config
Detector	ldap-bind
Confidence	high
Occurrences	1
Reason	LDAP bind credential assignment
Masked preview	binddn=c*****t
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

62. SEC-000062 HIGH

Sensitive credential material detected

Field	Value
Category	credential slack
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	slack-token
Field path	slack_token
Detector	slack-token
Confidence	confirmed-pattern
Occurrences	1
Reason	Slack token
Masked preview	xoxb-1...Real

Field	Value
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

63. SEC-000063 HIGH Sensitive credential material detected

Field	Value
Category	credential.smtp
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	smtp-auth
Field path	config
Detector	smtp-credential
Confidence	high
Occurrences	1
Reason	SMTP credential assignment
Masked preview	smtp_user=g*****t
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

64. SEC-000064 HIGH Sensitive credential material detected

Field	Value
Category	credential.token
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	slack-token
Field path	slack_token
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	xoxb-1...Real
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

65. SEC-000065 HIGH**Sensitive credential material detected**

Field	Value
Category	credential.token
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	github-fine-grained
Field path	token
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	github...0000
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

66. SEC-000066 HIGH**Sensitive credential material detected**

Field	Value
Category	credential.token
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	kubernetes-sa
Field path	token
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	eyJhbG...REAL
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

67. SEC-000067 HIGH**Correlated credential material detected**

Field	Value
Category	Token pairs
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test

Confidential - Authorized Secret Scan - Masked Values Only

Field	Value
Document	api-key-field
Field path	user
Detector	credential-pair
Confidence	high
Related fields	user, api_key
Credential type	username_token
Masked values	api_key=garga-...CDEF, username=g*****r
Occurrences	1
Reason	Username and token fields detected within the same object
Masked preview	username=g*****r api_key=garga-...CDEF
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

68. SEC-000068 HIGH
Sensitive credential material detected

Field	Value
Category	credential.webhook
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	slack-webhook
Field path	message
Detector	slack-webhook
Confidence	confirmed-pattern
Occurrences	1
Reason	Slack webhook URL
Masked preview	https:...0000
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

69. SEC-000069 MEDIUM
Password hash material detected

Field	Value
Category	Password hashes
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-argon2
Field path	password_hash
Detector	password-hash
Confidence	high

Field	Value
Occurrences	1
Reason	Password hash detected (argon2id)
Masked preview	Password hash detected (argon2id)
Remediation	Restrict access to password hashes and review whether this index is an approved identity store.

70. SEC-000070 MEDIUM

Password hash material detected

Field	Value
Category	Password hashes
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-bcrypt
Field path	password_hash
Detector	password-hash
Confidence	high
Occurrences	1
Reason	Password hash detected (bcrypt)
Masked preview	Password hash detected (bcrypt)
Remediation	Restrict access to password hashes and review whether this index is an approved identity store.

71. SEC-000071 MEDIUM

Password hash material detected

Field	Value
Category	Password hashes
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-md5crypt
Field path	password_hash
Detector	password-hash
Confidence	high
Occurrences	1
Reason	Password hash detected (md5crypt)
Masked preview	Password hash detected (md5crypt)
Remediation	Restrict access to password hashes and review whether this index is an approved identity store.

72. SEC-000072 MEDIUM

Password hash material detected

Field	Value
Category	Password hashes
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-pbkdf2
Field path	password_hash
Detector	password-hash
Confidence	high
Occurrences	1
Reason	Password hash detected (pbkdf2)
Masked preview	Password hash detected (pbkdf2)
Remediation	Restrict access to password hashes and review whether this index is an approved identity store.

73. SEC-000073 MEDIUM

Password hash material detected

Field	Value
Category	Password hashes
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-scrypt
Field path	password_hash
Detector	password-hash
Confidence	high
Occurrences	1
Reason	Password hash detected (scrypt)
Masked preview	Password hash detected (scrypt)
Remediation	Restrict access to password hashes and review whether this index is an approved identity store.

74. SEC-000074 MEDIUM

Password hash material detected

Field	Value
Category	Password hashes
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-sha512crypt
Field path	password_hash

Field	Value
Detector	password-hash
Confidence	high
Occurrences	1
Reason	Password hash detected (sha512crypt)
Masked preview	Password hash detected (sha512crypt)
Remediation	Restrict access to password hashes and review whether this index is an approved identity store.

75. SEC-000075 MEDIUM

Sensitive credential material detected

Field	Value
Category	Possible secrets
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	azure-client-secret
Field path	config
Detector	entropy
Confidence	medium
Occurrences	1
Reason	High-entropy value in a text/configuration field
Masked preview	azure_...REAL
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

76. SEC-000076 MEDIUM

Sensitive credential material detected

Field	Value
Category	Possible secrets
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	docker-auth
Field path	config
Detector	entropy
Confidence	medium
Occurrences	1
Reason	High-entropy value in a text/configuration field
Masked preview	{"auth..."}}
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

77. SEC-000077 MEDIUM**Sensitive credential material detected**

Field	Value
Category	Possible secrets
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	env-db-block
Field path	config
Detector	entropy
Confidence	medium
Occurrences	1
Reason	High-entropy value in a text/configuration field
Masked preview	D*****Y
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

78. SEC-000078 MEDIUM**Sensitive credential material detected**

Field	Value
Category	Possible secrets
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	ldap-bind
Field path	config
Detector	entropy
Confidence	medium
Occurrences	1
Reason	High-entropy value in a text/configuration field
Masked preview	b*****Y
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

79. SEC-000079 MEDIUM**Sensitive credential material detected**

Field	Value
Category	Possible secrets
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test

Field	Value
Document	smtp-auth
Field path	config
Detector	entropy
Confidence	medium
Occurrences	1
Reason	High-entropy value in a text/configuration field
Masked preview	S*****Y
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

80. SEC-000080 MEDIUM

Sensitive credential material detected

Field	Value
Category	Possible secrets
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	basic-auth-header
Field path	headers
Detector	entropy
Confidence	medium
Occurrences	1
Reason	High-entropy value in a text/configuration field
Masked preview	A*****Z
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

81. SEC-000081 MEDIUM

Sensitive credential material detected

Field	Value
Category	Possible secrets
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	env-log
Field path	message
Detector	entropy
Confidence	medium
Occurrences	1
Reason	High-entropy value in a text/configuration field
Masked preview	S*****L

Field	Value
Remediation	Revoke or rotate the exposed credential, remove it from indexed documents, and restrict access to the affected index.

Limitations

- This scan samples documents. Absence of a finding is not proof that an index contains no secrets.
- Private keys and password hashes are reported by type only and are never dumped.
- Use only against Elasticsearch clusters you own or are authorized to assess.
- <https://www.linkedin.com/in/cuma-kurt-34414917/>
- <https://github.com/cumakurt>