



Elasticsearch Sensitive Data Discovery

Authorized read-only scan of index mappings and sampled documents. Console and machine-readable reports stay masked; this PDF includes recovered secret values except private keys and password hashes.

Generated 2026-08-28 08:10:24 UTC | schema 1.0

Targets scanned	1 (reachable 1)
Indices inspected	1
Documents sampled	47
Findings	69
Severity counts	critical 43, high 14, medium 12, low 0, info 0

Targets

http://127.0.0.1:19200/ (reachable)

Cluster	docker-cluster
Version	8.19.20
Authenticated identity	elastic
Indices inspected	1
Documents sampled	47

Findings

CRITICAL**credential.api_key / api-key**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	kebab-case-key
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	garga-...CDEF
Secret value	garga-kebab-api-key-NOT-REAL-ABCDEF

CRITICAL**credential.api_key / api_key**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	api-key-field
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	garga-...CDEF
Secret value	garga-test-api-key-NOT-REAL-ABCDEF

CRITICAL**credential.pair / api_key**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	api-key-field
Detector	credential-pair
Confidence	high
Occurrences	1
Reason	user + api_key in the same object (user/api_key)
Masked preview	garga-...CDEF
Secret value	garga-test-api-key-NOT-REAL-ABCDEF

CRITICAL**credential.cloud.aws / aws_access_key_id**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	aws-keys
Detector	aws-access-key
Confidence	confirmed-pattern
Occurrences	1
Reason	AWS Access Key ID
Masked preview	AKIA*****

Secret value	AKIAIOSFODNN7EXAMPLE
CRITICAL	credential.cloud / aws_secret_access_key
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	aws-keys
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	W*****Y
Secret value	wJalrXUtnFEMI/K7MDENG/bPxRfiCYEXAMPLEKEY

CRITICAL	credential.cloud.aws / aws_secret_access_key
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	aws-keys
Detector	aws-secret-access-key
Confidence	high
Occurrences	1
Reason	AWS Secret Access Key in a secret-named field
Masked preview	W*****Y
Secret value	wJalrXUtnFEMI/K7MDENG/bPxRfiCYEXAMPLEKEY

CRITICAL	credential.pair / aws_secret_access_key
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	aws-keys
Detector	credential-pair
Confidence	high
Occurrences	1
Reason	access_key + secret_key in the same object (aws_access_key_id/aws_secret_access_key)
Masked preview	W*****Y
Secret value	wJalrXUtnFEMI/K7MDENG/bPxRfiCYEXAMPLEKEY

CRITICAL	credential.oauth / clientSecret
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	camel-case-secret
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	gargaC...6789
Secret value	gargaCamelCaseSecret-NOT-REAL-0123456789

CRITICAL	credential.oauth / client_secret
Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	oauth
Detector	entropy
Confidence	high
Occurrences	1

Reason	Sensitive field name + high-entropy value
Masked preview	garga-...6789
Secret value	garga-test-oauth-secret-NOT-REAL-0123456789

CRITICAL

CRITICAL credential.pair / client_secret

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	oauth
Detector	credential-pair
Confidence	high
Occurrences	1
Reason	client_id + client_secret in the same object (client_id/client_secret)
Masked preview	garga-...6789
Secret value	garga-test-oauth-secret-NOT-REAL-0123456789

CRITICAL

CRITICAL credential.cloud.azure / config

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	azure-client-secret
Detector	azure-client-secret
Confidence	high
Occurrences	1
Reason	Azure client secret assignment
Masked preview	azure_...REAL
Secret value	azure_client_secret=garga-azure-client-secret-NOT-REAL

CRITICAL

CRITICAL credential.cloud.azure / connection_string

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	azure-storage
Detector	azure-storage-key
Confidence	high
Occurrences	1
Reason	Azure storage account key
Masked preview	A*****A
Secret value	AccountKey=AA

CRITICAL

CRITICAL credential.connection_string / connection_string

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	postgres-url
Detector	postgres-url
Confidence	confirmed-pattern
Occurrences	2
Reason	PostgreSQL connection URL
Masked preview	postgres://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:5432/garga_test
Secret value	postgres://garga_test:FakePasswordOnly@localhost:5432/garga_test

CRITICAL

CRITICAL credential.connection_string / connection_string

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	elasticsearch-url

Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	https://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:9200/
Secret value	https://garga_test:FakePasswordOnly@localhost:9200/

CRITICAL

credential.connection_string / connection_string[illegible]

CRITICAL

credential.connection_string / dsn

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	redis-url
Detector	redis-url
Confidence	confirmed-pattern
Occurrences	2
Reason	Redis connection URL
Masked preview	redis://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:6379/ 0
Secret value	redis://garga_test:FakePasswordOnly@localhost:6379/0

CRITICAL

credential.connection_string / dsn

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	mysql-url
Detector	mysql-url
Confidence	confirmed-pattern
Occurrences	2
Reason	MySQL connection URL
Masked preview	mysql://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:3306/garga_test
Secret value	mysql://garga test:FakePasswordOnly@localhost:3306/garga test

CRITICAL

credential.connection_string / dsn

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	mssql-url
Detector	mssql-url
Confidence	confirmed-pattern
Occurrences	2
Reason	MSSQL connection URL
Masked preview	mssql://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:1433 /garga_test
Secret value	mssql://garga_test:FakePasswordOnly@localhost:1433/garga_test

CRITICAL**credential.connection_string / dsn**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	mongodb-url
Detector	mongodb-url
Confidence	confirmed-pattern
Occurrences	2
Reason	MongoDB connection URL
Masked preview	mongodb://g%2A%2A%2A:F%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2A%2Ay@localhost:27017/garga_test
Secret value	mongodb://garga_test:FakePasswordOnly@localhost:27017/garga_test

CRITICAL**credential.encryption_key / encryption_key**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	high-entropy-secret
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	s*****a
Secret value	s9f8a7d6s5f4a3d2s1f0a9d8s7f6a5d4s3f2garga

CRITICAL**credential.gitlab / gitlab_token**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	gitlab-token
Detector	gitlab-pat
Confidence	confirmed-pattern
Occurrences	1
Reason	GitLab personal access token
Masked preview	glpat-...AAAA
Secret value	glpat-AAAAAAAAAAAAAAAAAAAAA

CRITICAL**credential.cloud.gcp / google_api_key**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	gcp-api-key
Detector	google-api-key
Confidence	confirmed-pattern
Occurrences	1
Reason	Google API key
Masked preview	A*****A
Secret value	AlzaSyDIAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

CRITICAL**credential.basic / headers**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	basic-auth-header
Detector	authorization-header
Confidence	confirmed-pattern
Occurrences	1

Reason HTTP Authorization header
 Masked preview A*****Z
 Secret value Authorization: Basic Z2FyZ2E6ZmFrZS1wYXNzd29yZC1PTkxZ

CRITICAL**credential.connection_string / jdbc**

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document jdbc-url
 Detector postgres-url
 Confidence confirmed-pattern
 Occurrences 1
 Reason PostgreSQL connection URL
 Masked preview postgr...Only
 Secret value postgresql://localhost:5432/garga_test?user=garga_test&password=FakePasswordOnly

CRITICAL**credential.env / message**

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document env-log
 Detector env-assignment
 Confidence high
 Occurrences 1
 Reason .env-style secret assignment
 Masked preview API_KEY=garga-...REAL
 Secret value API_KEY=garga-test-api-key-NOT-REAL

CRITICAL**credential.pair / password**

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document password-field
 Detector credential-pair
 Confidence high
 Occurrences 1
 Reason Username/email + password in the same object (username/password)
 Masked preview fake-p...ONLY
 Secret value fake-password-garga-test-ONLY

CRITICAL**credential.password / password**

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document password-field
 Detector sensitive-field
 Confidence high
 Occurrences 1
 Reason Sensitive field name + credential-like value
 Masked preview fake-p...ONLY
 Secret value fake-password-garga-test-ONLY

CRITICAL**credential.password / password_hash**

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document password-hash-argon2
 Detector entropy

Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (argon2id)
Secret value	\$argon2id\$v=19\$m=65536,t=2,p=1\$gargaTestSalt\$gargaTestHashNotReal

CRITICAL**credential.password / password_hash**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-pbkdf2
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (pbkdf2)
Secret value	\$pbkdf2-sha256\$29000\$gargaTestSalt\$gargaTestHashNotRealXXXX

CRITICAL**credential.password / password_hash**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-sha512crypt
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (sha512crypt)
Secret value	\$6\$gargaTestSalt\$gargaTestSha512CryptHashNotARealPassword

CRITICAL**credential.password / password_hash**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-md5crypt
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (md5crypt)
Secret value	\$1\$gargaTest\$gargaMD5CryptHashNotRealXXX

CRITICAL**credential.password / password_hash**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-bcrypt
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (bcrypt)
Secret value	\$2a\$10\$gargaTestFakeBcryptHashValueNotARealPasswordHashXX

CRITICAL**credential.password / password_hash**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test

Document	password-hash-scrypt
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Password hash detected (scrypt)
Secret value	\$scrypt\$ln=16,r=8,p=1\$gargaTestSalt\$gargaTestHashNotReal

CRITICAL**credential.private_key / private_key**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	pgp-private-key
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Private key detected
Secret value	-----BEGIN PGP PRIVATE KEY BLOCK----- Version: garga-test IQEY fake-pgp-material-NOT-A-REAL-KEY -----END PGP PRIVATE KEY BLOCK-----

CRITICAL**credential.private_key / private_key**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	rsa-private-key
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Private key detected
Secret value	-----BEGIN RSA PRIVATE KEY----- MIIeOwIBAAKCAQEAgargaTESTONLYFAKEKEY -----END RSA PRIVATE KEY-----

CRITICAL**credential.private_key / private_key**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	rsa-private-key
Detector	pem-private-key
Confidence	confirmed-pattern
Occurrences	2
Reason	PEM or OpenSSH private key
Masked preview	Private key detected
Secret value	Private key detected

CRITICAL**credential.pair / services[0].password**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	nested-services
Detector	credential-pair
Confidence	high
Occurrences	1
Reason	Username/email + password in the same object (username/password) at services[0]
Masked preview	nested...ONLY
Secret value	nested-fake-password-ONLY

CRITICAL

credential.password / services[0].password

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	nested-services
Detector	sensitive-field
Confidence	high
Occurrences	1
Reason	Sensitive field name + credential-like value
Masked preview	nested...ONLY
Secret value	nested-fake-password-ONLY

CRITICAL

credential.private_key / ssh_key

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	openssh-private-key
Detector	pem-private-key
Confidence	confirmed-pattern
Occurrences	1
Reason	PEM or OpenSSH private key
Masked preview	Private key detected
Secret value	Private key detected

CRITICAL

credential.private_key / ssh_key

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	openssh-private-key
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	Private key detected
Secret value	-----BEGIN OPENSSH PRIVATE KEY----- MIIEowIBAAKCAQEA0gargaTESTONLYFAKEKEY -----END OPENSSH PRIVATE KEY-----

CRITICAL

credential.github / token

[illegible]

CRITICAL

credential.github / token

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	github-fine-grained
Detector	github-fine-grained-pat
Confidence	confirmed-pattern
Occurrences	1

Reason GitHub fine-grained personal access token
Masked preview github...0000
Secret value github_pat_11GARGATESTONLY0000000

CRITICAL**credential.kubernetes / token**

Target http://127.0.0.1:19200/
Cluster docker-cluster
Index garga-sensitive-test
Document kubernetes-sa
Detector kubernetes-sa-token
Confidence high
Occurrences 1
Reason Kubernetes service account token material
Masked preview kubern...ount
Secret value kubernetes.io/serviceaccount

HIGH**credential.authorization / authorization**

Target http://127.0.0.1:19200/
Cluster docker-cluster
Index garga-sensitive-test
Document jwt
Detector entropy
Confidence high
Occurrences 1
Reason Sensitive field name + high-entropy value
Masked preview Bearer eyJhbG...REAL
Secret value Bearer
eyJhbGciOiJub25lIn0.eyJzdWUiOiJnYXJnYS10ZXN0IiwiaWF0IjYXNldCI6ImdhcmdhLXNlbnNpdGI2ZS10ZXN0In0.garga-test-signature-NOT-REAL

HIGH**credential.jwt / authorization**

Target http://127.0.0.1:19200/
Cluster docker-cluster
Index garga-sensitive-test
Document jwt
Detector jwt
Confidence confirmed-pattern
Occurrences 1
Reason JSON Web Token
Masked preview eyJhbG...REAL
Secret value eyJhbGciOiJub25lIn0.eyJzdWUiOiJnYXJnYS10ZXN0IiwiaWF0IjYXNldCI6ImdhcmdhLXNlbnNpdGI2ZS10ZXN0In0.garga-test-signature-NOT-REAL

HIGH**credential.docker / config**

Target http://127.0.0.1:19200/
Cluster docker-cluster
Index garga-sensitive-test
Document docker-auth
Detector docker-auth
Confidence high
Occurrences 1
Reason Docker registry auth configuration
Masked preview "*****{
Secret value "auths":{

HIGH**credential.ldap / config**

Target http://127.0.0.1:19200/
Cluster docker-cluster

Index	garga-sensitive-test
Document	ldap-bind
Detector	ldap-bind
Confidence	high
Occurrences	1
Reason	LDAP bind credential assignment
Masked preview	binddn=c*****t
Secret value	binddn=cn=admin,dc=garga,dc=test

HIGH**credential.smtp / config**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	smtp-auth
Detector	smtp-credential
Confidence	high
Occurrences	1
Reason	SMTP credential assignment
Masked preview	smtp_user=g*****t
Secret value	smtp_user=garga-test

HIGH**credential.connection_string / connection_string**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	elasticsearch-url
Detector	elasticsearch-url
Confidence	high
Occurrences	1
Reason	Elasticsearch URL with userinfo
Masked preview	https:...nly@
Secret value	https://garga_test:FakePasswordOnly@

HIGH**credential.connection_string / jdbc**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	jdbc-url
Detector	jdbc-url
Confidence	high
Occurrences	2
Reason	JDBC URL
Masked preview	jdbc:p...Only
Secret value	jdbc:postgresql://localhost:5432/garga_test?user=garga_test&password=FakePasswordOnly

HIGH**credential.generic / jdbc**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	jdbc-url
Detector	text-assignment
Confidence	medium
Occurrences	1
Reason	Secret assignment in text content
Masked preview	password=F*****y
Secret value	password=FakePasswordOnly

HIGH**credential.webhook / message**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	slack-webhook
Detector	slack-webhook
Confidence	confirmed-pattern
Occurrences	1
Reason	Slack webhook URL
Masked preview	https:...0000
Secret value	https://hooks.slack.com/services/T00000000/B00000000/gargaTestNotReal000000000000

HIGH**credential.cloud.aws / session_token**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	aws-session
Detector	aws-session-token
Confidence	high
Occurrences	1
Reason	AWS session token in a token-named field
Masked preview	*****A
Secret value	IQoJAAA AAAAAAAAAA

HIGH**credential.slack / slack_token**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	slack-token
Detector	slack-token
Confidence	confirmed-pattern
Occurrences	1
Reason	Slack token
Masked preview	xoxb-1...Real
Secret value	xoxb-1234567890-gargaTestNotReal

HIGH**credential.token / slack_token**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	slack-token
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	xoxb-1...Real
Secret value	xoxb-1234567890-gargaTestNotReal

HIGH**credential.token / token**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	kubernetes-sa
Detector	entropy
Confidence	high
Occurrences	1
Reason	Sensitive field name + high-entropy value
Masked preview	eyJhbG...REAL

Secret value eyJhbGciOiJub25lIn0.kubernetes.io/serviceaccount.garga-k8s-NOT-REAL

HIGH**credential.token / token**

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document github-fine-grained
 Detector entropy
 Confidence high
 Occurrences 1
 Reason Sensitive field name + high-entropy value
 Masked preview github...0000
 Secret value github_pat_11GARGATESTONLY0000000

MEDIUM**possible-secret / config**

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document ldap-bind
 Detector entropy
 Confidence medium
 Occurrences 1
 Reason High-entropy value in a text/configuration field
 Masked preview b*****Y
 Secret value binddn=cn=admin,dc=garga,dc=test bindpw=garga-ldap-password-ONLY

MEDIUM**possible-secret / config**

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document docker-auth
 Detector entropy
 Confidence medium
 Occurrences 1
 Reason High-entropy value in a text/configuration field
 Masked preview {"auth..."}}
 Secret value {"auths":{"https://index.docker.io/v1/":{"auth":"Z2FyZ2E6ZmFrZS1PTkxZ"}}}

MEDIUM**possible-secret / config**

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document smtp-auth
 Detector entropy
 Confidence medium
 Occurrences 1
 Reason High-entropy value in a text/configuration field
 Masked preview s*****Y
 Secret value smtp_user=garga-test smtp_password=garga-smtp-password-ONLY

MEDIUM**possible-secret / config**

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document azure-client-secret
 Detector entropy
 Confidence medium
 Occurrences 1

Reason High-entropy value in a text/configuration field
 Masked preview azure_...REAL
 Secret value azure_client_secret=garga-azure-client-secret-NOT-REAL

MEDIUM

possible-secret / headers

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document basic-auth-header
 Detector entropy
 Confidence medium
 Occurrences 1

Reason High-entropy value in a text/configuration field
 Masked preview A*****Z
 Secret value Authorization: Basic Z2FyZ2E6ZmFrZS1wYXNzd29yZC1PTkxZ

MEDIUM

possible-secret / message

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document env-log
 Detector entropy
 Confidence medium
 Occurrences 1

Reason High-entropy value in a text/configuration field
 Masked preview S*****L
 Secret value startup config dump API_KEY=garga-test-api-key-NOT-REAL TOKEN=garga-test-token-NOT-REAL

MEDIUM

credential.password_hash / password_hash

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document password-hash-bcrypt
 Detector password-hash
 Confidence high
 Occurrences 1
 Reason Password hash detected (bcrypt)
 Masked preview Password hash detected (bcrypt)
 Secret value Password hash detected (bcrypt)

MEDIUM

credential.password_hash / password_hash

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document password-hash-argon2
 Detector password-hash
 Confidence high
 Occurrences 1
 Reason Password hash detected (argon2id)
 Masked preview Password hash detected (argon2id)
 Secret value Password hash detected (argon2id)

MEDIUM

credential.password_hash / password_hash

Target http://127.0.0.1:19200/
 Cluster docker-cluster
 Index garga-sensitive-test
 Document password-hash-sha512crypt
 Detector password-hash

Confidence	high
Occurrences	1
Reason	Password hash detected (sha512crypt)
Masked preview	Password hash detected (sha512crypt)
Secret value	Password hash detected (sha512crypt)

MEDIUM**credential.password_hash / password_hash**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-pbkdf2
Detector	password-hash
Confidence	high
Occurrences	1
Reason	Password hash detected (pbkdf2)
Masked preview	Password hash detected (pbkdf2)
Secret value	Password hash detected (pbkdf2)

MEDIUM**credential.password_hash / password_hash**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-scrypt
Detector	password-hash
Confidence	high
Occurrences	1
Reason	Password hash detected (scrypt)
Masked preview	Password hash detected (scrypt)
Secret value	Password hash detected (scrypt)

MEDIUM**credential.password_hash / password_hash**

Target	http://127.0.0.1:19200/
Cluster	docker-cluster
Index	garga-sensitive-test
Document	password-hash-md5crypt
Detector	password-hash
Confidence	high
Occurrences	1
Reason	Password hash detected (md5crypt)
Masked preview	Password hash detected (md5crypt)
Secret value	Password hash detected (md5crypt)

Limitations

- This scan samples documents. Absence of a finding is not proof that an index contains no secrets.
- Private keys and password hashes are reported by type only and are never dumped.
- Use only against Elasticsearch clusters you own or are authorized to assess.
- <https://www.linkedin.com/in/cuma-kurt-34414917/>
- <https://github.com/cumakurt>