www.lxinternational.com

LX International

Value Proposition

Future in
Business Solution



LX International

About LX International

Link to a Sustainable Future



LX International creates business solutions that preemptively solve client's pain points and provide differentiated values.



LX International was founded in 1953 as 'Lucky Industry Corporation' and has been changing and growing ever since, and has been building Korea's trade foundation and sharing the trajectory of national economic development and growth.




Along with LX International, the affiliates of LX include LX Pantos, LX Hausys, LX Semicon, and LX MMA. Covering many different business fields such as trading, investment, LX has positioned itself as a leading company in the market.



Especially, with Natural Resources, Trading, and eco-friendly Green as its main business domains, LX International has been establishing partnerships with many different clients over the world.

LX Group Governance




Overview


LX is a leading business group in Korea that creates new value by connecting advanced technologies with customers' lives, building on the legacy of its founding company, which has long transformed everyday life through innovation.

FY 2025

Total Revenue

USD **15,660** million






Unit : million

Operating Profit

USD **348** million





Unit : million

*Excluding LX Holdings
*Y25 Average Annual Exchange Rate $1=₩1,422.22

As of the end of 2025


Total Employees

15,200



* Figures do not include performanceand headcount of LX Holdings.

Unit : People



History

1940~

1947

LX Hausys
Founded Lak-Hui Chemical Industrial Corp. (now LG Chem)

LX Semicon
Founded Silicon Works

1953

LX International
Founded Lak-Hui Industrial Co., Ltd.

1977

LX Pantos
Founded Beomhan Hungsan

1991

LX MMA
Founded Lucky MMA

1995

Changed company name to LG International, LG Chem, LG MMA

2000~

2009

LX Hausys
Launched LG Hausys

2014

LX Semicon
Became an LG Group affiliate (Silicon Works)

2015

LX International
Acquired Beomhan Pantos

2017

LX Pantos
Renamed to Pantos

2021

Launched LX Holdings
Renamed to:
· LX International
· LX Pantos
· LX Hausys
· LX Semicon
· LX MMA

2022

LX International
Formally separated LX from LG Group
Established LX MDI
Acquired Poseung Green Power

2023

LX International
Founded LX Ventures
Acquired Hankuk Glass Industries Inc. (now LX Glas)

2024

LX International
Acquired AKP Nickel Mine in Indonesia

Partners

8

approved manufacturers


6

approved manufacturers

Taiwan 3 · Indonesia 2 · Oman 1

Korean Manufacturer

Overseas Manufacturer



Global Logistics Company

LX Pantos

FNS

J2K GLOBAL

BLUE WATER SHIPPING

U.S. Local Services Partners

EMERALD TRANSFORMER
REBUILD. RECYCLE. RETHINK.

OTC
Your dedicated partner of the SGB-SMIT Group

NASS

VOLTYX
POWERED BY ASPLUNDH

ASPLUNDH

LXI's Core Values

- Transformer Manufacturing
- Freight & Inland Transfortation
- Field Service & Supervision
- Total Services Provider



LX International's Value Proposition

for Electric Equipment Customers

01 Value Gateway for Asian-Made Power Equipment

LXI serves as a sourcing gateway for high-quality Asian-made power equipment, maintaining an approved vendor pool of 14 leading manufacturers in Korea, Taiwan, Indonesia and Oman.

Korean-made transformers are distinguished by world-class quality and short lead times.

In particular, extra-high-voltage transformers equipped with on-load tap changers (OLTC) offer an exceptional lead time of approximately 12–20 months.

LXI conducts thorough pre-inspections of manufacturers' factories and ensures that a 100% P-Bond is secured for all product supplies.

Key Partners

KOREA

8 approved manufacturers in Korea

Factory pre-inspection and a 100% P-Bond on every supply

OVERSEAS

6 approved manufacturers overseas

Taiwan 3 · Indonesia 2 · Oman 1

02 Value

Supply Chain Management


We offer specialized Supply Chain Management capabilities focused on the most critical segments of transformer delivery—ocean and overland transport.

Our affiliate LX Pantos is a global top-tier ocean freight provider, and we have a special relationship with FNS Logistics, which specializes in U.S. domestic overland transport.

We are continuously expanding partnerships with local service providers capable of assembly, installation, after-sales service (A/S), and warranty support.

We also have provided VMI solution to global manufacturers (IT/others).

VMI service flow chart



※ LX International acquired 51% stake of 'LX Pantos*' in 2015
*the world's 6th logistics company ('22. sea cargo base)

03 Value

SI Partner

We actively consider participation in Power Plant and Electricity Infrastructure projects including data center as a SI (Strategic Investment) partner.

Our core strengths are Project Development/EPC/ Financing and Investment.

- Investment and management of overseas infrastructure assets such as urea fertilizer plants and cogeneration power plants
- Promotion of renewable energy projects, including biomass in Korea and hydropower in Indonesia
- Development of business strategies and exploration of opportunities to enter emerging markets such as India and the Middle East

Status of Investment Assets

	Urea fertilizer plant	Wuwei co-generation power plant	Musandam power plant	Hasang hydroelectric power plant	Poseung Biomass power plant
Location	China	China	Oman	Indonesia	Korea
Equity ratio	29%	30%	18%	95%	63%
Products	Urea	Electricity	Electricity	Electricity	Electricity
Capacity	1 Million tons	700MWh	120MWh	41MWh	43MWh

Product 1

Power Transformer

Power Transformer



Power Transformer

up to 500kV / 1,000MVA

Key Features

- Designed for transmission and substation applications up to 500kV class
- Proven performance under utility grid conditions
- Engineered for transportation limitations and installation requirements
- Competitive lead times supported by diversified manufacturing sources


Specification

Phase	Single-phase / Three-phase
Frequency	50 / 60Hz
Insulation	Oil-immersed (Mineral Oil / Natural Ester)
Primary Voltage	69kV / 115kV / 138kV / 230kV / 345kV / up to 500kV
Capacity	up to 1,000MVA
Cooling System	ONAN, ONAF, OFAN, OFAF, ODAF, OFWF, ODWF, KNAN, KNAF, KFAF
Winding Configuration	2-winding / 3-winding
Tap Changer	OLTC / DETC available
Oil Preservation System	Conservator / Nitrogen Sealed / Open Breather
Application	Power Generation, Transmission, Substation & Industrial (Data Center)
Standards	ANSI (IEEE C57) / IEC 60076
Lead Time	12-20 months

Distribution Transformer

Product Type

Pad-mounted Transformer



Pad-mounted Transformer
up to 34.5kV / 10,000kVA

Key Features

- Designed for underground distribution systems
- Available in dead-front and live-front configurations
- Configurable for loop feed and radial feed systems
- Integrated switching and protection compartments
- Compatible with utility, commercial, and data center applications

Specification

Phase	Single-phase / Three-phase
Frequency	50 / 60Hz
Insulation	Mineral Oil / Natural Ester
Primary Voltage	up to 34.5kV class
Secondary Voltage	LV outputs available per project requirement
Capacity	up to 10,000kVA
Cooling System	ONAN
Tap Changer	DETC, tap arrangement available upon request
Application	Utility Distribution, Commercial, Industrial, Renewable & Data Center
Standards	ANSI / IEEE / DOE / CSA
Installation	Outdoor
Lead Time	8-16 weeks

Product 3

Distribution Transformer

Product Type

Pole-mounted Transformer



Pole-mounted Transformer

up to 34.5kV / 500kVA

Key Features

- Designed for overhead distribution systems
- Available in single-phase bank or three-phase configuration
- Optimized for high reliability and low maintenance operation
- Designed to DOE efficiency requirements

Specification

Phase	Single-phase / Three-phase
Frequency	50 / 60Hz
Insulation	Mineral Oil / Natural Ester
Primary Voltage	up to 34.5kV class
Secondary Voltage	LV outputs available per project requirement
Capacity	up to 500kVA
Cooling System	ONAN
Tap Changer	DETC, tap arrangement available upon request
Application	Utility Distribution, Commercial, Industrial, Renewable & Data Center
Standards	ANSI / IEEE / DOE
Installation	Outdoor
Lead Time	8-12 weeks

Distribution Transformer

Product Type

Dry-type Transformer



Dry-type Transformer

up to 36kV / 30MVA

Key Features

- Reduced environmental and fire risk compared to oil-filled transformers
- Suitable for indoor installation and confined spaces
- Low maintenance with high mechanical strength
- Designed for commercial, industrial, and data center applications

Specification

Phase	Three-phase
Frequency	50 / 60Hz
Insulation	Cast Resin / VPI
Primary Voltage	up to 36kV class
Secondary Voltage	LV outputs available per project requirement
Capacity	up to 30MVA
Cooling System	AN / AF
Tap Changer	DETC, tap arrangement available upon request
Application	Utility Distribution, Commercial, Industrial, Data Center, Infrastructure
Standards	ANSI / IEEE / IEC
Installation	Indoor / Outdoor
Lead Time	8-16 weeks

Product 5

Switchgear

Product Type

MV Gas Insulated Switchgear



MV GIS

15 – 38kV / up to 63kA

Key Features

- Gas- or dry-air-insulated MV switchgear from 15kV to 38kV class
- Internal-arc tested to IEEE C37.20.7 Type 2B, up to 40kA / 1s
- 50–60% smaller footprint than air-insulated switchgear
- Front-removable VCB, expandable on both sides, transfer bus option

Specification

Rated Voltage	15 / 27 / 38kV (IEEE) · 24 / 36kV (IEC)
Rated Current	up to 3,150A (IEEE) · 4,000A (IEC)
Short-time Withstand	up to 63kA / 3s (15kV) · 40kA / 3s (38kV)
Busbar	Single / Double · transfer (bypass) or ring on request
Insulation Medium	SF6 / Dry air (GWP 0) · vacuum interrupters
Standards	IEEE C37.20.9 / IEC 62271-200
Lead Time	8 months


Series

Standard GIS · SF6	38kV · 3,150A · 40kA/3s · single / double / transfer bus
Compact GIS · SF6	38kV · 3,150A · 40kA/3s · sealed tank, plug-in busbar
Dry-air GIS · GWP 0	15kV 63kA · 27kV 25kA · 38kV 40kA · SF6-free

Energy Storage System

Product Type

MV Station



MV Station

2.8 / 5.6MVA · 22kV

Key Features

- Factory-integrated RMU, MV transformer, aux. transformer and panels
- 2.8MVA for one PCS or 5.6MVA three-winding for two PCS blocks
- 24kV RMU with VCB + OCR protection and loop in / out switches
- 20ft ISO container for rapid installation and grid connection

Specification

Phase	Three-phase
Frequency	50 / 60Hz
Rated Voltage	22kV (24kV class)
Capacity	2.8MVA / 5.6MVA
MV Transformer	Oil-immersed · 2-winding / 3-winding (Yd1d1)
RMU	24kV 630A · VCB with OCR 21kA/3s · LBS · ES
Auxiliary Power	Dry-type TR 61kVA (690 / 400 / 110V) + aux. panels
Enclosure	20ft ISO container
Lead Time	10 months

Configurations

2.8MVA · 50Hz	22kV / 690V, two-winding · one PCS block
5.6MVA · 60Hz	22kV / dual LV, three-winding · two PCS blocks

Solutions

01 Solution Power Solution

Overview

Transformers for generation, transmission, substations and distribution — from 500kV-class power transformers to pad-mounted, pole-mounted and dry-type units.

Power Flow

Generation (Power plant · Renewables) → **Power TR** (Transmission & substation) → **Distribution TR** (Pad · Pole · Dry-type) → End Users (Utility · Industrial · Commercial)

Products

Power Transformer	up to 500kV / 1,000MVA	p.08
Pad-mounted Transformer	up to 34.5kV / 10,000kVA	p.09
Pole-mounted Transformer	up to 34.5kV / 500kVA	p.10
Dry-type Transformer	up to 36kV / 30MVA	p.11

02 Solution Data Center Solution

Overview

Total electrical infrastructure for data centers — GIS, transformers, MV / LV switchgear and busway from Korea's top-tier manufacturers, from the utility interconnection to the rack.

Power Flow

Utility Grid (HV) → **Power TR** (HV / MV) → **MV GIS** (MV distribution) → **Distribution TR** (MV / LV · UL) → IT Load (UPS · racks)

Products

MV GIS	15 – 38kV / up to 63kA	p.12
Power Transformer	up to 500kV / 1,000MVA	p.08
Distribution Transformer	Pad-mounted · UL Listed	p.09
Package Supply	GIS · MV / LV SWGR · Busway · UPS · RPP	

03 Solution ESS Solution

Overview

Containerized MV stations (2.8 / 5.6MVA) and transformers that connect battery energy storage systems (BESS) to the grid.

Power Flow

Battery & PCS (LV AC) → **MV Station** (LV / MV step-up) → **Power TR** (MV / HV) → Utility Grid (Point of interconnection)

Products

MV Station	2.8 / 5.6MVA · 22kV · 20ft container	p.13
Power Transformer	up to 500kV / 1,000MVA	p.08
Distribution Transformer	Pad-mounted · UL Listed	p.09

Business Roadmap

01 Roadmap Total Provider of Electrical Equipment

Korea, Taiwan, Indonesia, Oman, etc.

Manufacturer	→	LX International	→	Customer

Items

- Transformer
- GIS
- Switchgear
- MV Station
- Inverter
- CHP System
- Cable

R&R

- Sourcing & Contracting
- Logistics
- Installation & O&M

Type

- Utility
- Industrial (Renewables, Data Center, etc.)

Region

- USA
- Japan / APAC
- Middle East
- Europe

02 Roadmap Power & Energy Business Developer

- Electrical Equipment
- Services

Expansion

- EPC
- Investor / Developer

http://www.lxinternational.com
03184 LX International, 58, Saemunan-ro, Jongno-gu, Seoul, Korea