
LX International

POWER EQUIPMENT SOLUTIONS

Your gateway to Asian-made power equipment

One partner from sourcing to field service.

Power | Data Center | ESS



Product & Solution Brochure

2026

www.lxinternational.com

ABOUT LX INTERNATIONAL

A global business solutions company since 1953

LX International creates business solutions that anticipate customers' pain points and deliver differentiated value — across natural resources development, trading and new growth businesses.

BUSINESS PERFORMANCE · 2025, CONSOLIDATED

USD 11,747M	USD 205M	USD 6,559M	1953
Revenue	Operating profit	Total assets	Founded

BUSINESS AREAS

01
Natural Resources Development
Mine development and operation — nickel, coal and copper — and palm plantations.

02
Trading
Resources, industrial materials, IT components and oils, connecting suppliers and buyers worldwide.

03
New Growth
Energy infrastructure, power solutions and ESS, renewable energy and carbon credits.

GLOBAL NETWORK

Seoul	4	7	19	15
Headquarters	Regional strongholds	Overseas corporations	Overseas branches	Invested assets

KEY SUBSIDIARIES · EQUITY STAKE

LX Pantos Global integrated logistics		75.9%
LX Glas Architectural & automotive glass		100%
Poseung Green Power Biomass power generation		63.3%
BSG Partners ERP & cloud services		70%

POWER EQUIPMENT BUSINESS

Total provider of electrical equipment

From Asian factories to your site — one partner across sourcing, logistics and installation.

Manufacturers

13 approved manufacturers

- Korea 8
- Taiwan 3
- Indonesia
- Oman 1

LX International

- ✓ Sourcing & contracting
- ✓ Logistics
- ✓ Installation & O&M

Customers

- Utility
- Industrial — renewables, data centers, etc.

SCOPE OF SUPPLY

Transformer | GIS | Switchgear | MV Station | Inverter | CHP System | Cable

TARGET REGIONS

USA | Japan / APAC | Middle East | Europe

TRACK RECORD & PIPELINE

USA

Delivering	EHV power transformers for U.S. utilities — supply commenced in 2025
Developing	Transformers for U.S. data centers

Japan

Delivering	Supply to a Japanese BESS operator and a shipyard
Developing	BESS project development in Japan and Australia

SCALING UP

Power & Energy Biz. Developer



WHY LX INTERNATIONAL

Value beyond the equipment

01

Gateway to Asian-made equipment

An approved pool of 13 leading manufacturers in Korea, Taiwan, Indonesia and Oman — factory pre-inspection and a 100% P-Bond on every supply.

02

Logistics, delivered in-house

Ocean freight by LX Pantos, an LX International subsidiary and global No.6 forwarder — extended to specialist partners for transformer and project cargo.

03

Installation, O&M and beyond

Local partners for installation, A/S and warranty — and growing into EPC and investment as a power & energy business developer.

13	8–16 wks	18–21 mo	100%	No.6
Approved manufacturers	Distribution TR lead time	EHV power TR lead time (OLTC)	P-Bond secured	Global forwarder — LX Pantos

GLOBAL NETWORK — SOURCED IN ASIA, DELIVERED WORLDWIDE



Sourcing hubs Key markets LX Pantos logistics

Ocean freight is delivered in-house by LX Pantos — an LX International subsidiary and global No.6 forwarder — and extended to our logistics partner pool with deep transformer and project-cargo references.

SOLUTIONS

Three solutions, one partner

01

Power Solution

Transformers up to 500kV

From transmission and substations to distribution — 500kV-class power transformers through pad-mounted, pole-mounted and dry-type units.

- Generation & transmission
- Substations
- Underground & overhead distribution
- Indoor & industrial

Power Transformer p.6
Pad-mounted Transformer p.7
Pole-mounted Transformer p.8
Dry-type Transformer p.9

02

Data Center Solution

From grid to IT load

Reliable power from the utility interconnection to the data hall — for hyperscale, colocation and campus substations.

Utility Grid	HV
Power TR	HV / MV
MV GIS	MV distribution
Distribution TR	MV / LV
IT Load	UPS · racks

Power Transformer p.6
Distribution TR (UL) p.7
MV GIS p.10

03

ESS Solution

Grid-ready BESS interconnection

Integrated MV stations and transformers that connect battery energy storage to the grid.

Battery & PCS	LV AC
MV Station	LV / MV step-up
Power TR	MV / HV
Utility Grid	POI

MV Station p.11
Power Transformer p.6
Distribution TR (UL) p.7

CERTIFICATIONS & TESTING

Built and tested to global standards

TYPE TESTS

- **KEMA** — Netherlands
- **KERI** — Korea

MANAGEMENT SYSTEMS

- **ISO 9001** — Quality
- **ISO 14001** — Environment
- **ISO 45001** — Health & safety

PRODUCT CERTIFICATION

- **UL** — USA
- **CSA** — Canada

DESIGN STANDARDS

- **IEEE C57** — Transformers
- **IEC 60076** — Transformers
- **ANSI** — USA
- **DOE** — Efficiency

Available through our approved manufacturers — certificates and type-test reports are provided per project.

PRODUCT 01 Transmission & Substation

Power Transformer

up to 500kV / 1,000MVA



LEAD TIME

18–36 months DDP basis

MADE IN

Korea · Taiwan · Indonesia · Oman

KEY FEATURES

- Designed for transmission and substation applications up to 500kV class
- Proven performance under utility grid conditions
- Engineered for transportation limitations and installation requirements
- Competitive lead times supported by diversified manufacturing sources

SPECIFICATIONS

Phase	Single-phase / Three-phase
Frequency	50 / 60Hz
Insulation	Oil-immersed (Mineral oil / Natural ester)
Primary voltage	69 / 115 / 138 / 230 / 345kV, up to 500kV
Capacity	up to 1,000MVA
Cooling system	ONAN, ONAF, OFAN, OFAF, ODAF, OFWF, ODWF, KNAN, KNAF, KFAF
Winding	2-winding / 3-winding
Tap changer	OLTC / DETC available
Oil preservation	Conservator / Nitrogen sealed / Open breather
Application	Power generation, transmission, substation & industrial (data center)
Standards	ANSI (IEEE C57) / IEC 60076

PRODUCT 02 Underground Distribution

Pad-mounted Transformer

up to 34.5kV / 10,000kVA

✓ UL Certified



LEAD TIME

8–16 weeks

MADE IN

Korea Oman

KEY FEATURES

- Designed for underground distribution systems
- Available in dead-front and live-front configurations
- Configurable for loop-feed and radial-feed systems
- Integrated switching and protection compartments
- Compatible with utility, commercial and data center applications

SPECIFICATIONS

Phase	Single-phase / Three-phase
Frequency	50 / 60Hz
Insulation	Mineral oil / Natural ester
Primary voltage	up to 34.5kV class
Secondary voltage	LV outputs per project requirement
Capacity	up to 10,000kVA
Cooling system	ONAN
Tap changer	DETC, tap arrangement upon request
Application	Utility distribution, commercial, industrial, renewable & data center
Standards	ANSI / IEEE / DOE / CSA
Installation	Outdoor

PRODUCT 03 Overhead Distribution

Pole-mounted Transformer

up to 34.5kV / 500kVA



LEAD TIME

8–12 weeks

MADE IN

Korea

KEY FEATURES

- Designed for overhead distribution systems
- Available in single-phase bank or three-phase configuration
- Optimized for high reliability and low-maintenance operation
- Designed to DOE efficiency requirements

SPECIFICATIONS

Phase	Single-phase / Three-phase
Frequency	50 / 60Hz
Insulation	Mineral oil / Natural ester
Primary voltage	up to 34.5kV class
Secondary voltage	LV outputs per project requirement
Capacity	up to 500kVA
Cooling system	ONAN
Tap changer	DETC, tap arrangement upon request
Application	Utility distribution, commercial, industrial, renewable & data center
Standards	ANSI / IEEE / DOE
Installation	Outdoor

PRODUCT 04 Indoor / Dry Distribution

Dry-type Transformer

up to 36kV / 20,000kVA



LEAD TIME

8–16 weeks

MADE IN

Korea

KEY FEATURES

- Reduced environmental and fire risk compared with oil-filled transformers
- Suitable for indoor installation and confined spaces
- Low maintenance with high mechanical strength
- Designed for commercial, industrial and data center applications

SPECIFICATIONS

Phase	Three-phase
Frequency	50 / 60Hz
Insulation	Cast resin / VPI
Primary voltage	up to 36kV class
Secondary voltage	LV outputs per project requirement
Capacity	up to 20,000kVA
Cooling system	AN / AF
Tap changer	DETC, tap arrangement upon request
Application	Utility distribution, commercial, industrial, data center & infrastructure
Standards	ANSI / IEEE / IEC
Installation	Indoor / Outdoor

SOLUTION 02

Data Center Solution

Reliable power from the utility interconnection to the data hall — for hyperscale, colocation and campus substations.

Utility Grid (HV) → Power TR (HV / MV) → MV GIS (MV distribution) → Distribution TR (MV / LV · UL) → IT Load (UPS · racks)

DATA CENTER CHALLENGES — AND HOW WE HELP

Speed to power

Distribution transformers in 8–16 weeks and EHV power transformers in 18–21 months help you energize on schedule.

Supply-chain risk

Approved factories, factory pre-inspection and a 100% P-Bond on every supply.

Delivery to site

Ocean, inland transport, installation and O&M coordinated by one partner.

PRODUCT LINE-UP



Transmission & Substation

Power Transformer

up to 500kV / 1,000MVA

Specifications → p.6



Pad-mounted Transformer

Distribution Transformer

up to 34.5kV / 10,000kVA

Specifications → p.7



Gas Insulated Switchgear

MV GIS

24 – 38kV / up to 40kA

Rated voltage	24 – 38kV
Rated current	up to 4,000A
Breaking current	up to 40kA
Insulation	SF6 / Dry air (GWP 0)
Standards	IEC / IEEE (ANSI)
Made in	Korea

TRACK RECORD & PIPELINE


- Delivering — EHV power transformers for U.S. utilities — supply commenced in 2025
- Developing — Transformers for U.S. data centers

SOLUTION 03

ESS Solution

Integrated MV stations and transformers that connect battery energy storage to the grid.

Battery & PCS
LV AC
→
MV Station
LV / MV step-up
→
Power TR
MV / HV
→
Utility Grid
POI



INTEGRATED SKID / CONTAINER

MV Station

Integrated MV skid for BESS

1. **MV switchgear**
2. **Step-up transformer**
3. **Auxiliary panels**
4. **Containerized skid**

Ratings are configured per project — share your BESS block size and grid requirements with us.



Transmission & Substation

Power Transformer

up to 500kV / 1,000MVA

Specifications → p.6



Pad-mounted Transformer

Distribution Transformer

up to 34.5kV / 10,000kVA

Specifications → p.7

TRACK RECORD & PIPELINE

Delivering	Supply to a Japanese BESS operator and a shipyard
Developing	BESS project development in Japan and Australia

LX International

Let’s power your next project

Specifications, lead times and delivery options — our Power Equipment team will get back to you.

EMAIL

jhbaka@lxintl.co.kr maparka@lxintl.co.kr

PHONE

+1-617-991-8500 (USA)

+82-10-3380-3240 (Korea)

WHATSAPP

Jayde Bak · +82-10-3380-3240

WEBSITE

www.lxinternational.com

Scan to explore our solutions

HEADQUARTERS · KOREA

LX International Corp.

LX Gwanghwamun Building, 58 Saemunan-ro, Jongno-gu, Seoul 03184, Korea

USA

LX International (America), Inc.

770 The City Drive South, Suite 7300, Orange, CA 92868, USA

Specifications are subject to change without notice. Certifications, type tests and ratings are confirmed per project.

© 2026 LX International Corp. All Rights Reserved.