

Architecture: an embedded model




- Not microservices: the bidder agent runs as one process. ML Serving is a library it imports and calls directly, not a separate service it talks to over the network.
- Only versions that clear a quality gate get registered. A deployment job then promotes the registered version through rollout (next slide) before it reaches the live store.
- The agent only ever reads two things, both small: the live artifact and its config, and the hot feature store. Never the registry, training, or monitoring directly.

Architecture: an embedded model (draft 2, more detail)



- Not microservices: the bidder agent runs as one process. ML Serving is a library it imports and calls directly, not a separate service it talks to over the network.
- Only versions that clear a quality gate get registered. A deployment job then promotes the registered version through rollout (next slide) before it reaches the live store.
- The agent only ever reads two things, both small: the live artifact and its config, and the hot feature store. Never the registry, training, or monitoring directly.


Promoting a model to production safely



Stage	What it checks
Train	prediction-quality metrics (ranking, calibration) – fully offline, before any live exposure
Shadow	runs on live request patterns with no live risk – catches integration issues training can't see
Canary	ramping live traffic – guardrails on spend, latency, and errors confirm it survives production
A/B (risk-dependent)	a live, head-to-head comparison against what's currently serving
Promote	human sign-off before full traffic

Guardrails can abort and roll back automatically at any point – including after promotion – no human needed to catch a regression.

What feeds the model



one feature definition feeds both training and live serving — no drift

- Two inputs, both yours: served impressions and attributed conversions. These are the required inputs — the next slide covers exactly what we still need confirmed about them.
- The same feature code populates the training set and the live store, so what the model learned matches what it sees in production.

Open questions

1. Data access and schemas — which tables we read from, the mechanism to access them across the account boundary, and the exact contract per dataset: fields, identifiers, delivery cadence. This defines what we can build and when we can start building it.

2. Attribution window and method — which attribution window(s) apply per goal (and whether advertisers get to choose one), and whether click-through and view-through conversions can be told apart. This defines exactly what the model is trained to predict.

everything downstream of these two is designed and ready to build