Bài Tập 4:

```
Interface Car {
    void accelerate ();
    String getColor ();
    double getSpeed ();
}
public class BMW implements Car {
    private String color;
    private double speed;
    public BMW (String color, double speed) {
        this.color = color;
        this.speed = speed;
    }
    @Override
    public void accelerate () {
        this.speed += 20;
    }
    @Override
    public String getColor () {
        return color;
    }
```

SUBARU NOTEBOOK
trắng tinh khôi đoạt khôi nguyên
Scanned with TapScanner

```
@override
public double getSpeed () {
    return speed;
}
@override
public void accelerate () {
    this.speed += 20;
@override
public String toString () {
    return "BMW [color=" + color + ", speed
    =" + speed + "]";
}
}
Class Civic implements Car {
    private String color;
    private double speed;
    public Civic (String c, double s) {
        color = c;
        speed = s;
    }
    @override
```

a tinh khôi đoạt khôi nguyên
SUBARU NOTEBOOK
Scanned with TapScanner

```
public void accelerate ){
    speed += 10;
}
@ override
public ~~void~~ String getColor(){ color;
}
@ override
public double getSpeed(){ color;
}
@ override
public String toString(){ return "Citic"
+ color + Speed;
}
}
```

Scanned with TapScanner