



**Svea Payments** 

Payment Gateway Manual for WooCommerce platform

version 2.6.14



# **Table of Contents**

1	Cha	inges3			
2	Serv	vice requirements			
3	Syst	System requirements			
	3.1	Supported 3 <sup>rd</sup> party plugins	3		
4	Package contents				
5	Installation		4		
	5.1	Installing the Plugin	4		
	5.2	Upgrading the existing plugin	6		
6	Configuration				
	6.1	Enable / Disable	8		
	6.2	Title	8		
	6.3	Customer message	9		
	6.4	Redirect to Svea's Payment Method Selection Page	9		
	6.5	Payment handling fees	9		
	6.6	Payment handling fee tax class	9		
	6.7	Seller Id	9		
	6.8	Secret Key and Secret key version	9		
	6.9	Gateway URL	9		
	6.10	Payment Prefix	9		
	6.11	Send delivery confirmation on status change to status	10		
	6.12	Send delivery confirmation only for specific payment methods	10		
	6.13	Part Payment widget	10		
	6.14	Collated payment method view	11		
7	Lan	Language customization			
8	Test	ing the installation	13		
	8.1	Testing in Svea Payments test environment	13		
9	Che	ckout and payment	14		
10	) A	dministration	15		
	10.1	Payment verification	15		
	10.2	Refunds	15		
11	l Abo	out HPOS	16		
12	2 V	VooCommerce 8.3+ Blocks theme incompatibility	17		



## 1 Changes

Changelog: CHANGELOG.md

Release history: Releases · maksuturva/woocommerce\_payment\_module (github.com)

#### 2 Service requirements

The plugin requires an activated Svea Payments payment service to work in production.

For testing purposes, you can order test credentials to Svea Payments test environment. For more details, see the Testing section at http://docs.sveapayments.fi.

Without an active Svea Payments (test environment or production environment) account, you can test the plugin using the Sandbox test mode. See more about testing in section 8.

#### 3 System requirements

The Svea Payments Payment Gateway plugin for WooCommerce was tested on and required the following set of applications to work fully:

Requirement	Supported versions
WooCommerce	• 9.x
WordPress	• 6.x
PHP	• 7.x, 8.x
PHP cURL Module	• Any
PHP mbstring module	• Any

Please note that the payment module is not WooCommerce Blocks theme compatible yet. Use classic cart and checkout instead. See section WooCommerce 8.3+ Blocks mode theme compatibility

There is no guarantee that the plugin is fully functional in any other environment.

# 3.1 Supported 3<sup>rd</sup> party plugins

Following 3<sup>rd</sup> party plugins are supported:

- PW WooCommerce Gift Cards
- WooCommerce Gift Cards



## 4 Package contents

This guide assumes that the user correctly downloaded all the package files. Folder structure:

File	Description	
CHANGELOG.md	Change log	
docs/*	Plugin documentation	
includes/*	Class files included by the main plugin class to separate business logic into logical containers	
languages/*	Plugin translations	
templates/*	Template files used by the module both in the backend and front-end	
LICENSE	Plugin license file	
Svea _logo.png	Svea Payments logo used by WooCommerce	
README.md	Readme file	
RELEASE.md	Release documentation for GitHub CI	

#### 5 Installation

Before any change in your environment, we strongly recommend that you back up the entire existing WordPress and WooCommerce installation.

Also, see notes regarding WooCommerce HPOS mode, section 11 About HPOS

# 5.1 Installing the Plugin

- Download the latest zip release package from: <a href="https://github.com/maksuturva/woocommerce\_payment\_module/releases/latest">https://github.com/maksuturva/woocommerce\_payment\_module/releases/latest</a>
- 2) On the WordPress plugins page, select Add New (*Lisää uusi*) and then Upload Plugin (*Lataa lisäosa*).

Choose the downloaded zip release package file and select Install Now (Asenna nyt).


Note! If you receive this error when uploading the zip package, you need to change your server php.ini settings to allow 6M file size at least.

Siirretty tiedosto on suurempi kuin mitä on määritelty muuttujalle upload\_max\_filesize tiedostossa php.ini.


For more information, how to install WordPress plugins other ways, see: https://wordpress.com/support/plugins/install-a-plugin/#install-a-plugin-with-a-zip-file



3) Choose Activate (Aktivoi) the plugin.



- 4) Select Settings and configure the plugin as described in Configuration 6 -section in this guide.
- 5) Go to WooCommerce / Settings / Payments, and enable Svea payment methods you want to use.



6) Continue with configuring the plugin, see chapter 6 Installation.




## 5.2 Upgrading the existing plugin

It's wise to take back up of your database and files. The configuration and payment information are saved on the webstore database.

Check the current version of the Svea Payment Gateway plugin.

- If it's older than 2.4.0 it's recommended that you Deactivate and Delete the older module first as the package structure was different in earlier versions and straightforward upgrade is not supported.
- If the current version is 2.4.0 and above, when uploading the release package, WooCommerce will notice that you have the plugin installed already and it will upgrade the current version to a new one.



To continue the plugin upgrade, use the Installation process described in the Chapter 5.1.


The configuration will be migrated automatically in the upgrading process, so you can skip chapter 6 Configuration step after uploading a new version of the plugin module.



## 6 Configuration

Before you can use the Svea Payments in your WooCommerce store, you need to do some configurations on the plugin's Settings page.


You can access the settings through WordPress plugins list and Settings. Remember to *Save changes*.



Check your WooCommerce tax settings, for example:

- Settings / General / Enable taxes: enable tax calculation
- Settings / General / Currency options: only euro is supported
- Settings / Tax / Prices entered with tax: Yes
- Settings / Tax / Display prices in the shop: Including tax
- Settings / Tax / Display prices during cart and checkout: Including tax





#### 6.1 Enable / Disable

Checking this checkbox activates Svea Payments as a payment option for your customers in the checkout process.

#### 6.2 Title

Title for the payment gateway, shown on the checkout page. Defaults to Svea Payments.



## 6.3 Customer message

Description of the payment gateway. This message is shown below the payment gateway.

## 6.4 Redirect to Svea's Payment Method Selection Page

Use this option, if you want to use the payment method selection page on the Svea Payment's web pages instead of WooCommerce Checkout payment selection on the checkout page.

# 6.5 Payment handling fees

Optionally, you can specify extra fees per payment method or set multiple payment methods comma-separated using the same extra fee in this table.

You can remove payment fees by selecting the table row and select Remove selected rows.

#### 6.6 Payment handling fee tax class

If you have specified handling extra fees, select the fee tax class here.

#### 6.7 Seller Id

With a Svea Payments service, you'll get a unique seller id.

## 6.8 Secret Key and Secret key version

Svea Payments services use your seller id and a secret key combination to authenticate your webstore.

The secret key is used to sign all payments from your store to Svea Payments, so it is essential to keep the secret key secret. Never send the secret key (or a screenshot picture of it) in an unencrypted email or place it somewhere where an outsider could have access to it.

Your initial secret key's version number is 001. If your secret key has been compromised, you can order a new secret key from Svea Payments. In that case, you need to update the version number to refer to the new secret key you have taken in to use.

Your Seller id and Secret Key are ignored when using the Sandbox mode.

# 6.9 Gateway URL

Svea Payments production environment (where the customers can make actual payments) uses an SSL-secured connection in a URL https://www.maksuturva.fi.

If you are testing the service using Svea Payments test environment (where you can walk through the whole payment process without using actual money), the connection uses URL <a href="https://test1.maksuturva.fi">https://test1.maksuturva.fi</a>. Remember to change the URL to refer back to production mode before opening your store to real customers.

Both service environments are separate and have specific service accounts, so you must order the credentials separately.

# 6.10 Payment Prefix

Svea Payments service requires unique ids for each payment. Orders with payment id that has already been used are not accepted.

As the payment id is calculated from the order numbers, if you move your Svea Payments account to a new software installation and order numbering starts from the beginning, a conflict in payment id numbers can occur. Adding a unique prefix for payment ids after re-installation of the web store



can prevent the collision of the payment id numbers.

By default, the prefix is empty.

## 6.11 Send delivery confirmation on status change to status

If the Delivery Confirmation (Toimitustietojen vahvistaminen) feature is enabled in the Svea Payments service, use this dropdown menu to select the status trigger. This trigger determines when the updated order status and delivery information will be sent to Svea Payments.

By default, the trigger is set to "Completed." This means the delivery information is sent when an order is marked as delivered and the WooCommerce order status is updated to "Completed."

You can initiate this action either by manually updating the order status on the order administration page or by applying a bulk action to update the status of multiple orders simultaneously.

#### 6.12 Send delivery confirmation only for specific payment methods

If a comma separated list of the payment method codes is specified, the delivery confirmation (see 6.11) is only sent for these payment methods. For example:


FI01, FI02

Note! If this payment method code list is empty and delivery confirmation is activated, the delivery confirmation is set for all payment methods.

#### 6.13 Part Payment widget

Part Payment widget can be added on the WooCommerce catalog *single product page* using this setting.

Below this setting are possible customization parameters for the widget. If no value is set, the part payment widget will use default values in the script.







## 6.14 Collated payment method view

There is a new WooCommerce payment method named Svea Payments Collated since version 2.4.0.

When activated, you can edit this method title and assign different subgroups with custom group names and payment methods to it. Additionally, you can use this method in conjunction with other Svea payment methods.




#### Configuration example:





#### Checkout page example:





## 7 Language customization

Payment Gateway Module can be translated into different languages, and individual texts can be altered by editing .po -files in the languages directory and compiling them as corresponding .mo -files.

One standard tool for this in Windows- and Mac-environments is Poedit (poedit.net). Remember to add the new and altered files to the plugin zip-archive and reinstall the Plugin to WordPress (See section 6).

#### 8 Testing the installation

It is strongly encouraged that the Svea Payments payment gateway plugin is thoroughly tested before taking it into use in on production web store. It is essential to verify that customer, product information, prices, taxes, and discount and payment message hash calculation is transmitted correctly to Svea Payments.

#### 8.1 Testing in Svea Payments test environment

Use Svea Payment test environment (<a href="https://test1.maksuturva.fi">https://test1.maksuturva.fi</a>) to test webstore before production. Set this value to the configuration Gateway URL field.

The test environment uses different credentials than Svea Payments production environment, and test environment service needs to be ordered separately from the existing Svea Payments service. More information about testing is available at <a href="http://docs.maksuturva.fi">http://docs.maksuturva.fi</a>.

After testing the functionality, delete all orders that are made using test environment credentials and set the Gateway URL to <a href="https://www.maksuturva.fi">https://www.maksuturva.fi</a>. Also change the credentials to match the production environment credentials.




## 9 Checkout and payment

At the checkout page, select Svea Payments as the payment method during the checkout. This list can vary related to enabled payment methods in section 5.1, step 5.

If needed, you can reorder the payment methods on the Payment / Payment Methods WooCommerce admin page by using up and down icons.

Also check the example picture of Collated payment methods view in section 6.15.



When you fill in your information, select the payment method, and select Place order, you will be redirected to the payments service.

After payment is completed, you will be redirected to the webstore site and see the order confirmation page.



## **Order received**

Thank you. Your order has been received.

- Order number: 14
- Date: December 13, 2020
- Total: **€430 64**
- Payment method: Online Bank Payments

#### **Order details**

Product	Total
<u>Test</u> × 2	€426,42
Subtotal:	€426,42
Payment handling fee:	€4,22
Payment method:	Online Bank Payments
Total:	€430,64 (includes €83,35 ALV)

#### 10 Administration

When a customer chooses to place an order and is redirected to Svea Payments service, the order's status is "pending".

After the payment is completed and the customer returns to the shop from Svea Payments, the status is changed to "processing".

If an error occurs or the customer cancels the payment, customer is returned to the store, and the order status is changed to error or canceled.

## 10.1 Payment verification

The Svea Payments Payment Gateway Plugin automatically verifies payments from Svea Payments and displays the status on the order page.

If the order is still pending after a certain amount of time, it's most likely because the customer has left the payment gateway or closed the browser window in the middle of the payment process. In this case, it's OK for the admin to cancel the order manually.

#### 10.2 Refunds

The Svea Payment Gateway Plugin supports refunding the order.

When you press the order page's refund button, after that there is an option for making the refund through Svea.

If the payment is not already settled to the shop, the refund is done automatically after pressing the button.

If the payment is already settled, a message will appear to the order comments with payment details so that the shop can pay the refund back to Svea. Svea can then pay it back to the customer.

If the order has been paid through online banking, the plugin will notify that the refund has to be done directly in Svea Extranet. It is possible to add additional information, such as IBAN, required for refund of online banking payments.



#### 11 About HPOS

From Svea Payments module version 2.5.0 and above, we support WooCommerce HPOS addition to legacy mode.

HPOS is acronym for WooCommerce High-Performance Order Storage. It's enabled as default from WooCommerce 8.2 and above. If you have upgraded your webstore from an earlier version, you probably don't have HPOS enabled yet.

HPOS separates order and payment metadata from older posts-tables to new four tables named:

- \_wc\_orders
- \_wc\_order\_addresses
- \_wc\_order\_operational\_data
- \_wc\_orders\_meta

It's advised that you **use HPOS** in **compatibility mode**. This allows maximum compatibility with all plugins. The settings can be found at WooCommerce Settings / Advanced / Features tab. Preferred settings:

Features						
Start using new features that are being progressively rolled out to improve the store management experience.						
Order data storage	<ul> <li>WordPress posts storage (legacy)</li> <li>● High-performance order storage (recommended)</li> <li>✓ Enable compatibility mode (synchronizes orders to the posts table).</li> </ul>					

It is important to keep the sync in place until all plugins and custom code are compatible with the new HPOS. Any performance penalties will be temporary, resulting from additional inserts present during the sync.

When you enable HPOS mode first time, the WooCommerce will run a migration job for database to synchronize orders from old structure to new tables.


See more: https://woo.com/document/high-performance-order-storage/



## 12 WooCommerce 8.3+ Blocks theme incompatibility

WooCommerce 8.3+ installations have new block themes activated by default. **Currently, the payment module is incompatible with blocks**, but you can enable the Classic mode for the cart and checkout page as follows:

- 1) WordPress admin / Pages / select Checkout and Edit
- 2) Select checkout block and on top of it the vertical ... menu, select Delete



- 3) Click top menu + icon (Toggle Block inserter) and search for Classic Checkout and click it.
- 4) Click Save on the page top right corner and now Classic Checkout is activated.
- 5) Repeat the same for the Cart page