



25\$




5\$

a



2\$

b



3\$

c



8\$

d

$$5a + 2b + 3c + 8d \leq 25$$

$$f(a, b, c, d) = (12a + 3b + 5c + 16d)(20 - 5a - 2b - 3c - 8d)$$

$$\frac{\partial f}{\partial a} = 12(20 - 5a - 2b - 3c - 8d) - 5(12a + 3b + 5c + 16d) = 0$$

$$\frac{\partial f}{\partial b} = 3(20 - 5a - 2b - 3c - 8d) - 2(12a + 3b + 5c + 16d) = 0$$


$$\frac{\partial f}{\partial c} = 5(20 - 5a - 2b - 3c - 8d) - 3(12a + 3b + 5c + 16d) = 0$$






$$\frac{\partial f}{\partial d} = 16(20 - 5a - 2b - 3c - 8d) - 8(12a + 3b + 5c + 16d) = 0$$

sin


cos

tan







$(x_2; y_2; z_2)$



$(x_1; y_1; z_1)$

a, b

$x_1 : a : x_2 = y_1 : b : y_2 = z_1 : 0,01 : z_2$



$h z_1 + h z_2 = 0,01$

$m + n = 1$




$m z_1 + n z_2 =$

$n(z_2 - z_1) = z_1 \frac{0,01}{0,01 - z_1}$





$\{5,4\} \in \{5,3,4\}$

$\{4,5\} \notin \{4,3,5\}$

aircore



$\{5,3,4\}$













67



$n + n \log n$

$n \approx 20000$





$$\lim_{n \rightarrow \infty} \left(\sum_{k=0}^n (f(x+a) - f(x)) \right)$$

$$\sum_{k=1}^n (f(x+a) - f(x)) = \sum_{k=1}^n f(x) - \sum_{k=n}^{n+n-1} f(x)$$



$$\lim_{x \rightarrow \infty} f(x) = 0$$

$$\sum_{k=1}^n f(x) = \sum_{k=1}^n (f(x+a) - f(x))$$
$$\lim_{x \rightarrow \infty} f(x) = 0$$

$$\sum_{x=1}^a f(x)$$

$$f(x) \rightarrow 0$$

$$\frac{f(x)}{x} \rightarrow 0$$

~~$$\sum_{x=1}^a \frac{f(x)}{2^x} + \sum_{x=2}^a 1$$~~

$$\sum_{x=1}^a \frac{f(x)}{x} + \sum_{x=2}^a \frac{f(x)}{x} + \dots$$

$$\sum_{i=1}^a \sum_{x=1}^a \frac{f(x)}{x}$$

~~$$\sum_{i=1}^a \sum_{x=1}^{a-i+1} \frac{f(x+i-1)}{x+i-1}$$~~

~~$$\sum_{i=1}^a \sum_{x=1}^{\infty} \left(\frac{f(x+a)}{x+a} - \frac{f(x+i-1)}{x+i-1} \right)$$~~
~~$$\sum_{x=1}^{\infty} \sum_{i=1}^a \left(\frac{f(x+a)}{x+a} - \frac{f(x+i-1)}{x+i-1} \right)$$~~

~~$$\sum_{x=1}^a f(x) = \sum_{x=1}^{\infty} \left(\sum_{i=1}^a \left(\frac{f(x+a)}{x+a} - \frac{f(x+i-1)}{x+i-1} \right) \right)$$~~

~~$$\lim_{x \rightarrow \infty} \frac{f(x)}{x} = 0$$~~

$$\lim_{x \rightarrow \infty} \frac{f(x)}{x} = 0$$

~~$$\sum_{x=1}^a \left(\frac{f(x+a)}{x+a} - \sum_{i=1}^a \frac{f(x+i-1)}{x+i-1} \right) \frac{f(x)}{x} \rightarrow 0$$~~

~~$$\sum_{x=1}^{\infty} \left(\frac{af(x+a)}{x+a} - \sum_{i=1}^a \left(\frac{f(x+a+i-1)}{x+a+i-1} \right) \right) x$$~~

$$\frac{f(x)}{x^2} \rightarrow 0$$

$$\frac{f(x)}{x} > 0 \quad \sum \sqrt{x}$$

$$\sqrt{x} \quad \ln(x) \quad \sum \ln x \quad \ln(n!) = \sum_{k=1}^n \ln x$$



$$n! = 1 \cdot 2 \cdot 3 \cdot \dots \cdot n$$

$$\ln(n!) = \sum_{k=1}^n \ln k$$

$$\sum_{k=1}^{\infty} \left(\frac{n \ln(x+n)}{x+n} - \sum_{i=1}^{\infty} \left(\frac{\ln(x+n+i-1)}{x+n+i-1} - \frac{\ln(x+i-1)}{x+i-1} \right) \right)$$

$$\sum_{k=1}^{\infty} \frac{n \ln(x+n)}{x+n} - \sum_{i=1}^{\infty} \left(\frac{\ln(x+n+i-1)}{x+n+i-1} - \frac{\ln(x+i-1)}{x+i-1} \right)$$


$$n! = \sum_{k=1}^{\infty} \frac{(x+n)^n}{(x+n+i-1)^{n-1}}$$




$$\frac{d}{dp} \sum_{x=1}^n \frac{1}{x}$$

$$\frac{d}{dn} \sum_{x=1}^{\infty} \left(\frac{1}{x+n} \right)$$

$$\sum_{x=1}^{\infty} \frac{1}{(x+n)^2}$$




$$\frac{1}{(1+t)^2} \left(\frac{1}{t} - \frac{1}{100} \right) \min$$



$$\forall \epsilon > 0 \exists p, q \in \mathbb{Z}$$

$$|a - \frac{p}{q}| < \epsilon$$



$$f(u) - f(b) \geq (u-b)f'(b)$$


$$f''(x) \geq 0$$



230

$$\frac{x}{45} = 230$$

$$(1-t)2-t^2 = t^2$$



$$\frac{75}{3045}$$

$$\frac{5}{48}$$

$$\frac{15}{6.45}$$





$$\frac{15}{6.9}$$

Deez

367

6-765



67

$$y = 1 - \sqrt{x}$$


$$\int_0^1 (1 - \sqrt{x}) dx = \left[x - \frac{2}{3}x^{3/2} \right]_0^1 = 1 - \frac{2}{3} = \frac{1}{3}$$

$$\frac{d^2y}{dx^2} = \frac{\frac{dy}{dx}}{\left(\frac{dx}{dt}\right)^2}$$

parabola?
hyperbola?

$$\frac{x}{1-a} + \frac{y}{a} = 1$$

$$\frac{x}{1-a-h} + \frac{y}{ah} = 1$$



$$\frac{dy}{dx} = \frac{2t}{2t(A-1) + 1}$$


$$\frac{dy}{dx} = \frac{t}{t-1}$$

$$f(x) \geq \dots$$

Boss

Leader

$$f''(x) \begin{matrix} \swarrow \\ \searrow \end{matrix} \begin{matrix} \geq 0 \\ \leq 0 \end{matrix}$$





$$f(x) - f(a) \geq (x-a)f'(a)$$

$$\int y dx$$



$$\int y dx \quad \frac{dy}{dx}$$

$$d^{-1} y dx$$



$$\frac{1}{2} \left| \det \begin{pmatrix} a & b \\ c & d \end{pmatrix} \right|$$


$$x = \frac{(1-a)^2}{y=a^2}$$

$$x = \frac{2(1-a)^2}{a^2}$$

$$\frac{x}{(1-a)(a+h)} + \frac{y}{a(a+h)} = \frac{1}{a+h}$$

$$\lim_{h \rightarrow 0}$$

$$\frac{x}{a(1-a-h)} + \frac{y}{a(a+h)} = \frac{1}{a}$$



$$x \left(\frac{1}{a-a^2-ha} - \frac{1}{a-a^2-ha+h} \right) = \frac{1}{a} - \frac{1}{a+h}$$

$$x \left(\frac{h}{(a-a^2-ha)(a-a^2-ha+h)} \right) = \frac{h}{a(a+h)}$$

$$x = \frac{(a-a^2-ha)(a-a^2-ha+h)}{a(a+h)}$$

$$F_0 = 0$$

$$F_1 = 1$$

$$F_n = F_{n-1} + F_{n-2}$$

$$f(x) = F_0 + F_1 x + F_2 x^2 + F_3 x^3 + \dots$$

$$x f(x) + x^2 f(x) = f(x) - x$$

$$x = f(x)(1 - x - x^2)$$

$$f(x) = \frac{x}{1 - x - x^2}$$

$$\frac{f^{(n)}(x)}{n!} = F_n$$

$$f'(x)$$

$$\frac{-x(-1-2x) + (1-x-x^2)}{(1-x-x^2)^2}$$

$$\frac{x}{1-x-x^2}$$

$$7^x \bmod 13$$

$$\frac{-1 \pm \sqrt{5}}{2}$$

$$x^2 + x - 1 = 0$$

$$\frac{-1 - \sqrt{5}}{2}$$

$$\left(x + \frac{1}{2}\right)^2 = \frac{5}{4}$$

$$a = \frac{1 - \sqrt{5}}{2}$$

$$b = \frac{1 + \sqrt{5}}{2}$$

13 7 10 5 9 11 12 6 3 8 4 2 1

fractal frax

$$f(f(x)) - 5f(x) + 6x = 0$$

$$\frac{x}{1-x-x^2}$$

$$x+a$$

$$x+b$$

$$\frac{d}{dx} \ln x$$

$$\lim_{h \rightarrow 0^+} \frac{\ln(x+h) - \ln x}{h}$$

~~$$\lim_{h \rightarrow 0} \frac{\ln(1 + \frac{h}{x})}{h}$$~~

~~$$\lim_{h \rightarrow 0} \frac{\ln(1 + \frac{h}{x})}{h}$$~~

$$\lim_{h \rightarrow 0^+} \ln \left(\frac{x+h}{x} \right)^{\frac{1}{h}}$$

$$\lim_{h \rightarrow 0^+} \left(1 + \frac{h}{x} \right)^{\frac{1}{h}}$$

$$\lim_{n \rightarrow \infty} \left(1 + \frac{1}{n} \right)^n$$


$$\ln \left(e^{\frac{1}{x}} \right)$$

$$\frac{d}{dx} \ln x = \frac{1}{x}$$

$$a^n \equiv 1 \pmod{k} \quad \forall (a, k) = 1$$

$$\rightarrow C_n = \exp(C_k)$$




$$C_k \xrightarrow{\exp} C_n$$



$$a^n \mid (a, k) = 1$$

nim

$$\equiv a_{n \times}$$



$$C_k = C_n$$

$$Aut(C_5) \cong C_4$$

$$Aut(C_n) \cong$$

$$(r^5 = e)$$

$$e \quad r \quad r^2 \quad r^3 \quad r^4$$

$$2 \rightarrow 4$$

$$0 \rightarrow 1$$

$$r \rightarrow r^2 \quad r \rightarrow r^3 \quad r \rightarrow r^4$$

$$a^n \equiv 1 \pmod{k} \quad \forall (a, k) = 1$$

$$(r^n = e)$$

$$(r^4 = e)$$

$$e \quad r \quad r^2 \quad \dots \quad r^{n-1}$$

$$r^k \mid (k, n) = 1$$

$$r \rightarrow r^k \rightarrow r^{k^2} \rightarrow r^{k^3} \rightarrow \dots \rightarrow r^{k^a} = r$$

$$k^a \equiv 1 \pmod{n}$$

$$r \rightarrow r^3$$

$$r \rightarrow r^2$$

$$r \rightarrow r^4$$

$$\lim_{h \rightarrow 0^+} \frac{(x+h)^n - x^n}{h}$$

$$\epsilon > 0$$

$$\delta =$$

$$0 < h < \delta$$

$$(\epsilon < 1)$$


$$\frac{(x+h)^n - x^n}{h}$$

$$\sum_{i=0}^{n-1} \binom{n-1}{i} x^i h^{n-i-1}$$

$$\frac{d}{dx} x^n = nx^{n-1}$$

$$\sum_{i=0}^{n-1} \binom{n-1}{i} x^i h^{n-i-1}$$


$$\sum_{i=0}^{n-1} \binom{n-1}{i} x^i h^{n-i-1}$$



$$\sum_{i=0}^{n-1} \binom{n-1}{i} x^i h^{n-i-1}$$

$$h x^{n-1}$$

$$\sum_{i=0}^{n-2} \binom{n-1}{i} x^i h^{n-i-1} < \epsilon$$



$$\delta = \frac{\epsilon^2}{n}$$

$$(\epsilon < 1)$$



$$a^n \equiv 1 \pmod{k}$$

67

$k-1$ 1


~~1~~

$\dots \pmod{k} 2$

6 5 4 3

$$a; (a, k) = 1$$

$$\varphi(k)$$



$\pmod{9(x)} \pmod{6(x)}$

- 1
- 2
- 4
- 5
- 7
- 8

0
1
2
5
4
3

U_k
 I_k
 C_k



$f(x)g(x)$


$$\lim_{h \rightarrow 0^+} \frac{f(x+h)g(x+h) - f(x)g(x)}{h}$$

1 2 3 4 5 6 7 8

$$a^n \equiv 1 \pmod{k} \quad (a, k) = 1$$


Embarrassing
Mistakes

$\begin{pmatrix} \times \\ 2 \end{pmatrix} \begin{pmatrix} \\ 3 \end{pmatrix}$






$$C_k: e; r, r^2, r^3, \dots, r^{k-1} \quad (r^k = e)$$

$$(r \rightarrow a) \vee (a, k) = 1 \cong ?$$




6 9



$$f'g + fg'$$

$$f''g + 2f'g' + fg''$$



$$x \Delta e^{-\Delta x}$$



$$\begin{array}{c|c} x & -e^{-\Delta x} \\ \hline 1 & \Delta e^{-\Delta x} \end{array}$$

Deet

Nut

$$(x+1)^n = \sum_{i=0}^{\infty} x^i \binom{n}{i} = \sum_{i=0}^{\infty} \frac{x^i n!}{i!}$$

$$(f \otimes g)^{(n)} = \sum_{i=0}^{\infty} f^{(i)}(x) g^{(n-i)}(x) = \sum_{i=0}^n \frac{f^{(i)}(x) g^{(n-i)}(x)}{i!} \frac{f^{(i)}(x)}{i!} \rightarrow \infty$$

$$1^n = 1$$

$$\Downarrow$$

$$(e^x)^{(n)} = e^x$$

$$\int x^a dx = \frac{x^{a+1}}{a+1}$$

$$\int x^a (\ln x)^n dx = \int x^{a+1} (\ln x)^n dx$$

$$\int x^a (\ln x)^n dx = x^{a+1} \sum_{i=0}^{\infty} \frac{(-1)^i (\ln x)^{n-i} (n-i)!}{(a+1)^{i+1}}$$

$$\int (\ln x)^n dx = x \sum_{i=0}^{\infty} \frac{(-1)^i (\ln x)^{n-i} (n-i)!}{(a+1)^{i+1}} \rightarrow 0 \text{ HAITEN}$$

$$\int x^a (\ln x)^n dx = x^{a+1} \sum_{i=0}^n \frac{(-1)^i (\ln x)^{n-i} (n-i)!}{(a+1)^{i+1}}$$

$$A_n = \sum_{i=0}^n \frac{(-1)^i (\ln x)^{n-i} (n-i)!}{(a+1)^{i+1}}$$



$$\frac{x^{a+1}}{a+1} A$$

$$\int x^a (\ln x)^n dx = e^{(a+1) \ln x} \sum_{i=0}^n \frac{(-1)^i (\ln x)^{n-i} (n-i)!}{(a+1)^{i+1}}$$

$$\int x^a (\ln x)^n dx = x^{a+1} \sum_{i=0}^n \frac{(-1)^i (\ln x)^{n-i} (n-i)!}{(a+1)^{i+1}}$$

$$e^{(a+1) \ln x} \frac{1}{a+1}$$

67

2

69

$$e^{(a+1) \ln x} \left(\frac{\ln x}{a+1} + \frac{1}{(a+1)^2} \right)$$

$$e^{(a+1) \ln x} \left(\frac{(\ln x)^2}{a+1} + \frac{2(\ln x)}{(a+1)^2} + \frac{1}{(a+1)^3} \right)$$

6

$$A_n = \frac{1}{a+1}$$

$$A_{n+1} = A_n \ln x + A_n'$$

$$A_n \ln x + A_n'$$

$$A_n (\ln x)^2 + 2A_n' \ln x + A_n''$$

67 or 61

$$A_n = \sum_{i=0}^{n-1} A_n^{(i)} (\ln x)^{n-i} \frac{(n-1)!}{i!}$$



$$f^{(n)}(x) = e^{ax} \sum_{i=0}^{\infty} \left(\frac{f(x)}{e^{ax}} \right)^{(i)} e^{(n-i)x}; \epsilon > 0$$



$$(x+1)^n = \sum_{i=0}^n x^i \binom{n}{i}$$

$$(f(x)e^x)^{(n)} = \sum_{i=0}^n f^{(i)}(x) e^x \binom{n}{i}$$



~~f^{(n)}(x)~~



$$(e^x)^{(-1)} = \int e^x dx = e^x + C$$

$$(e^x)^{(-n)} = e^x + (x^n + \dots)$$

$$f^{(n)}(x) = \sum_{i=0}^{\infty} \left(\frac{f(x)}{e^{ax}} \right)^{(i)} a^{n-i} e^{ax} \binom{n}{i}$$



$$f^{(n)}(x) = \sum_{i=0}^{\infty} \left(\frac{f(x)}{e^x} \right)^{(i)} e^x \binom{n}{i}$$

$\{3, \infty\}?$

$$\ln x = \lim_{h \rightarrow 0^+} \frac{x^h - 1}{h}$$

$$= \lim_{k \rightarrow \infty} k(x^{\frac{1}{k}} - 1)$$

$$\int (\ln x)^n dx = \lim_{k \rightarrow \infty} \int k^n (x^{\frac{1}{k}} - 1)^n dx$$

$$= \lim_{k \rightarrow \infty} k^n \int (x^{\frac{1}{k}} - 1)^n dx$$

$$u = x^{\frac{1}{k}}$$

$$x = u^k$$

$$x^n e^{-x}$$

$$dx = k u^{k-1} du$$

$$k^n \int (u-1)^n k u^{k-1} du$$

$$\lim_{k \rightarrow \infty} k^{n+1} \int (u-1)^n u^{k-1} du$$

$$\lim_{k \rightarrow \infty} k^{n+1} \int \sum_{i=0}^n u^{i+k-1} (-1)^{n-i} \binom{n}{i} du$$

$$= \lim_{k \rightarrow \infty} k^{n+1} \sum_{i=0}^n \frac{u^{i+k} (-1)^{n-i} \binom{n}{i}}{i+k}$$

$$= \lim_{k \rightarrow \infty} k^{n+1} \sum_{i=0}^n \frac{x^{\frac{i+k}{k}} (-1)^{n-i} \binom{n}{i}}{i+k}$$

$$\int (\ln x)^n dx = \lim_{k \rightarrow \infty} k^{n+1} \sum_{i=0}^n \frac{x^{\frac{i+k}{k}} (-1)^{n-i} \binom{n}{i}}{(i+k)!}$$


?

$$f^{(n)}(x) = e^{\epsilon x} \sum_{i=0}^{\infty} \left(\frac{f(x)}{e^{\epsilon x}} \right)^{(i)} \epsilon^{n-i} \binom{n}{i}$$

$$f^{(n)}(x) = \lim_{\epsilon \rightarrow 0} e^{\epsilon x} \sum_{i=0}^{\infty} \left(\frac{f(x)}{e^{\epsilon x}} \right)^{(i)} \epsilon^{n-i} \binom{n}{i}$$


$\rightarrow \infty?$

$$(x^n)^{\left(\frac{1}{2}\right)}$$



$$\lim_{\epsilon \rightarrow 0} e^{\epsilon x} \sum_{i=0}^{\infty} \left(\frac{x^n}{e^{\epsilon x}} \right)^{(i)} \epsilon^{\frac{1}{2}-i} \binom{\frac{1}{2}}{i}$$



6767





20267


$$a^2 + b^2 = c^2$$

$$\lim_{\epsilon \rightarrow 0} e^{\epsilon x} \sum_{i=0}^{\infty} \left(\frac{x^n}{e^{\epsilon x}} \right)^{(i)} - \epsilon^{\frac{1}{2} - i} \left(\frac{1}{2} \right)$$









$$\frac{32}{64} \quad \frac{21}{2} \quad \frac{1}{1}$$



9 8 7










1 2



1 2 3 4 5 6 7 8 9 10 11 12 13

3 3 4



11

12

13

Noris®
Zirkel - Compass
Compas - Compas
Compasso - COMPASSO
Circolo - CIRCOLO

Art. Nr. 550 50⁰²

© STAEDTLER Mars GmbH & Co. KG
Moosackerstr. 3
90427 Nuernberg, Germany
www.staedtler.com, info@staedtler.com
+49 (0)911 93 65-0


Made in China

vor dem Öffnen entfernen
remove before opening



4 007817 550021

$$\lim_{\epsilon \rightarrow 0} e^{\sum_{i=0}^{\infty} \epsilon x_i}$$

$$x^n - \epsilon x$$



ee



$$\frac{dy}{dt} = \frac{1}{k} \frac{dt}{dt}$$







$$\frac{16t}{(t^2+4)^2}$$

$$\frac{32}{64} \quad \frac{a1}{2}$$





$$\frac{6}{(t+1)^2}$$

$$\frac{6}{9} = \frac{2}{3}$$












$$\frac{dy}{dx} = 1 + 2y$$



x	y
0	1
0.5	2.5
1	5.5

374




POV: Teacher logic



$$2 + 2 = 5$$

11

67



67
67



1
—
3



$$1 - \frac{1}{2} + \frac{1}{4} - \frac{1}{8} + \frac{1}{16} - \frac{1}{32} + \dots$$

A	B	C
D	E	F
G	H	I

J	K	L
M	N	O
P	Q	R

~~S~~
~~T~~
~~U~~
~~V~~

W
X
Y
Z







H E L L O

H E L L O



W O R L D

W O R L D





67m




$$(f^2 - 5f + 6)(x) \sim 0$$



LOLOL





1 Kid = 300000\$

1 Wagon = 100\$


1 Kid $\leq$ 3000 Wagon

~~0 Kid = 11~~


FEMKIDS

~~300000~~

~~FEMKIDS~~



~~KIDS~~



1 Kid = 300000\$

1 Wagon = 100\$

1 Kid = 3000 Wagon

1 kid = 300000\$ + 18 years

1 wagon = 700\$

1 kid > 3000 wagon

$\Rightarrow 0 \text{ kid} = \text{Max} \checkmark$


$$6 + 7 = 13$$




$$7 + 7 = 14$$

$$6 < 7$$


$$6 \times 7 = 42$$







TTTT

$$T_{ung} + T_{ung} = \text{Sinh}$$





$\sin x$






$$\frac{x^2}{4\pi}$$

$$\pi \left(\frac{x}{2\pi} \right)^2 \sin x$$

6 7 57




6 7 8 2 9 2 6 2 6 2 5 2



$\sin x$

$$\frac{\sin x \cos x}{2} < \frac{x}{2} < \frac{\tan x}{2}$$

$$\sin x \cos x < x < \frac{\sin x}{\cos x}$$



$\frac{\sin x}{\cos x}$

$$\frac{\sin x}{\cos x} < \frac{1}{\cos x}$$