

PATENTED **BooM-O₂** *...an water doctor*

Co-treatment Water Conditioner



Marketed by :



📍 Sr. No-6/1A Kondhwa-Saswad Road,
Near Kamthe Patil CNG Station,
Yewalewadi-Kondhwa Budruk, Pune-411048
✉ yaashvetservices@gmail.com
☎ +91 9172236116 | 9422036116

- 💧 **WATER** stands out to be the most essential element in our lives as the animal body constitutes 60% of water
- 💧 Water is **MOST** essential **NUTRIENT** & Least **FOCUSED**
- 💧 However, 80% of the global diseases are water borne which arise out of consumption of unsafe water, inadequate sanitation and poor hygiene practice
- 💧 2.2 billion people use without safely managed water (WHO)


PATENTED **BooM-O₂** ...an water doctor

Co-treatment Water Conditioner

Introducing




Israeli Technology Based
Water Improver



Description :

- Patented and robust innovative water treatment machine for Hardness, ORP (ClO₂) & pH for 24*7 action.
- Engineering marvel for water treatment !
- It replace all existing solutions available for water treatment & protect livestock from all water born challenges which are major in poultry. It support to reduce economic impact due to poor quality water.



Uniqueness of Boom-ox

- Boom-Ox CLO₂ can replace water disinfectant, sanitizer and other solution after discussion with our expert.
- A patented combination of Water Disinfectant and sanitizer
- Maintain ORP & pH continuously : 24 *7.
- All in one patented solution for water treatment, we call it "**Water Doctor**".
- It kills 99.99% water born infections and insuring 100% safe and potable water for livestock. Best in class and economical.
- Boom-Ox covers most of the physical, chemical and biological treatment aspects of water.

Chlorine vs Boom-Ox (Chlorine Dioxide)

The effectiveness of chlorine is dependant on water quality & pH of water. Chlorine tends to bind itself to any organic material in the water, reducing its potency. Chlorine is also less effective if water pH is higher than 7.0 and totally ineffective above pH of 7.4 resulting into water borne diseases (social impact) & money down the drain (financial losses in multi thousand rupees).

CHLORINE	Boom-Ox (Chlorine Dioxide CLO ₂)
Slower E-Coli distraction.	Faster E-coli distraction due to 5e ⁻ (electron) exchange from CLO ₂ .
Chlorine is resistant 30 plus pathogens like e-coli, hepatitis A, Salmonella bifolia bacteria etc.	There is no resistant to any types of pathogens and bacteria.
Chlorine is ineffective against complex organism such as cysts and protozoa.	Boom-Ox is extremely effective against complex organism such as cysts and protozoa. Boom-Ox is highly effective in organic matter.
Chlorine not works in broader pH range.	Boom-Ox works in broader pH range 4-10.
Not removed the biofilm.	Boom-Ox removes biofilm more faster than others solution & avoid reoccurrence.
"Chlorine is already banned in certain parts of Europe and USA due to its hazards characteristics. India has also restricted the use of Chlorine since 2010, due to the threats it poses to human health."	World wide approved product. Boom-Ox remove bad odour of water. Boom-Ox has lower oxidation potential and does not hydrolyse to form an acid and therefore is less corrosive.
"Chlorine has a tendency of reacting with organics in water to form harmful byproducts which are often carcinogenic. The consumption of which pose the threat of cancer forms THMs (tri halo Methane) and HAAs (Halo acetic acid)."	Boom-Ox has not this type of tendency which is 100% safe for human and livestock health.
"Chlorine cannot be used at temperature >40°C as it tends to disassociate evolving Cl ₂ gas."	"Boom-Ox used at >40°C as it does not disassociate at elevated temperature."
Chlorine has narrow spectrum property.	Boom Ox as a most wide spectrum disinfectant will cover entire biological treatment and very small physical and chemical treatment of water by oxidizing Iron, Manganese and Magnesium.

Why Boom-Ox

- Very Stable & sustain upto 24 Hrs +
- Highly Soluble Like Despines
- pH Independent
- Lowest CT Value and Fast Acting
- Act as Sterilant (Kills all Organisms Like Bacteria, Viruses, Algae as well as Fungi)

How it Works?

- Boom-Ox Penetrates the cell wall and destructs RNA of micro organism
- Causes Oxidation of Amino Micro Organism
- Boom-Ox Kills Micro organisms even when they are inactive
- Removes Biofilm
- Causes oxidation of micro-organism amino acids leading to it's destruction.

CT VALUES			
ORGANISM	ppm of BOOM-OX	Contact Time in Sec.	Killing %
S.aureus	0.5	60	99.99
E.coli	0.25	100	99.99
Streptococcus	0.5	60	99.99
Lactobacillus	0.5	60	99.99
Pseudomonas	1	150	99.99

SPECTRUM OF BOOM-OX AGAINST ORGANISMS

GRAM POSITIVE	GRAM NEGATIVE	PROTOZOA
Clostridium	Escherichia Coli	Cryptosporidium
Staphylococcus	P. multocida	Microsporidium
Streptococcus	S.gallinarum	Giardia

Product Packing

Boom-Ox (ClO₂) - 0.75%

- Stock Solution Method** : Single can of 950 ml part A + small attached can of 50 ml part B , Mix Part A & Part B and keep this stock solution air tight bottle for 1 hr, then ready to use.
- Dose** : 50-200 ml/1000 Litre water (Dose depends on source water ORP)
- Pack** : Pack - 950 ml part A + small attached can of 50 ml part B = 1000 ml (1 litre single can of part A + B)

Boom - Ox (ClO₂) - 7.5%

- Stock Solution Method** : 50ml part A + 50 ml part B mix into 900 ml potable water. After mixing keep for 1 hr. in air tight bottle and use this ready stock solution for dosing.
- Dose** : Dosage depends on source water ORP and water hold duration in shed.
Approx Dose : 50-200 ml /1000 Litre water
- Pack** : 5 Ltr & 25 Ltr

General Guidelines-

- 1) Always keep air tight stock solution and product bottle.
- 2) Stock solution and Product pack keep in dry and dry places for Part A and Part B.
- 3) Do not keep product and stock solution near electric, magnetic field, direct sunlight and hot condition (Part A + Part B together)
- 4) Once Boom-Ox added in water tank, keep tank closed air tight and cool, in shed to avoid direct sun light.
- 5) Add calculated dose of Boom-Ox once tank is full. Do not add Boom-Ox dose before filling water tank.
- 6) For any enquiry and feedback please contact to our company expert.

Manufactured by :



Marketed by :



📍 Sr. No-6/1A Kondhwa-Saswad Road,
Near Kamthe Patil CNG Station,
Yewalewadi-Kondhwa Budruk, Pune-411048
✉ yaashvetservices@gmail.com
☎ +91 9172236116 | 9422036116