THE CURE CENTER
FOR ULTRASOUND RESEARCH & EDUCATION

The Gallbladder and the Biliary Tree Protocol


Each set of Sag & TRV images must be done when the patient is:

Supine, LLD, Upright


SUPINE:

1. SAG GB - Fundus/ Body/ Neck

Note: Your annotations should match the labels within each ultrasound image.
Show the fundus, the body, and the neck of the GB.




Note: TGC Placement Should be half-moon.



2. TRV GB – GB w/ Measurement


Note: Measure the GB anterior wall (the echogenic part only). You need one image of measurements in any view **AP**.



LLD:


3. SAG GB - Fundus/ Body/ Neck

Note: Show the fundus, the body, and the neck. Make sure your GB in the center of the image.



4. TRV GB – GB


Note: Turn on the GB in TRV. Make sure you center your images at all



UPRIGHT:


5. SAG GB - Fundus/ Body/ Neck

Note: Show the fundus, the body, and the neck. Make sure your GB in the center of the image.




6. TRV GB – GB

Note: Turn on the GB in TRV. Make sure you center your images at all




7. SAG CBD / PV

Note: Your transducer needs to be in TRV while your image is elongated. Put the probe half on the RT chest and the other half on the belly. The CBD is parallel to the PV.




8. SAG CBD/ PV – Color

Note: In the same image, add color. Your color box should cover the image you are taking. Remember, the CBD does not take color.




9. SAG CBD/ PV – CBD Measurement

Note: In the same image, take the color Doppler off. Measure the CBD **AP** (the anechoic portion only).




10. TRV PORTAL TRIAD – Grayscale

Note: Turn on the same image above TRV. You will get the Mickey Mouse Sign. PV is the head, then two ears (CBD and HA).



11. TRV PORTAL TRIAD – Color

Note: In the same image, add color Doppler. The HA and the PV will fill up with color, the CBD will not.



12. TRV GB MLF - Main Lobar Fissure (MLF)

Note: Elongate the GB in sagittal and try to connect it to the RPV (should look round). The echogenic line between them is the MLF. Pick the position that is best/easier for you.

