
THE CURE CENTER
FOR ULTRASOUND RESEARCH & EDUCATION


THYROID RT & LT TRV MID

Note: Place the transducer in the middle of the patient's neck (on the trachea). Scan up and down until you see the anechoic line between the trachea and the Isthmus (that will be your midline). You should get the largest portion from both sides of the thyroid tissue in this image.




RT THYROID TRV MID

Note: Place the transducer to the right of the trachea (right neck). Scan up and down until you see the anechoic line between the trachea and the Isthmus (that will be your middle). You should get the largest portion of the thyroid tissue in this image.



RT THYROID TRV MID

Note: In the same image, measure the middle of the RT thyroid (Width "W" on the measurement package).




RT THYROID SAG MID

Note: Turn your transducer sagittal and elongate your gland. Make sure your upper and lower poles fit inside the image (do not cut their edges). You should get the largest portion of the thyroid tissue in this image.




RT THYROID SAG MID

Note: In the same picture, measure the thyroid Length "L" from UP to LP and height "H" (also known AP anterior to posterior).



RT THYROID SAG LAT

Note: From the middle of the thyroid, angle your transducer to the patient's spine until you see the Common Carotid Artery "CCA". Elongate it.




RT THYROID SAG LAT

Note: From the CCA, start moving in slowly toward the patient's trachea. You should start seeing a little tissue of the thyroid. Make sure to keep your lateral thyroid in the center of your image.




RT THYROID SAG MID

Note: Go back to the middle of the thyroid in sagittal. Include and elongate all parts of the gland. You should get the largest portion of the thyroid tissue in this image.




RT THYROID SAG MID

Note: In the same image, add color. The color box should cover the entire thyroid as much as possible.




RT THYROID SAG MED

Note: From the middle of the thyroid, move again slowly to the trachea. You should see a little less thyroid tissue (stay centered and keep all the thyroid tissue in and elongated).




RT THYROID SAG MED

Note: Keep going further more closer to the trachea until you see the tracheal rings (they look anechoic in ultrasound).



RT THYROID TRV UP


Note: Place the transducer in the middle of the neck, and then move it up toward the patient's head to get a very little thyroid tissue.



RT THYROID TRV UP


Note: Start moving a little down the neck and get more than the image before of the thyroid tissue.

You should NOT see the entire thyroid in the middle TRV yet.




RT THYROID TRV MP

Note: Place the transducer in the middle of the patient's neck (half on the thyroid and the other half on the trachea). You should get the largest portion of the thyroid tissue in this image. The anechoic line between the trachea and the Isthmus is your landmark.




RT THYROID TRV MP

Note: In the same image, add color doppler. Make sure that your box covers the entire side including the Isthmus.



RT THYROID TRV LP


Note: Slide down more in the neck and get a little thyroid tissue.



RT THYROID TRV LP

Note: Slide down even more and get the smallest portion of the thyroid tissue you see.

FYI: Investigate lower in the neck (exit the thyroid gland) in case there is a Parathyroid Adenoma (it should look like a hypoechoic mass).




RT THYROID TRV MIDDLINE

Note: Place the transducer in the middle of the patient's neck (on the trachea). Scan up and down until you see the anechoic line between the trachea and the Isthmus. You should get the largest portion from both sides of the thyroid tissue in this image.




ISTHMUS TRV

Note: Measure the Isthmus only. Do not include the anechoic line.




ISTHMUS TRV

Note: Save the same image without measurements. This image could also be with color doppler covering both lobes.




LT THYROID TRV MID

Note: Place the transducer to the left of the trachea (left neck). Scan up and down until you see the anechoic line between the trachea and the Isthmus, then that will be your middle. You should get the largest portion of the thyroid tissue in this image.




LT THYROID TRV MID

Note: In the same image, measure the middle of the LT thyroid (Width "W" on the measurement package).




LT THYROID SAG MID

Note: Turn your transducer sagittal and elongate your gland. Make sure your upper and lower poles fit inside the image (do not cut their edges). You should get the largest portion of the thyroid tissue in this image.



LT THYROID SAG MID

Note: In the same picture, measure the thyroid Length "L" from the UP to the LP then measure the height "H" (also known AP anterior to posterior).



LT THYROID SAG LAT

Note: From the middle of the thyroid, angle your transducer to the patient's spine until you see the Common Carotid Artery "CCA". Elongate it.



LT THYROID SAG LAT

Note: From the CCA, start moving in slowly toward the patient's trachea. You should start seeing a little tissue of the thyroid. Make sure to keep your lateral thyroid in the center of your image.



LT THYROID SAG MID

Note: Go back to the middle of the thyroid in sagittal. Include and elongate all parts of the gland. You should get the largest portion of the thyroid tissue in this image.




LT THYROID SAG MID

Note: In the same image, add color doppler. The color box should cover the entire thyroid as much as possible.




LT THYROID SAG MED

Note: From the middle of the thyroid, move again slowly to the trachea. You should see a little less thyroid tissue (stay centered and keep all the thyroid tissue in. Elongated it).




LT THYROID SAG MED

Note: Keep going closer to the trachea until you see the tracheal rings (they look anechoic in ultrasound).



LT THYROID TRV UP


Note: Place the transducer in the middle of the neck, and then move it up toward the patient's head to get a very little thyroid tissue.



LT THYROID TRV UP


Note: Start moving a little down the neck and get more than the image before of the thyroid tissue.

You should NOT see the entire thyroid in the middle TRV yet.




LT THYROID TRV MID

Note: Place the transducer in the middle of the patient's neck (half on the thyroid and the other half on the trachea). You should get the largest portion of the thyroid tissue in this image. The anechoic line between the trachea and the Isthmus is your landmark.



LT THYROID TRV MID

Note: In the same image, add color doppler. The color box should cover the entire image.



LT THYROID TRV LP


Note: Slide down more in the neck and get a little thyroid tissue (less what you got with thyroid middle).



LT THYROID TRV LP

Note: Slide down even more and get the smallest portion of the thyroid tissue you see.

FYI: Investigate lower in the neck (exit the thyroid gland) in case there is a Parathyroid Adenoma (it should look like a hypoechoic mass).



Important: Scan and take images of any pathology you see in any side of the thyroid lobe. This has to be in the sagittal and the transverse planes. Meadure and document the location of the nodule and/or mass. Add a color dopper.