BLOOM

into a better you



CUREage

Monday November 9, 2026

BLOOM

1 in 3 people in the US will have anxiety [1]

1 in 14 people will experience PTSD [2]

21.9% of people with a phobia had a serious impairment [3]



Exposure Therapy



Up to 92% of participants were no longer fearful after treatment [4]

Why does it matter?





BLOOM


Avoidance shrinks life

Short-term relief, long-term limits

Fatigue, fog, less access

What can be done?





Introducing BLOOM

Controlled exposure, personalized to your pace

BLOOM

Endless scenarios.
Graduated challenge.
No static scripts.

BLOOM

Measures engagement with the stimulus


Helps distinguish real exposure from checking out or relying on safety behaviors.

Tracks the learning zone

Aims for challenged but not overwhelmed, so the exercise stays therapeutic.

Reduces guesswork

Useful when someone looks calm on the outside but their internal response tells a different story.



Objective progress signals

Combines real-time neural activity with stress biomarkers to show whether the work is landing.

Safety-First UX

Designed for accessibility and psychological safety

BLOOM





BLOOM

Optional Apple Watch or Fitbit

Adds heart-rate data

Keeps setup flexible


BLOOM
DEMO

References

1. Any Anxiety Disorder - NIH
2. Post Traumatic Stress Disorder (PTSD) - NIH
3. Specific Phobia - NIH
4. Treatment of specific phobia in adults - Choy et al.

BLOOM

We're glad you asked!