
1. Authentication and authorized entry

Flowchart - credentials, mandatory password setup and server-side permissions

Start / end • Decision • Process / activity → Directed connection




- Login checks an active account and password. The username/client attempt key is limited after 10 failures within 15 minutes; errors return to the login page.
- A forced password change blocks ordinary protected pages until setup succeeds. Every protected operation still enforces its own permission or exact assignment/ownership rule.
- Role names are configurable. Approval tasks use the assigned user or configured role membership, rather than requiring a broad management permission.

Source evidence: application/controllers/Auth.php:24-62,85-137 | application/models/Identity_model.php:6-28 | application/core/MY_Controller.php:32-85 | application/services/security/user_roles.php

2. Draft, validation, submission and removal

Flowchart - request ownership, proposal checks and immutable workflow routing

Start / end • Decision • Process / activity → Directed connection




- A draft or returned proposal is editable only by its requester. Required POST confirmation and request permissions are checked server-side; stale edited versions are rejected.
- Before submission, the server checks active targets/recipients and proposal files; a submitted access/assignment/transfer for the same requester/document blocks another related pending request.
- Successful deletion permanently removes only the cancelled unsubmitted draft and its request-only children. Delete is never a general document deletion or submitted-request removal action.

Source evidence: application/services/request/request_service.php:40-79,116-315,393-547,849-907 | application/services/request/request_policy.php:4-9,30-40 | application/controllers/Requests.php:114-164,194-224

3. Approval, rejection and reverse-step return

Flowchart - only the exact active approver may act on a submitted request

Start / end • Decision • Process / activity → Directed connection




- Every decision records actor, position, timestamp and comments in workflow history inside the same transaction as the step/status change.
- Return at step 2 or later reopens only the immediately preceding approved step. When that approver approves again, the returned step is revisited before later pending steps.
- Return from the first step reaches the requester. Resubmission starts the ordered route again with new step rows; historical decisions are preserved. Rejection ends the request.

Source evidence: application/services/request/request_service.php:462-538,551-561,719-846 | application/models/Request_model.php:24-40 | application/models/File_model.php:7-44

4. Transfer dispatch and acceptance decisions

Flowchart - physical handoff completes only after recipient acceptance passes all checks

Start / end • Decision • Process / activity → Directed connection




• Final approval creates the transfer record but does not change the document's holder or storage hierarchy. Dispatch and acceptance require separate confirmed actions.
• The destination must differ from the original Location and must match active Area/Specific/optional Asset parents. Acceptance compares against the destination frozen at approval.
• Any failed validation rolls back the handoff transaction. The code provides no general undo, auto-accept, or automatic transfer cancellation flow.

Source evidence: application/services/request/request_service.php:320-390,643-673,784-789 | application/services/transfer/transfer_service.php:13-142 | application/services/transfer/transfer_destination_policy.php | application/models/Transfer_model.php:6-34

5. Applying an operation and enforcing document access

Flowchart - final approval or an authorized direct action applies domain-specific effects

Start / end • Decision • Process / activity → Directed connection



- Each domain operation rechecks its relevant target state and applies within the caller's transaction. If final application fails, approval/status changes are rolled back.
- Direct maintenance requires explicit direct permissions and document management scope. Approved request actions preserve source-request linkage; direct actions do not create request workflow rows.
- Retention dates and countdown are informational; disposal remains a separate explicit operation. File catalog metadata never grants file bytes. Expired or revoked grants cease to satisfy access scope.

Source evidence: application/services/request/request_service.php:565-716,780-833 | application/services/softcopy/softcopy_operation_service.php | application/services/documents/document_service.php:67-136,224-276 | application/services/documents/document_access_service.php | application/services/security/document_scope.php:22-74 | application/models/File_model.php:47-67