
1. Authentication and authorized entry

Current authentication, required password setup and authorization checks

Start / end | Decision | Process / activity | Arrows: direction of activity




- Login will check an active account and password. Ten failed attempts within 15 minutes will temporarily block that username/client attempt key.
- Required password setup will block ordinary protected pages until a valid change succeeds. A failed change will keep setup incomplete.
- Ordinary actions will require their permission and record scope. Approval, Dispatch and Accept will follow the active approver, original requester or designated recipient rule.

2. Draft, validation, submission and removal

Current request ownership, validation and versioned approval routing

Start / end | Decision | Process / activity | Arrows: direction of activity




- Only the requester will be allowed to edit a draft or returned proposal. Saving will reject stale edited versions; submission will revalidate the current saved proposal and permissions.
- Submit will check targets, recipients and required files. A conflicting pending access, assignment or transfer request will block another related submission for the same requester/document.
- A saved proposal may remain open for editing. Request cancellation will be available only in Draft status. Delete will remove only the owner's eligible cancelled draft and its request-only data.

3. Approval, rejection and reverse-step return

Only the assigned active approver will be allowed to decide a submitted request

Start / end | Decision | Cross-sheet reference | Arrows: direction of activity




- Every valid decision will record the actor, position, date/time and comments together with the step and request status change.
- Return after the first step will reopen the immediately preceding approved step. Its approver will review again before the returned and later pending steps continue.
- Return from the first step will send the proposal to its requester. Resubmission will follow the captured route with new step records and preserve prior decision history.

4. Transfer dispatch and acceptance decisions

A physical handoff will complete only after recipient acceptance passes all checks

Start / end | Decision | Process / activity | Arrows: direction of activity




- Final approval will prepare a transfer without changing the holder or storage location. Dispatch and Accept will require separate confirmations.
- The destination shall differ from the original Location and match the active Area/Specific/optional Asset hierarchy. Acceptance will use the destination captured at approval.
- A failed check will preserve custody and transfer state. When custody changes to another user, acceptance will revoke the previous holder’s personal hardcopy grants.

5. Applying operations and authorized file access

Current approved operations, separate direct disposal and controlled softcopy file delivery

Start / end | Process / activity | Decision | Arrows: direction of activity




- Final approval will apply the operation with the approval/status change; failure will roll both back. The nine request actions will use approval. Direct Softcopy Dispose will be a separate action.
- Direct actions will check permission and document management scope. Direct hardcopy disposal will record Disposed and history while retaining Location and grant records.
- File delivery will require its operation permission and allowed file scope. Metadata/catalog visibility will not grant files; expired or revoked grants will provide no access. Retention dates will support monitoring; disposal will be explicit.

6. Administration, workflow publication and recovery

Current permission checks, controlled configuration changes and conditional backup restoration

Start / end | Decision | Process / activity | Arrows: direction of activity



• Configuration changes will require the corresponding action permission and confirmation. Only draft workflow versions will be editable; publishing will set the default without changing routes captured by existing requests.
• Backup actions will require viewing and editing permissions. Create, Import, Cleanup and Restore will require confirmation. Create, Import and Restore controls will additionally require configured ZIP, encryption/signing and database tools.
• Restore will require the current password, RESTORE confirmation and a verified archive, then create a recovery backup before restoring database/private data. Code recovery will be offline. Failure during data replacement will attempt recovery; incomplete recovery will retain maintenance mode for offline repair.

Supporting operations / scoped decisions

Arrows name data passed between external actors, numbered processes and data stores (D1-D6).

