PK DOCUMENT TRACKING SYSTEM

Flowchart

Decisions made clear

Follow one activity at a time. Each question shows the next action and what happens when a check fails.

IN THIS GUIDE

01 Clear decisions

02 Yes and No paths

03 Practical outcomes

CHOOSE THE NEXT STEP

Find your task

Choose a topic in the contents.

Follow the page

Read the steps, arrows or screen example.

Check the result

Review the outcome and reminders.

Contents

Choose a topic to jump to its page in the PDF. Page numbers also help you find it in the editable copy.

Sign in and set your password	4
Find a document and its current file	5
Register or update a hardcopy	6
Create or revise an electronic document directly	7
Request a new electronic document or revision	8
Save and submit a request	9
Approve an assigned request	10
Return or reject a request	11
Softcopy creation: approve, return or reject	12
Softcopy revision: approve, return or reject	13
External creation: approve, return or reject	14
External revision: approve, return or reject	15
Hardcopy transfer: approve, return or reject	16
Document access: approve, return or reject	17
Document assignment: approve, return or reject	18
Disposal request: approve, return or reject	19
Request a hardcopy transfer	20
Dispatch and receive a hardcopy	21
Request access or assignment for yourself	22
Dispose of a document directly	23
Request hardcopy or external disposal	24
Assign documents directly	25
Set up storage places and categories	26
Create or update a user account	27


Contents - continued

Choose a topic to jump to its page in the PDF. Page numbers also help you find it in the editable copy.

Set roles and permissions	28
Publish an approval route	29
Follow task and retention reminders	30
Trace an action in the audit trail	31
Create and manage backups	32
Restore records and private files	33

Sign in and set your password

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




New and reset accounts must replace their temporary password before continuing.

Choose a different password with at least 9 characters. Enter it twice to confirm.

Your active roles combine their permissions. Sign out when finished on a shared device.

Find a document and its current file

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Page access, document access and file actions are separate permissions. Pending proposal files are for authorized review.

External Documents use a separate category list and a Download action for the current file.

Softcopy shows permitted revision history. External revision records remain stored but have no separate File History action.

Register or update a hardcopy

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Only an Administrator or the current holder with direct permission can edit. Only an Administrator can select a different holder.

New Hardcopy creation and update requests are unavailable; authorized users maintain records directly.

Choose matching Area, Specific, optional Asset and Location. Tracking retention requires both dates in order.

Create or revise an electronic document directly

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Softcopy Categories and External Categories are separate. Files must pass upload checks and be no larger than 15 MB.

A new registration and a revision both require a document file. Revision numbers and levels advance automatically.

Direct actions apply immediately. External revision records remain stored; a File History action is not provided.

Request a new electronic document or revision

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Default route: Requester's leader, then Plant Manager, then Document Control Officer. Published routes can be changed.

Revision requests select an active document in the correct register. The existing approved file remains current during review.

New Softcopy cancellation requests are unavailable. Retained historical requests may still appear.

Save and submit a request

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




A returned request keeps its original approval route when resubmitted, even after an administrator publishes a newer route.

Cancel is available only for your own Draft. Delete is limited to your own Cancelled draft that was never submitted.

New Hardcopy create/update and Softcopy cancellation requests are unavailable; their past records remain readable.

Approve an assigned request

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Only the currently assigned user or an active member of the assigned role can decide that step.

The approved operation takes effect at final approval. An approved transfer still requires Dispatch and Accept.

If a decision cannot be saved or applied, read the error and refresh before retrying.

Return or reject a request

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




A return from a later step leaves the request Submitted and gives the task back to the previous approver.

After that approver approves again, the returned step must review again before approval can advance.

A first-step return marks the request Returned. The requester corrects it and resubmits using the original route.

Softcopy creation: approve, return or reject

Default workflow example: Softcopy Request (Create Softcopy). Each assigned reviewer can Approve, Return or Reject.




This sample uses the supplied default. Check your Approval Process Timeline. Resubmission keeps the original route.

Only the assigned user or role can decide; Administrator status gives no bypass.

Softcopy revision: approve, return or reject

Default workflow example: Softcopy Request (Revise Softcopy). Each assigned reviewer can Approve, Return or Reject.




This sample uses the supplied default. Check your Approval Process Timeline. Resubmission keeps the original route.

Revision keeps the document number, category and series. The approved replacement becomes the current file.

External creation: approve, return or reject

Default workflow example: External Document Request (External Create Request). Each reviewer can Approve, Return or Reject.



At each review: read the proposal, approval history and Review File when available. Choose an action, add remarks if needed and Confirm.

Requester's leader returns

Requester corrects and resubmits. Status: Returned until resubmission.

Plant Manager returns

Requester's leader reviews again. Status stays Submitted.

Document Control Officer returns

Plant Manager reviews again. Status stays Submitted.

Status: Rejected. The approval route ends.

Not applied. No new external document is created. Read the decision and remarks. This request cannot be resubmitted.


Create the Active record and file at revision 00. Status: Completed.

This sample uses the supplied default. Check your Approval Process Timeline. Resubmission keeps the original route.

External Documents uses its own categories. The attached file becomes the current file after final approval.

External revision: approve, return or reject

Default workflow example: External Document Request (External Revised Request). Each reviewer can Approve, Return or Reject.




This sample uses the supplied default. Check your Approval Process Timeline. Resubmission keeps the original route.

The approved replacement becomes the current Download file. External Documents has no separate File History action.

Hardcopy transfer: approve, return or reject

Default workflow example: Hardcopy Transfer Request. Requester Confirmation is an approval step before the physical handoff.




This sample uses the supplied default. Check your Approval Process Timeline. Resubmission keeps the original route.

Only the requester can Dispatch; only the named receiver can Accept. Holder and location change after Accept.

Document access: approve, return or reject

Default workflow example: Document Access Request. The requester completes the final Requester Confirmation step.




This sample uses the supplied default. Check your Approval Process Timeline. Resubmission keeps the original route.

Access is for the requester. The expiry must still be valid at final approval; document holder and location stay unchanged.

Document assignment: approve, return or reject

Default workflow example: Document Assignment Request. The final Requester Approval step is assigned to the requester's leader.




This sample uses the supplied default. Check your Approval Process Timeline. Resubmission keeps the original route.

Softcopy assignment adds the requester as assignee. Hardcopy assignment changes the holder, keeps Location and records no physical handoff.

Disposal request: approve, return or reject

Default workflow example: Disposal Request. The requester completes the final Requester Confirmation step.



At each review: read the proposal, approval history and Review File when available. Choose an action, add remarks if needed and Confirm.

Plant Manager returns

Requester corrects and resubmits. Status: Returned until resubmission.

Document Control Officer returns

Plant Manager reviews again. Status stays Submitted.

Requester returns

Document Control Officer reviews again. Status stays Submitted.

Status: Rejected. The approval route ends.

No disposal is applied. The document stays unchanged. Read the decision and remarks. This request cannot be resubmitted.


Mark the document Disposed and record it. Request status: Completed.

This sample uses the supplied default. Check your Approval Process Timeline. Resubmission keeps the original route.

Disposal requests cover Hardcopy and External Documents. Hardcopy disposal clears Location; active document grants are revoked.

Request a hardcopy transfer

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Default route: Plant Manager, Document Control Officer, then Requester account (Requester Confirmation).

The source and destination must be valid and the receiving account active; conflicting pending requests or transfers can block it.

Approval alone does not change the current holder or complete physical receipt.

Dispatch and receive a hardcopy

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Only the requester dispatches. Only the named receiving user accepts that transfer.

Dispatch marks In Transit. Custody and location change after acceptance.

Direct reassignment is a separate immediate action and is blocked while a transfer is active.

Request access or assignment for yourself

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Access default: Plant Manager, Document Control Officer, Requester account. Assignment ends with Requester's leader.

These requests are for the requester; they do not select another recipient. External Documents are not supported here.

Access expires at the end of the chosen day. Assignment is separate from an access grant; file permissions still apply.

Dispose of a document directly

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Direct disposal supports Hardcopy, Softcopy and External Documents; both register direct and disposal direct permission are required.

Softcopy disposal retires its files. External disposal keeps stored files and revision records but blocks normal download.

Direct Hardcopy disposal keeps its recorded location. Approval-based Hardcopy disposal clears the location and personal grants.

Request hardcopy or external disposal

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Example: Plant Manager > Document Control Officer > Requester account. Check your timeline. Softcopy disposal requests are unavailable.

Choose Shred, Scratch or Other. Other needs a description of up to 250 characters.

Approved Hardcopy disposal clears Location and personal access grants. External disposal keeps files and revision records.

Assign documents directly

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Softcopy category assignment includes its subcategories. Location assignment includes all active Hardcopies stored there.

Bulk assignment supports up to 2,000 active documents. An active Hardcopy transfer blocks reassignment.

Direct assignment needs no approval, Dispatch or Accept. It changes records without moving documents or granting personal access.

Set up storage places and categories

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Areas, Specifics, optional Assets and Locations describe Hardcopy storage. Maintain their valid parent relationships.

Softcopy Categories and External Categories are separate trees. Categories can contain subcategories.

Deactivate an entry to stop new selection while retaining historical links; existing relationships can restrict changes.

Create or update a user account

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Primary and assigned active roles combine permissions. The leader receives steps configured as Requester's leader.

Users cannot deactivate themselves or change their own roles. The final active Administrator cannot be removed.

Account and role changes can require a fresh sign-in. Assigned Documents requires both user-view and direct-assignment permission.

Set roles and permissions

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Supplied roles: Administrator, Document Control Officer, Plant Manager, Internal Auditor and Staff. Custom roles can be added.

Administrator privileges are fixed. Other roles can be configured; an administrator cannot delegate actions they lack.

A role cannot be deactivated or removed while assigned to users, used by current workflows or needed by unfinished requests.

Publish an approval route

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Approvers can be a specific user, any active member of a role, the Requester's leader or the Requester account.

Published versions are read-only. Use Create Next Draft, or Start First Draft when no version exists.

Only one draft per workflow is available. The request types are predefined; configuring a route does not enable retired request types.

Follow task and retention reminders

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Selecting an unread bell entry acknowledges that entry. Opening the panel does not mark every entry read.

Retention reminders concern visible active Hardcopies with retention enabled and an end date today or earlier, using Manila dates.

Retention reminders are shown once per document and end date in the browser session; dismissing one leaves the record unchanged.

Trace an action in the audit trail

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




The supplied Administrator, Document Control Officer and Internal Auditor roles can view the audit trail; custom grants may differ.

Use success or failed outcomes to narrow the list. Audit review does not change a document or reverse an approval.

Document details and request approval history provide related context for the recorded action.

Create and manage backups

Start at the upper left. Follow the arrows and the Yes or No answer at the question.




Viewing backups and managing or downloading them require different permissions. Check the success message and resulting archive.

The displayed daily target is 5:00 PM Asia/Manila. Automatic backup runs require separate administrator setup and verification.

Clean up removes expired backup and log archives under the configured retention rules. Import verifies the supplied backup ZIP.

Restore records and private files

Start at the upper left. Follow the arrows and the Yes or No answer at the question.



Restore replaces live records and private files. Normal use is temporarily blocked during the maintenance operation.

A recovery backup is created before replacement. Keep the selected backup and recovery archive available for follow-up checks.

Application code recovery is an offline maintenance task; it is not performed by the Restore system data button.