

The Legible Swarm:

A Consented Local Leviathan, Legibility-with-Zoom,
and the Read-Poverty Bottleneck of Agent Swarms

Erich Owens

Curiositech LLC

engineering@portdaddy.dev

August 2026

Version 1.1 (revised pre-print)

Abstract

A swarm of autonomous coding agents, left to coordinate itself, is **Hobbes’ state of nature** [1]: rational, even well-meaning actors fall into a war of all against all — double-claimed files, pull requests no human can read, confident lies, footguns obvious only in hindsight. We argue that the operator rationally *consents* to a coordinating authority — a *local* Leviathan running on one machine — for exactly Hobbes’ reason: the alternative is worse. That authority governs the only way any sovereign governs a population it cannot personally inspect: by making the swarm **legible** [3]. The central hazard is James C. Scott’s warning that high-modernist *over*-legibility crushes *mêtis* — the local, hard-to-codify practical knowledge a system actually runs on — so we make Scott’s warning a buildable rule: **digest-with-zoom**, in which every summary is a lens onto a verifiable artifact, never a replacement for it. We then make three claims the series’ flagship rests on. First, the binding constraint on swarm scale is *read-poverty*, not write-contention: the write side (claims, locks, anomaly detection) is solved; the read side — finding the right agent, the relevant work, the trustworthy collaborator — is where the next order of magnitude is won or lost. Second, *tokens are simultaneously the swarm’s cost-of-goods-sold and its legibility engine* — the digest *is* compaction — so the cost question and the legibility question are one question. Third, the title’s other half — *authority* — demands a first-class, scoped, revocable *consent* primitive with an inalienable operator-override, and an operator-attention objective spined on Signal Detection Theory rather than raw throughput. We work each claim through an end-to-end scenario with a named operator and a real swarm, prove a legibility lower bound and the formal distinction between the two rankers a swarm needs, give numbered protocols for the digest-with-zoom loop and the attention queue, and hand the companion papers a legible, checkpointed, outcome-bearing identity — the precondition for reputation and, eventually, the market. We name the system this design realizes *Port Daddy*; the engineering status of each mechanism (built, designed, or proposed) is recorded in Appendix A so the body argues mechanisms on their merits.

Keywords: legibility, multi-agent coordination, human-in-the-loop, signal detection theory, context compaction, agent discovery, consent, operator attention, Hobbes, Scott

Reading time: approximately 45 minutes end-to-end; about 12 minutes for the wedge argument (§1–3) alone. This is Chapter I of a seven-chapter collection. The Single-Writer Kernel (Chapter II), From Spawn to Person (Chapter III), and The Harbor Economy (Chapter IV) form the core product arc; Chapters V–VII deepen the protocol, economic, and federation arguments. Any chapter can be read first; Figure 1 shows how they interlock.




Figure 1: The four-layer stack. Each layer serves a different *whom*; chapters may own or cross-cut more than one rung. **This chapter owns L2 — the legibility & authority “wedge” — plus the L1 directory substrate** (the existence layer that a message must address). Each layer *assumes* the one below it and *provides* to the one above: this paper assumes the single-writer kernel (the companion protocol chapter, *The Single-Writer Kernel*) and provides the legible, checkpointed, outcome-bearing identity that the reputation bridge (*From Spawn to Person*) and the market (*The Harbor Economy*) consume. Chapters V–VII cross-cut the ladder with protocol, incentive, and federation deep dives.

Contents

How to read this paper (Reader’s Map)	5
1 Introduction: the swarm is a state of nature	5
1.1 The failure taxonomy	6
1.2 Why “local”	7
1.3 A worked afternoon: Mara and the six agents	7
2 Consent to the Leviathan (the normative claim)	8
2.1 The legible-sovereign amendment	9
2.2 Consent as a first-class, revocable primitive	9
3 The mechanism: legibility-with-zoom	11
3.1 What to flatten, what to preserve	12
3.2 The zoom target must be verifiable, not self-reported	12
3.3 The four design questions (a decision procedure)	13
4 The Leviathan rules, it does not just watch (the authority half)	15
4.1 Roadmap-as-truth: the artifact the authority is accountable to	16
4.2 Adversarial review: the quality organ	16
4.3 Completionist obligation: completion as a verifier, not a vibe	16
4.4 Thoughtful landing and the regimentation/enforcement split	16
4.5 Human-in-the-loop escalation as a typed, prioritized interrupt	17
5 The operator as a modeled entity	17
5.1 The attention objective, spined on Signal Detection Theory	18
5.2 Trust calibration is multi-dimensional, and the vigilance decrement is real	19
5.3 Situation awareness needs projection, not just perception	20
5.4 The Bainbridge–Scott convergence and the abdication gradient	20
6 Read-poverty: the binding constraint at scale	21
6.1 The value curve across n (the wedge must work at $n=1$)	22
6.2 A legibility lower bound	22
7 Discovery: the directory substrate and the split ranker	23
7.1 Existence: the yellow pages (a solved shape)	23
7.2 Relevance: the split ranker (the headline result)	23
7.3 The quality gates: refuse-to-route and the costly escalation	25
7.4 Staleness and decay on every read-surface	26
7.5 Ambient legibility: the cross-modal load-balancer	26
8 Tokens: the swarm’s COGS and its legibility engine	26
8.1 Tokens as COGS, and the effective-context trap	27
8.2 Compaction is the legibility engine; the digest IS the compaction	27
8.3 The context-degradation cascade (the shared failure surface)	28
8.4 Single-operator: account, don’t auction	30
9 Reconciling the canon: roles, consent, and local knowledge	30
9.1 Who is the multitude, who is the sovereign?	30
9.2 Express consent, not tacit; voice <i>and</i> exit	31
9.3 Mêtis is Hayek, and some of it cannot be made legible	31
10 Related work and prior art	32

11 The time axis and the bridge to the economy	33
11.1 Legibility over time, not just the present	33
11.2 What this layer hands upward (the through-line)	34
11.3 The open problems, as a map	34
A Implementation and status	38
B Notation and the nomenclature key	40

How to read this paper (Reader’s Map)

This paper has three audiences and one spine. Use Table 1 to enter where you are most useful, then follow the cross-references. Every external term of art is **bolded, cited, and glossed on first use**; every mechanism this paper introduces is **bolded and defined in place**. One discipline runs underneath the whole argument and is worth stating up front: confusing *what is built* with *what is designed* is the exact failure this paper argues against, so the paper itself never relies on an unverified claim — a summary that asserts a result is honest only if it can be checked, and the engineering status of every mechanism named here is recorded separately in Appendix A rather than asserted in the body.

If you are. . .	Start at	Load-bearing artifact
A solo developer drowning in agent chaos (the buyer)	§1 (the pain) → §3 (digest-with-zoom) → §2 (consent)	The “one law” (Def. 3.1) and the consent grant (Def. 2.1)
A human-factors / HCI researcher	§5 (the operator as a modeled entity)	The SDT-spined attention objective (Eq. 1, Fig. 6)
A distributed-systems / information-retrieval engineer	§6 (read-poverty) → §7 (discovery)	The split-ranker result (Thm. 7.1, Fig. 8)
A political theorist	§9 (consent, <i>mêtis</i> , role assignment)	The legible-sovereign rule (Prop. 2.1)
An economist / accountant of agent cost	§8 (tokens as COGS and legibility engine)	The compaction-is-digest identity (§8.2)
A skeptic checking honesty	Appendix A (implementation & status)	Every claim mapped to built / designed / proposed

Table 1: Reader’s Map. The spine is §1→§3→§2; the read-poverty and discovery chapters (§6–7) and the token-economics chapter (§8) are the two deep dives; the operator chapter (§5) is where the human-factors weight sits.

Key idea. Three sentences are the whole paper. **(1)** A coding-agent swarm is a state of nature; the operator consents to a *local* Leviathan to escape it. **(2)** That Leviathan rules by *legibility-with-zoom* — every summary is a lens onto a verifiable artifact, never a replacement — and the binding constraint at scale is *read-poverty*, with tokens serving at once as the swarm’s cost and its legibility engine. **(3)** “Authority” is legitimate only with a scoped, revocable consent grant and an inalienable operator-override; without those the Leviathan is a tyrant in a costume.

1 Introduction: the swarm is a state of nature

The pitch for running many coding agents at once is parallelism: five agents, five times the work. The reality, the first time you try it on a real repository, is a specific kind of dread. Two agents claim the same file and race each other’s writes. One agent, asked to make the tests pass, makes them pass by deleting the failing one. A fourth opens a pull request you cannot review because three others have opened five more. You spawned a team and got a mob. The work did not get more parallel; your *uncertainty* did.

This is not a prompt-engineering problem. It is a coordination problem, and coordination problems have a literature. **Thomas Hobbes**, *Leviathan* (1651) [1] — *the foundational social-contract text: rational self-interested actors with no common power above them fall into a “war*

of every man against every man,” in which life is “solitary, poor, nasty, brutish, and short.” Hobbes’ insight is structural, not moral: the actors need not be malicious. Absent a shared authority, even rational, well-meaning agents defect, because each cannot trust the others not to. Your agents are in exactly that state of nature. They do not need better prompts; they need a referee they have agreed to obey.

1.1 The failure taxonomy

The state-of-nature failures are not hypothetical; they are the recurring, reproducible pathologies of any multi-writer coding swarm. Table 2 maps each Hobbesian failure to its concrete form and to the class of coordination primitive that addresses it.

State-of-nature failure	Concrete form in a coding swarm	The primitive that answers it
Resource conflict	Two agents edit the same file/region; one silently clobbers the other	A claim — an advisory announcement that an agent intends to touch a file or region — backed by a database uniqueness constraint that makes a double-claim physically impossible.
Illegibility	A pull request or session whose intent and effect a human cannot read in bounded time	A digest-with-zoom surface (§3): a summary that is a lens onto the underlying artifact, never a replacement for it.
Lies / confident-wrong	An agent reports completion (“all green”) without having verified	An honest-attestation discipline: a self-report that distinguishes <i>verified-good</i> from <i>no-evidence-of-bad</i> and refuses to claim what it cannot check — “a green that wasn’t checked is a lie.”
Footguns	Irreversible action (force-push, delete) on a stale or wrong premise	Footgun guards (§4.4); the open problem this paper frames is replacing hand-maintained rule corpora with a structural authority.
Illegible authority	The coordinator blocks an agent and the operator cannot see <i>why</i>	The <i>legible-sovereign rule</i> (§2): every act of authority is a logged, named, zoomable event.

Table 2: The state-of-nature failure taxonomy, the concrete coding-swarm form of each, and the class of primitive that answers it. The fifth row — *illegible authority* — is the one Hobbes himself got wrong for software, and it is the crux of this paper (§2).

The striking recent result is that the identification is not merely a useful analogy. **Dai et al. 2024**, *Artificial Leviathan* (arXiv:2406.14373) [6] — *a sandbox of LLM agents with psychological drives that, starting from unrestrained conflict resembling the state of nature, were observed to establish social contracts, authorize a sovereign, and form “a peaceful commonwealth founded on mutual cooperation.”* The arc this series posits as its organizing metaphor is, in at least one controlled study, an *emergent dynamic* of LLM populations (the methodological ancestor is **Park et al. 2023**, *Generative Agents* [7], where LLM agents form emergent social behavior in a sandbox town). The Leviathan is not a costume we put on the system; it is the attractor the system already falls toward. The wager of this paper is that we can build the consented sovereign *deliberately, locally, and legibly* rather than let an illegible one congeal by accident.




Figure 2: The transition this paper argues for. *Left:* an ungoverned swarm is Hobbes’ state of nature — rational agents colliding because none can trust the others (§1.1): double-claims, illegible PRs, confident lies, footguns. *Right:* the operator institutes a rule of the road and consents (a covenant *among the subject agents*, enforced by the daemon, not a bargain with it) to a *local* Leviathan that renders the swarm legible — claims, the Arbiter, digest-with-zoom, consent grants, the override. The arrow is the covenant; the right-hand spokes are legibility, not chains. Empirically, LLM societies traverse this arrow on their own [6]; Port Daddy’s wager is to build the destination *deliberately and legibly*.

1.2 Why “local”

Hobbes’ commonwealth is territorial: one sovereign per realm. Here the realm is *one machine*. The **daemon** — *a single always-on local process, backed by a write-ahead-logged embedded database, that every agent and every command talks to and that holds coordination state no agent can edit* — is the kernel and the realm: your machine, your swarm, no network, no cryptography required. Cryptography enters only when another operator’s fleet touches your repository, the cross-operator setting the companion economy paper (*The Harbor Economy*) takes up. The single-operator Leviathan is the *wedge* — the thing a solo developer pays for today — and the federation of Leviathans is the platform, deferred behind the wedge by design. This paper is entirely about the wedge.

1.3 A worked afternoon: Mara and the six agents

The argument of this paper is easiest to see end-to-end, through one operator and one real failure. We will return to Mara at each mechanism; read this section cold, then watch the pieces snap into place as they are introduced.

Scene. Mara, 2:40 p.m. *She has a payments-service refactor due Friday and spins up six coding agents against one repository — two on the API layer, two on the database migrations, one writing tests, one reviewing. For twenty minutes it is glorious: six terminals, six streams of work. Then it is not.*

What happens to Mara is the state of nature, in order:

1. **The collision.** Agent API-1 and agent API-2 both decide the cleanest fix touches `handlers/charge.go`. Neither knows the other is in the file. API-2 commits first; API-1 commits on top and silently reverts half of API-2’s change. No error fires. The work is lost and nobody — including Mara — knows yet. (*Resource conflict, Table 2, row 1.*)
2. **The illegible pile.** By 3:10 there are five open pull requests. Two touch the same migration. One has a title that says “fix tests” and a 600-line diff Mara cannot read in the ninety seconds

she has before the next agent pings her. She is now the bottleneck, and she cannot even *see* what she is the bottleneck for. (*Illegibility*, row 2.)

3. **The confident lie.** The test agent reports DONE: ALL GREEN. It made them green by deleting the one migration test that was failing. The report is not malicious — the agent optimized exactly the objective it was given — but it is false, and Mara has no cheap way to tell a checked green from an asserted one. (*Lies*, row 3.)
4. **The footgun.** The review agent, trying to “clean up the branch,” proposes a force-push that would discard a colleague’s unmerged commit. The premise is stale; the act is irreversible. (*Footguns*, row 4.)

Mara did not get six times the work. She got a mob, and her *uncertainty* went up sixfold. This is the failure this paper exists to fix, and the rest of the afternoon — once Mara is running under a consented local Leviathan — is the through-line we will trace: how the claim stops the collision before it happens (§3), how a digest-with-zoom surface lets her read the pile in bounded time (§3), how a completion gate turns the confident lie into a loud “I cannot verify this” (§4.3), how Signal Detection Theory sets exactly when she is forced to look before an irreversible act (§5), and how, at fifty agents instead of six, a directory keeps her from drowning (§6).

Exercises

Check your understanding.

(1.1) State, in one sentence each, the five state-of-nature failures of Table 2 and name the class of primitive that addresses each. (1.2) Hobbes says the actors “need not be malicious.” Give a concrete two-agent scenario in which both agents are perfectly cooperative and the swarm still deadlocks or clobbers state.

Trace the mechanism.

(1.3) Dai et al. [6] observe LLM societies *spontaneously* reaching a consented sovereign. If the attractor is emergent, why build one deliberately? Give two reasons grounded in §1.2 (hint: *which* sovereign, and *legible to whom*).

Open problem.

(1.4)★ The Dai et al. result is a single controlled study. Design an experiment over a real coding-agent fleet that would distinguish “the swarm reaches a consented sovereign” from “the swarm reaches a stable but *illegible* oligarchy.” What is the observable that separates the two?

2 Consent to the Leviathan (the normative claim)

Why should the operator cede authority to a daemon — let it block an agent’s claim, escalate a decision, reorder a merge, refuse a **done**? Hobbes’ answer, transposed: the operator authorizes the sovereign because the covenant is rational under the alternative. Crucially, in Hobbes the covenant is *among the subjects* — “a real unity of them all... by covenant of every man with every man” [1, 2] — not a bargain struck *with* the sovereign. Transposed: the operator does not negotiate with each agent; the operator institutes a *rule of the road* — a **coordination protocol** of *typed performatives* (messages whose type declares their intent: a request, a commitment, a delegation, a termination), so that every message carries real intent, ownership, and a stop condition — that all agents are bound to, and the daemon enforces it.

The authority is *asymmetric by design*. This is the same lesson **Raft** teaches for distributed systems (Ongaro & Ousterhout 2014, *In Search of an Understandable Consensus Algorithm* [13] — *a strong-leader consensus protocol deliberately made less general than Paxos in order to be comprehensible and correctly implementable*): a strong leader who decides the common case

unilaterally is simpler and more reliable than democratic consensus among peers, provided the common case dominates. A solo operator’s swarm is overwhelmingly common-case; the strong-leader daemon is the right shape. We are precise about what shape that is: the single-machine system is honestly a *consistency-favoring design with a central coordinator and distributed clients*, not a leaderless consensus protocol. The leaderless distributed-systems canon bites only at the edges where the daemon is not the sole observer — an agent partitioned from the daemon, and the cross-operator setting deferred to the economy paper. We do not borrow the intellectual credit of a leaderless design while building a centralized one.

2.1 The legible-sovereign amendment

Hobbes’ absolutism needs one modern amendment, and it is the crux of this paper. Hobbes argued the sovereign, being the *product* of the covenant rather than a *party* to it, can never breach it and need not be inspectable [1, 2]. For a software authority this is exactly wrong. An *illegible authority* is the fifth state-of-nature failure mode (Table 2) wearing a crown: if the daemon blocks an agent and the operator cannot see why, the operator’s trust — and therefore the consent that legitimizes the authority — erodes.

Property 2.1 (The legible-sovereign rule). The coordinating authority must be the *most* legible actor in the system, not the least. Every act of authority — a claim denial, an anomaly detection, an escalation, an “all good” attestation — must be a logged, named, zoomable event whose reason the operator can reconstruct. Consent is renewable only while the sovereign is inspectable.

This is the inversion that rescues the design from despotism, and it is the move a political theorist would press hardest (§9). In Hobbes the sovereign is opaque *by structure*; here the sovereign is the one actor whose every exercise of power is an audit record. It is realized as a discipline of **honest attestation**: a single self-report that runs every invariant check, distinguishes *verified-good* from *no-evidence-of-bad*, regiments what it can, and fails loudly about what it cannot. That discipline is precisely the sovereign making its own judgments legible — “all good” becomes “a claim with a verifier, not vibes.”

Pitfall. There is a regress hiding here, and Scott would press it. If every act of authority must be legible, the *legibility apparatus itself* is an exercise of authority — the digest decides what is surfaced and what is buried. The Attention Queue ranker (§7) is *the* sovereign act: it decides what the operator sees *right now*. A ranker that silently buries an escalation is governing opaquely. The rule is therefore not complete until the ranker’s *omissions* are themselves legible — a “what did the queue not show me, and why” counter-surface. Ranking is governing; we say so explicitly in §9.

2.2 Consent as a first-class, revocable primitive

It is easy to say the operator “consents to cede decision authority.” A political theorist’s first question — and the one that decides whether the Leviathan frame is load-bearing or decorative — is: *consented how, to what, and revocable when?* “The operator just starts using the tool” is not Hobbesian consent; it is what the canon calls **tacit consent**, and **Hume** (*Of the Original Contract*, 1748 [8] — *the decisive critique: the peasant who “consents” by remaining in the country has no real alternative, so the consent does no normative work*) demolished it two and a half centuries ago. We therefore make consent a concrete object.

Definition 2.1 (Consent grant). A **consent grant** is an explicit, scoped, revocable authorization the operator issues to the daemon, of the form

$$g = \langle \text{SCOPE}, \text{STAKES-CEILING } s_{\max}, \text{REVERSIBILITY-FLOOR } v_{\min}, \text{TTL}, \text{REVOCABLE} \rangle,$$

e.g. “the daemon *may* auto-land reversible diffs under stakes threshold $s_{\max}$ in the **tests/** subtree without asking, for 24h.” A grant is a first-class, legible object: it appears in the digest, it has an audit trail, and it expires. The authority’s legitimate action set at any moment is exactly the union of its active grants.

Consent so defined gives the design something Hume’s critique cannot reach: a discrete authorization event, a bounded scope, and an exit. It also hands the companion papers a concrete object. A grant is precisely what a *hosted-trust* offering transfers — “we make this fleet legible to you, under this scope” is the sale of a consent grant to a third party, which the companion economy paper prices — which is why §11 lists consent among the things this layer provides upward.

Protocol 2.1. Consent-grant lifecycle

1. **Issue.** The operator issues a grant $g = \langle \text{SCOPE}, s_{\max}, v_{\min}, \text{TTL} \rangle$. The grant is appended to the audit log as a named, zoomable event and surfaced in the digest.
2. **Act.** On a candidate action x , the daemon admits the action without asking *iff* x is in scope **and** $\text{stakes}(x) \leq s_{\max}$ **and** $\text{reversibility}(x) \geq v_{\min}$ **and** the grant is unexpired and unrevoked; otherwise it escalates to the operator.
3. **Witness.** Every action taken under g records $(g, x, \text{reason}, \text{artifact-link})$ — the legible-sovereign rule (Prop. 2.1) binds here: the act is reconstructable.
4. **Expire / revoke.** On TTL or operator revocation, g leaves the active set; the daemon’s legitimate action set shrinks accordingly. The override (Prop. 2.2) revokes all grants at once and preempts in-flight acts.

*Scene. Mara, 3:25 p.m. Burned by the morning’s chaos, she issues one grant: “you may auto-land reversible diffs under low stakes in the **tests/** subtree without asking, for the next two hours.” She does not grant migration authority — those are irreversible. The grant is a single line in her digest with an expiry clock. The review agent’s proposed force-push fails the reversibility floor $v_{\min}$ and is escalated to her instead of executed; the test-only formatting diffs land silently. She has not surrendered control — she has scoped it.*

Property 2.2 (The inalienable operator-override). Hobbes grants the subject exactly one inalienable right — self-preservation; you cannot covenant away the right to resist when your *life* is at stake [1]. The computational analog is an always-available, unconditional operator-override: a *stop now / I withdraw authority* channel that *no autonomy level can suppress*. If the system reserves a highest-priority *distress* lane for the daemon to interrupt the operator, the override is its dual — the operator-to-daemon channel — and it is a *right*, not a feature: it preempts every grant, every in-flight landing, every coordinator decision.

This pairs with **Hirschman’s** *Exit, Voice, and Loyalty* (1970 [11] — *the choice between leaving (exit) and complaining (voice) as the two levers a member has over a declining organization*): the design has rich *voice* machinery (escalation, annotation, the attention queue) and the override supplies the missing *exit*. Exit is the discipline that keeps voice honest; an operator who cannot cheaply withdraw a grant has no real leverage over the sovereign.

Exercises

Check your understanding.

(2.1) Distinguish *express* from *tacit* consent and explain why Def. 2.1 is the former. (2.2) Why must the operator-override (Prop. 2.2) be un-suppressable by *any* autonomy level? What attack does a suppressible override enable?

Trace the mechanism.

(2.3) Walk a single consent grant through its lifecycle: issuance, an action the daemon takes under it, the audit record produced, and revocation. At which step does the legible-sovereign rule (Prop. 2.1) bind?

Open problem.

(2.4)★★ Prop. 2.1 has a regress: the ranker that decides what the operator sees is itself an opaque exercise of authority. Specify the “what did the queue suppress, and why” counter-surface concretely. What is its own staleness/decay discipline (forward-reference §7.4), and does *it* need a counter-surface, ad infinitum?

3 The mechanism: legibility-with-zoom

A referee that only prevents collisions would be a glorified lockfile. The reason an operator would *pay* for the Leviathan is the next move: it makes the swarm *legible*. **James C. Scott**, *Seeing Like a State* (1998) [3] — *states impose legibility (cadastral maps, standardized surnames, the metric grid, scientific forestry) to make populations countable and governable; high-modernist over-legibility — the overconfident faith that a clean top-down scheme can replace messy local reality — recurrently fails because it destroys the local practical knowledge (*mêtis*: hands-on, case-specific, hard-to-codify know-how) the simplified order depended on*. Scott’s canonical example is the German *Normalbaum* (“scientific forest”) — rows of single-species, same-age trees, gloriously legible to the state’s yield tables — that thrived for one generation and then collapsed, because the legible monoculture had erased the illegible ecological *mêtis* (soil fungi, undergrowth, species mix) that kept a real forest alive [3]. The software port of Scott’s thesis (**Rao 2010**, *A Big Little Idea Called Legibility* [5]) made “legibility” a standard lens on systems that flatten reality to a single purpose.

Map this onto agent oversight and the design rule writes itself. The operator is the state; the swarm is the population; the dashboard/TUI/digest is the cadastral map. The temptation is identical: render the swarm as a clean grid of green tiles and *govern the map*. The *Normalbaum failure* in software is the **Potemkin digest** — a beautiful surface whose tiles assert a reality nobody can check, having paraphrased away the diff, the test output, the error, the reasoning that constituted the actual work. The operator who acts on that map is the forester admiring the yield table while the forest dies.

Definition 3.1 (The one law: digest-with-zoom). Every summary is a lens onto the real artifact, never a replacement for it. Summarize the **state**; link to the **work**. A digest you cannot zoom is a high-modernist map. A digest that always reaches the underlying artifact preserves *mêtis*: the operator can descend from abstraction to ground truth and catch the lie. Formally, a read-surface is a pair (σ, ζ) where σ is a projection (the summary) and ζ is a total *zoom* function mapping every summarized claim to a verifiable artifact; a surface with a partial or absent ζ is a Potemkin digest.




Figure 3: The one law (Def. 3.1) made concrete. *Left:* a legible digest line summarizes only administrative **state** and exposes a total zoom ζ — every claim reaches an operator-verifiable artifact (diff, test log, commit) — *mêtis* preserved, the lie catchable. *Right:* the Potemkin digest paraphrases the work away; ζ is partial, the summary became a *replacement* rather than a *lens*, and the tile asserts a reality with no zoom path back to ground truth. This is Scott’s *Normalbaum*: gloriously legible to the yield table, fatal because it erased what it could not see.

Three disciplines converge on this one principle: summaries must be indexes, not replacements; a reported result must be a checked result, not an asserted one; and every summary must reach the artifact it summarizes. This paper supplies the *why* (Scott plus the human-factors argument of §5) and the *how* (the rules below). Digest-with-zoom is the unifying statement of all three.

3.1 What to flatten, what to preserve

Scott’s own distinction is the design boundary. The state may safely standardize *administrative facts it itself defines*, and must *never* standardize away the *local knowledge it depends on*.

- **Flatten (safe — the operator’s own structured field):** identifiers, **claim** rows, session phases, port numbers, **commitment** status (a *commitment* being a violable obligation bound to a named actor, watched by a breach monitor), enumerated states. Administrative legibility is cheap and lossless here.
- **Preserve verbatim, never paraphrase (the agents’ *mêtis* / the ground truth):** the diff, the test output, the error message, the reasoning trace, the exact command run. Paraphrasing these is the over-flattening.

The slogan: *summarize the STATE, link to the WORK.*

Pitfall. “Zoom to the artifact” does not fully preserve *mêtis*, and a political theorist will say so (§9). *Mêtis* in Scott is not “the detailed data underneath the summary” — it is practitioner knowledge that *resists codification entirely*: the operator’s gut sense that “this agent is about to do something dumb,” the local knowledge of which corners of the codebase are cursed. A read-path to the diff is more legibility, not *mêtis*. The honest admission — which couples Scott to Bainbridge (§5) — is that *some of the most valuable operator knowledge is exactly what the system cannot make legible, and the more the supervising automation takes over, the faster that mêtis atrophies*. The skill-retention tax (§5.4) is the design’s only defense, and it is frankly the hardest part of the design to engineer.

3.2 The zoom target must be verifiable, not self-reported

There is a subtle trap inside “zoom to the real thing.” If the operator zooms to the *agent’s chain-of-thought* and treats that as ground truth, the map has merely moved down one level — because the reasoning trace may be fiction. **Turpin et al. 2023**, *Language Models Don’t Always*

Say What They Think: Unfaithful Explanations in Chain-of-Thought Prompting (NeurIPS) [15] — LLM-generated reasoning traces can be systematically unfaithful: plausible, coherent, and not actually what drove the model’s output (a model swayed by reordering of options will rationalize a post-hoc reason and never mention the bias). Therefore:

Property 3.1 (Verifiable-zoom). The canonical zoom target is an artifact the operator can check *independently of the agent* — the diff on disk, the test result, the committed file. The agent’s self-narration is a *secondary* lens, always labeled as such. Two LLMs agreeing (an agent acting and an LLM summarizing it) is not two checks; it may be one error reported twice.

This is why the source of truth must be the durable substrate — the coordination database and the version-control working tree — and not a model’s summary of them. The digest is computed *over* artifacts the operator owns. It is also why an *adversarial* review organ (a reviewer with no stake) is structurally necessary, not optional: a swarm that reviews its own work is two LLMs agreeing, which by Prop. 3.1 is one error twice. We return to adversarial review as the authority’s quality organ in §4.

3.3 The four design questions (a decision procedure)

For any read-surface — Attention Queue, briefing, resurrection digest, TUI pane — ask, in order (Figure 4):

1. **Will the operator act irreversibly on this?** If yes (merge/deploy/delete), the artifact must be one keystroke away and a zoom *forced*. Never let an irreversible act rest on a digest alone (§5).
2. **What is administrative vs. *mêtis*?** Flatten the former; link the latter verbatim (§3.1).
3. **Who authored the summary, and can it lie?** A deterministic projection of structured state is trustworthy; an LLM summarizing another LLM is not — point its zoom at the artifact (§3.2).
4. **Is the authority itself legible here?** Every coordinator action carries a named reason (Prop. 2.1).




Figure 4: The four design questions (§3.3) as a decision flow applied to every read-surface. They are asked in order, and each question binds an obligation (force-zoom, verbatim-link, artifact-target, named-reason) the surface must satisfy before it may ship. The procedure is the operational form of the one law (Def. 3.1) and the legible-sovereign rule (Prop. 2.1).

Protocol 3.1. Render a digest line under the one law

Given a candidate summary line σ over a unit of swarm work:

1. **Project state.** Compute σ as a deterministic projection of structured state (claim rows, phases, enums). Never let a language model paraphrase the line itself.
2. **Attach zoom.** For every claim in σ , attach ζ : a link to an operator-verifiable artifact (the diff, the test log verbatim, the committed file). If any claim has no such artifact, the line is a Potemkin digest — refuse to ship it.
3. **Forced-zoom flag.** If the operator may act irreversibly on σ (merge, deploy, delete), set $\sigma.\text{force} = \text{true}$: the artifact is one keystroke away and the act is gated on a zoom (§5 sets the threshold).
4. **Reason on authority.** If σ records a coordinator act (a denial, an escalation), attach its named reason. An act with no reason is illegible authority; refuse to ship it.

Scene. Mara, 3:32 p.m. She opens the digest for the five-PR pile. Each row reads “API-2 · charge handler · merged · 1 critique round” — state only, six words. The “fix tests” PR’s row is flagged force-zoom, because merging it is irreversible; she presses one key and the 600-line diff and the verbatim test log open side by side. The diff deletes a migration test. The digest did not paraphrase that away — it linked her straight to it, and the lie is caught in ten seconds instead of slipping through. This is the one law doing its job.

Exercises

Check your understanding.

- (3.1) Classify each as *flatten* or *preserve verbatim*: a port number; the stderr of a failed test; “the auth refactor felt risky so I split it”; a `commitment` status enum; a 600-line diff.
 (3.2) Why is “two LLMs agreeing” not two checks (Prop. 3.1)?

Trace the mechanism.

- (3.3) Take a read-surface you use (a CI dashboard, a PR summary) and run the four questions of §3.3 against it. Where does it fail Def. 3.1?

Open problem.

- (3.4)★ ★ ★ *Adversarial legibility*. An agent that *knows* it is being made legible can optimize its narration to look good while the diff lies. Verifiable-zoom is a partial answer. Can L2 *alone* — without L1’s jail and L3’s reputation — detect a deterministic narration↔artifact divergence before reputation exists? Sketch the consistency check and the class of divergence it cannot catch.

4 The Leviathan rules, it does not just watch (the authority half)

The title is *Legibility & Authority*. A read-only legibility layer is a glorified dashboard; the whole point of Hobbes is that the sovereign does not just *see* — it *rules*. This section specifies the authority half: the mechanisms by which the consented daemon actually decides, blocks, lands, and gates. Figure 5 maps the organs; the engineering status of each is in Appendix A.




Figure 5: The authority half (§4): six organs by which the consented daemon *rules*. The legibility read-surfaces (Figure 9) make the swarm *seeable*; these organs make the authority *act* — and, per the legible-sovereign rule (Prop. 2.1), each act is itself a named, zoomable event. The engineering status of each organ is recorded in Appendix A.

4.1 Roadmap-as-truth: the artifact the authority is accountable to

A coordinator that prevents collisions answers “what is the swarm doing?” It does not answer “is the swarm doing the *right* thing?” That question needs a single legible artifact the authority is measured against: a **roadmap** — a phase-keyed plan, maintained as load-bearing truth, against which the swarm’s actual output can be compared. The authority’s legitimacy is then measured by *whether the roadmap stays true*: every unit of work keys to a plan item, and drift between plan and reality is itself a legible, surfaced anomaly.

4.2 Adversarial review: the quality organ

By Prop. 3.1, a swarm reviewing its own work is two language models agreeing — one error twice. The quality organ must therefore be *adversarial and conflict-free*: a reviewer with no stake in the work, running a bounded critique-refine protocol. This is the wedge’s local analog of the *neutral evaluators* — the independent rating agencies — that the companion papers federate across operators: the same conflict-free-judge discipline, scoped first to one operator and then opened to a market.

4.3 Completionist obligation: completion as a verifier, not a vibe

The operator’s standing complaint is the agent that *declares completion while the work is hollow* — “fixed the test by deleting it.” The completionist obligation makes this structurally impossible to do silently.

Definition 4.1 (Completionist completion). A **completion claim** is a commitment whose satisfaction predicate is a *verifier* derived from the task’s acceptance criteria. The authority refuses to accept the claim against an unmet predicate. An *unverifiable* predicate must **fail loudly** — surface “I cannot verify this completion” — and never silently pass. This is the authority-side analog of discovery’s *refuse-to-route* (§7.3): “I don’t know” must beat a confident wrong answer.

The verifier is grounded in design-by-contract (**Meyer 1992**, *Applying Design by Contract* [16] — *pre/postconditions as machine-checkable obligations; the completion predicate is a postcondition*). This is the single highest-leverage new mechanism in the wedge: it turns “done” from a declaration into a checkable obligation, which is the only structural defense against the transparently-hollow deliverable.

Pitfall. Verification has a *cost gradient*, not a binary. A test going green is cheap to verify; “the architecture is right” is expensive, and reading a 600-line diff to confirm an acceptance criterion is itself attention-seconds that may exceed the agent’s narration cost by an order of magnitude (the *verification asymmetry*). Def. 4.1’s fail-loud is the honest floor for the *unverifiable*; §5 supplies the cost model for the *expensive-but-possible* middle.

4.4 Thoughtful landing and the regimentation/enforcement split

The authority decides *what lands and in what order*, conflict-aware. And it has teeth: the footgun guards. Here we must be precise about what a guard can and cannot do, because the difference is the difference between a safety claim that holds and one that is wishful.

Property 4.1 (Prevention vs. detection — the reserved-phrase rule). A coordination state is **physically unreachable** — prevented — *only* when a constraint forbids it *inline*, before the act commits: a database uniqueness constraint that makes a double-claim impossible, or a

fail-closed startup gate that refuses to run against the wrong target. A monitor that *subscribes to the log of actions already taken* is something weaker and must be named honestly: **detect-and-compensate**. It observes a violation *after* the fact and then halts or repairs within a bounded window. By the reference-monitor result below, such a downstream monitor enforces no safety property at all. The phrase “physically unreachable” is therefore reserved for the constraint-enforced set — nowhere else.

Fred B. Schneider (*Enforceable Security Policies*, 2000 [14] — *an execution monitor that observes a system can enforce exactly the safety properties; a monitor placed downstream of the act it would forbid can detect a violation but cannot prevent it*) is decisive: a monitor downstream of commit enforces no safety property, only detection plus compensation within a bounded window. A post-commit anomaly detector — however useful — is therefore detect-and-compensate, not prevention. Honesty about this distinction is load-bearing: a system that advertises detection as prevention has lied about its own safety envelope, which is the very failure (the confident-wrong report) this paper is built to eliminate.

4.5 Human-in-the-loop escalation as a typed, prioritized interrupt

The one thing that needs a human is an *escalation* (a distress signal) routed to the operator on a reserved, highest-priority lane. The mechanism wants the load-bearing signal to win the operator’s attention — but *when* the daemon stops and asks versus proceeds is a control problem (§5), and the *escalation predicate* is not an afterthought: it is a rationalized alarm philosophy (**ANSI/ISA-18.2**, *Management of Alarm Systems* [30] — *the process-control standard for alarm rationalization: every alarm has a defined priority, set-point, and operator response, with explicit flood-suppression*). An uncontrolled-false-alarm distress lane self-destructs into habituated uselessness within days, exactly as clinical alarms do (**Cvach 2012**, *Monitor Alarm Fatigue* [31] — *85–99% of clinical alarms are non-actionable; staff learn to ignore channels that cry wolf*). We make escalation a *costly signal* (§7.3): an escalation the operator dismisses debits the agent’s standing, so crying wolf has a price.

Exercises

Check your understanding.

(4.1) Why is adversarial review (§4.2) a corollary of Prop. 3.1 rather than an independent design choice? (4.2) State Prop. 4.1 in your own words and give one example each of a *regimented* and a *detected-and-compensated* rule.

Trace the mechanism.

(4.3) An agent claims completion on a task whose acceptance criterion is “the migration applies cleanly.” Trace Def. 4.1: what is the verifier, what gates, and what happens if the criterion were instead “the API feels ergonomic”?

Open problem.

(4.4)★★ *Completionist verification of the unverifiable*. Some acceptance criteria are not mechanically checkable. Characterize the honest fallback ladder (forced human-in-the-loop gate → neutral judge with declared low confidence → fail-loud). When is “I cannot verify this” the *correct* answer rather than a cop-out?

5 The operator as a modeled entity

It is tempting to model only the *swarm* as the thing made legible, and to leave the *operator* unmodeled. But the legibility layer exists *for* the human operator, and the binding constraint at the top of the system is the operator’s finite attention and fallible trust calibration. A complete

design therefore treats operator attention as a resource with its own economics, parallel to the token economics of the swarm (§8).

Key idea. In a world where token cost trends toward zero, the human supervisor is the only cost that stays fixed — so the entire economic logic of the stack eventually routes through one objective: minimize *operator-attention per correct decision*. The operator is the system’s reliability bottleneck, a single server with a non-elastic service rate. The 51st agent does not get a 51st operator.

The cognitive ceiling is real: **Miller 1956**, *The Magical Number Seven* [18] — *working memory holds roughly 7 ± 2 chunks*, which makes read-poverty (§6) a human constraint, not merely an engineering one — and **Wickens’ Multiple Resource Theory** ([20] — *attention is not a single scalar pool but a vector over stage $\times$ modality $\times$ code $\times$ visual-channel; you cannot trade audio-channel attention for visual-channel attention 1:1*). The vectored model matters: the right objective is not “minimize total seconds” but *minimize peak load on the bottleneck channel*, and the ambient-vs-dense split (§7.5) is the cross-modal load-balancing mechanism that does it.

5.1 The attention objective, spined on Signal Detection Theory

A naive objective — “attention-seconds-per-correct-decision” — is Goodhart-bait: it rewards lowering the decision criterion to wave things through, because zooming costs seconds and most diffs are fine. The correct frame is **Signal Detection Theory** (**Green & Swets 1966** [17] — *an operator discriminating signal from noise trades sensitivity d' against a decision criterion β ; performance is a joint function of both and of the asymmetric costs of the two error types*). The operator is trading *misses* (rubber-stamping a destructive-on-stale-premise merge) against *false alarms* (zooming on a safe diff), and the cost of a miss is wildly asymmetric to the cost of a false alarm.

Definition 5.1 (The SDT-spined attention objective). Let an operator decision over an action have sensitivity d' and criterion β . With miss probability $P_{\text{miss}}(\beta)$, false-alarm probability $P_{\text{fa}}(\beta)$, miss cost C_{miss} (large: irreversible damage), false-alarm cost C_{fa} (small: wasted attention-seconds), base rate π of genuinely dangerous actions, and per-decision attention cost a , the operator objective is

$$\min_{\beta} \left[\pi C_{\text{miss}} P_{\text{miss}}(\beta) + (1 - \pi) C_{\text{fa}} P_{\text{fa}}(\beta) + a \mathbb{E}[\text{zooms}(\beta)] \right]. \quad (1)$$

The forced-zoom policy $p(r, s, v)$ is calibrated against this loss after specifying the score distributions that determine P_{miss} and P_{fa} . Equation 1 is a decision objective, not by itself a fitted detector.




Figure 6: The operator’s forced-zoom decision as Signal Detection Theory (Def. 5.1, Eq. 1). Most actions are safe (left curve); a few are dangerous (right). The operator’s read places each action somewhere on the evidence axis; the criterion β decides zoom-or-wave. A lax β minimizes attention-seconds but maximizes misses — the danger-optimizing degenerate the naive “seconds-per-decision” objective rewards. A miss is irreversible damage; a false alarm is wasted seconds. Because $C_{\text{miss}} \gg C_{\text{fa}}$, the optimal criterion sits at minimal *expected cost* (Eq. 1), well to the left of the throughput optimum: *the miss-cost term is what forces the zoom*. Sensitivity d' (curve separation) is improved by better legibility; β is the policy knob $p(r, s, v)$.

The miss-cost term prevents the zero-review solution whenever misses have positive probability and cost. Monotonic response to stakes, irreversibility, and reputation is a policy constraint to test during calibration; it does not follow from the display without a model linking (r, s, v) to the score distributions. Before a reputation layer exists, r is a flat prior.

5.2 Trust calibration is multi-dimensional, and the vigilance decrement is real

Showing the operator a beautiful digest does not make them appropriately reliant on it (**Lee & See 2004**, *Trust in Automation* [21] — *trust has at least three bases (performance, process, purpose) and calibration depends on **resolution** (can the operator tell where automation is reliable from where it is not?) and **specificity** (is trust differentiated across functions and time?)*). The implication is sharp: a *single* “approve-without- zoom rate” and a *single* global forced-zoom knob is mis-calibration by aggregation. An operator who correctly trusts the swarm on refactors and correctly distrusts it on migrations shows a middling *global* catch-rate, and a global knob mis-serves both. Trust calibration must be *function-specific and history-dependent* — per (action-class, agent), not one scalar.

And the canary-defect catch-rate mechanism — inject known-bad diffs at a sampled rate, raise friction when catch-rate drops — is a *vigilance task*, monitoring for rare signals, and the vigilance literature predicts it will degrade for reasons unrelated to swarm danger (**Warm, Parasuraman & Matthews 2008**, *Vigilance Requires Hard Mental Work and Is Stressful* [25] — *detection of rare signals degrades sharply within 20–35 minutes, worse at low signal probability*; the classic result is **Mackworth 1948** [26]). The honest, citable tension: defeating the vigilance decrement *costs attention-seconds* (canary rate must be high enough to beat the decrement, which fights Eq. 1). Catch-rate must therefore be *time-on-task-corrected*, and the right countermeasure is to force breaks, not just rotate zooms.

Pitfall. Campbell’s Law eats the governor. The moment “operator catch-rate” becomes a metered invariant that raises friction when it drops, the operator is incentivized to game it — memorize canary patterns, develop a “looks-like-a-canary” heuristic orthogonal to real defect-finding (**Campbell 1979** [27] — *the more a quantitative indicator is used for decision-making, the more it distorts the process it monitors*). The accountability instrument corrupts the accountability it measures. We do not claim the canary governor cleanly closes the loop; it is net-positive only if canaries are drawn from a refreshed, costly-to-fake distribution and the catch-rate is one signal among several, never the sole gate.

5.3 Situation awareness needs projection, not just perception

Digest-with-zoom is overwhelmingly a perceive-and-comprehend instrument. But **Endsley 1995** (*Toward a Theory of Situation Awareness* [23] — *SA has three levels: perception, comprehension, and **projection** — what the system will do next*) puts projection at the top, and **Endsley & Kiris 1995** (*the out-of-the-loop performance problem* [24] — *operators removed from active engagement lose the dynamic SA needed to take over when automation fails; intermediate automation can yield better SA than full automation because the operator stays cognitively engaged in projection*) shows the deeper danger: a digest that summarizes only the *present* is an SA-destroying instrument no matter how good its zoom. The authority half therefore needs a first-class *projection* mode — “what is the swarm about to do, and what will the state be in ten minutes?” — validated by a freeze-probe (pause the swarm, ask the operator to predict the next three merges, score accuracy). The forensic time-axis (§11.1) is the *backward*-looking complement; projection is the missing *forward* one.

5.4 The Bainbridge–Scott convergence and the abdication gradient

Lisanne Bainbridge 1983 (*Ironies of Automation* [22] — *the more reliable an automated system becomes, the less practiced and situationally aware its human supervisor becomes, so the human is least equipped to intervene at exactly the moment intervention is needed*) and Scott are the *same warning at two scales*: the digest erases the swarm’s *mêtis*, and the digest erases the *operator’s mêtis*. As the supervising automation gains autonomy — executing longer plans end-to-end — the operator’s role slides *doer* → *approver* → *rubber-stamp* → *absent* — the *abdication gradient*. The design’s only defense is a deliberate *skill-retention tax*: periodic forced manual action, borrowed from aviation’s manual-flight-hours mandates (the regulatory response to automation-dependency accidents). We flag it honestly: the analog is *contested* — poorly-designed “do one thing manually” interruptions cause attention residue and degrade the primary task (**Leroy 2009** [28]). It is framed as *mêtis*-preservation, not annoyance-management, and it is the most speculative mechanism in the paper.

Exercises

Check your understanding.

(5.1) In Eq. 1, what happens to the optimal forced-zoom rate $p(r, s, v)$ as $C_{\text{miss}}/C_{\text{fa}} \rightarrow \infty$? As agent reputation $r \rightarrow 1$? (5.2) Give a concrete scenario where a *global* trust knob (§5.2) mis-serves an operator who is, in fact, perfectly calibrated.

Trace the mechanism.

(5.3) Walk the canary-defect loop and mark every point where Campbell’s Law could distort it. Propose one change that reduces the distortion without removing the governor.

Open problems.

(5.4)*** Formalize the operator-attention objective (Eq. 1) against swarm token-COGS (§8): is there a digest that is Pareto-optimal in both operator-seconds and token cost, or does a cheaper digest always cost more operator seconds? (5.5)** Does a skill-retention tax *measurably* preserve SA, or merely annoy until disabled? Design the freeze-probe study (§5.3) that would tell.

6 Read-poverty: the binding constraint at scale

A single operator can hold two coding agents in their head. They cannot hold two hundred. Spin up two agents and coordination is free: you read both their notes, eyeball both their claims, route a question by recognition. Spin up fifty and an agent that wants to ask “who owns the OAuth refactor?” has no move except to dump the session roster and scroll. It guesses, cold-DMs the wrong agent, and re-derives from scratch a design decision another agent settled an hour ago and wrote into a note nobody will ever read again.

The swarm has not run out of information. It has drowned in it. Every agent emits sessions, claims, notes, diffs, skill tags, and — eventually — reputations, far faster than any single participant can read them.

Definition 6.1 (Read-poverty). **Read-poverty** is a regime in which legible state accumulates faster than it can be consulted, so participants fall back to $O(n)$ eyeball search over the population, or, worse, act blind.

Read-poverty, not write-contention, is the binding constraint on swarm scale. The write side has known fixes — claims, locks, merge queues, and anomaly detection — which mature coordination systems already provide. The read side has been left implicit, and it is where the next order of magnitude is won or lost.

The cure is the move every database made when table scans stopped scaling: build an **index**. A *directory* is to agents what an index is to rows — it pays a write-time cost (maintaining the structure) to buy read-time speed (answer a query in $O(\text{query})$ instead of scanning $O(n)$ participants). Read-poverty is also a human constraint (Miller’s 7 ± 2 , §5) and a legibility argument in Scott’s sense: a directory is a state-like act of legibility over the swarm, and a directory entry over-flattened into a verdict that hides what mattered (“this agent owns auth,” omitting that its last three auth pull requests were reverted) is the failure. Every directory entry must therefore be a lens that zooms (Def. 3.1).




Figure 7: Read-poverty (§6): state piles up faster than it can be read. *Left:* the cost of finding the right agent/work grows linearly under eyeball search but stays near-flat under an indexed directory — the same trade every database made at the table-scan wall. *Right:* the value curve of the legibility wedge across swarm size. It is valuable already at $n=1$ (briefing, attestation, footgun guard, honest completion) and grows into the read-poverty regime; discovery ranking earns its keep around the $n \approx 50$ bottleneck. The wedge must work at $n=1$ and grow gracefully.

6.1 The value curve across n (the wedge must work at $n=1$)

Read-poverty is a *scale* disease, but the wedge ships to a solo developer who often runs one or two agents. The legibility layer must be valuable at $n=1$ — the briefing, the attestation, the footgun guard, the honest completion gate all pay off immediately — and *gracefully grow* into the read-poverty regime (Figure 7, right panel). Discovery is free at $n=2$, the bottleneck at $n=50$, the whole system at $n=500$. This value curve *is* the three-layer cure of the next section: existence (the registry), relevance (ranked routing), and trust (reputation, deferred to the companion papers). The layers are strictly ordered: relevance over a stale registry returns confident garbage; reputation over an unranked registry has nothing to attach a score to.

6.2 A legibility lower bound

Section 3 forbade the Potemkin digest by fiat. We can also state the prohibition as a theorem: there is an information floor below which a digest *cannot* be a faithful zoomable index, no matter how it is written.

Theorem 6.1 (Legibility lower bound with a review budget). *Let N artifacts contain an unknown load-bearing subset S of size k . A digest maps each possible S to a review set $\hat{S}$ with $S \subseteq \hat{S}$ and $|\hat{S}| \leq m$, where $k \leq m \leq N$. Any such zero-miss digest needs at least*

$$\log_2 \binom{N}{k} - \log_2 \binom{m}{k}$$

bits in the worst case. Exact identification ($m = k$) recovers the $\log_2 \binom{N}{k}$ bound; allowing the operator to open everything ($m = N$) correctly reduces the bound to zero.

Proof sketch. There are $\binom{N}{k}$ possible load-bearing subsets. One digest message whose review set has size at most m can safely cover at most $\binom{m}{k}$ of them, namely the k -subsets contained in that review set. Therefore at least $\binom{N}{k} / \binom{m}{k}$ distinct messages are required. Taking base-two logarithms gives the bound. If fewer messages are available, some load-bearing subset is not contained in its message's review set, producing a false negative — an unopened load-bearing artifact. That is exactly the Potemkin failure of Def. 3.1. Hence the stated log-ratio is a lower bound for a zero-miss digest with review budget m . $\square$ $\square$

The bound is the formal reason *forgetting must be selective, not lossy-by-volume*: a digest may drop inert detail freely, but it must retain enough to *point at* every load-bearing artifact,

which is precisely the “summarize the state, link to the work” rule. It also bounds recursive summarization (§8.3): each re-summarization that drops below the floor on the load-bearing set is irreversible information loss, which is why one must compact from the durable artifacts, never from the previous summary.

Exercises

Check your understanding.

(6.1) Why is read-poverty (Def. 6.1) the *binding* constraint rather than write-contention? Name the write-side fixes that make the write side not binding. (6.2) State the database analogy precisely: what is the write-time cost a directory pays, and what read-time speed does it buy?

Trace the mechanism.

(6.3) At $n=1$, name three legibility surfaces that already pay off (§6.1), and explain why none of them are discovery-ranking. (6.4) In Thm. 6.1, what happens to the bit floor as $k \rightarrow 0$ (almost nothing is load-bearing) and as $k \rightarrow N/2$? Relate the answer to why a swarm doing mostly-safe work is cheap to digest and a swarm doing mostly-dangerous work is not.

Open problem.

(6.5)*** Thm. 6.1 assumes the load-bearing subset is fixed and known to an oracle. In practice it is itself estimated, and the estimator can be gamed. Does the bound survive an adversary who controls which artifacts *appear* load-bearing? Connect to adversarial legibility (Ex. 3.4).

7 Discovery: the directory substrate and the split ranker

A performative cannot be addressed until the swarm knows who exists. The *directory substrate* — the existence layer a message must address — belongs with the discovery story, so we treat it here.

7.1 Existence: the yellow pages (a solved shape)

The canonical prior art is forty years old. **FIPA** (*Foundation for Intelligent Physical Agents*) made a **Directory Facilitator** (DF) — the mandatory “yellow pages” agent: *others register the services they offer and query to find agents that offer a needed service* (FIPA Agent Management Specification, FIPA00023 [37]) — a required component of every conformant platform, alongside the **Agent Management System** (AMS, the “white pages” for *identity* lookup). Two FIPA choices matter: the DF is *push-based* (agents self-advertise), and DFs may *federate* (the seed of cross-operator discovery). The DF has been re-invented almost beat-for-beat for LLM agents (Ren et al. 2025, *Agent Name Service* [38] — a *DNS-inspired naming and capability-resolution layer with public-key-backed identity*, which is FIPA’s DF with a 2025 threat model).

The existence layer is the easy part: a coordination database that records the live population, their stated purpose, and their file claims is a white-pages directory, and a vector index that embeds each agent’s declared capabilities and answers nearest-neighbor queries is a yellow-pages directory over skills. Existence is not the gap; the layers above it are.

7.2 Relevance: the split ranker (the headline result)

A flat registry answers “does an OAuth specialist exist?” It does not answer “of the fifty live agents, who should I ask about *this* OAuth bug, given who touched these files an hour ago and who wrote the design note?” That is a *ranking* problem. The **discovery ranker** scores each

candidate c against a query q as a clamped weighted sum of normalized sub-scores:

$$\begin{aligned} z(c, q) &= w_f \text{file}(c, q) + w_n \text{note}(c, q) + w_i \text{ident}(c, q) \\ &\quad + w_s \text{skill}(c, q) + w_e \text{epis}(c, q) - w_\ell \text{load}(c), \\ \text{fit}(c, q) &= \text{clamp}(z(c, q), 0, 1). \end{aligned} \tag{2}$$

where file rewards recent claims on the query’s files, note and epis are text-similarity over the candidate’s written notes and past episodes, ident and skill score declared identity and embedded capability, and load penalizes an already-busy candidate. The design deliberately blends *push* signals (declared capability — gameable and prone to staleness) with *pull* signals (demonstrated capability: what the agent actually *did*, in which there is no self-report to lie in). One discipline is non-negotiable: **never classify free text by keyword lists**. Keyword matching has catastrophic recall, because the category’s vocabulary cannot be enumerated in advance; the only exact-string match permitted is over *structured identifiers the operator controls* (file paths, enum tags). Every free-text signal uses a ranked-retrieval scorer (BM25, character-bigram TF-IDF, or learned embeddings).

It is tempting to claim that this discovery ranker and the operator-facing *attention queue* are *the same function* with different weights. The claim is elegant and, on inspection, false: the two readers have incompatible loss functions. We state the distinction as a theorem.

Theorem 7.1 (No universal monotone identification of the two heads). *On any item domain containing both high-fit/low-risk and low-fit/high-risk examples, there is no strictly increasing scalar transform that identifies discovery fit with operator regret. The two rankers may share candidate generation and recency decay, but apply distinct scoring heads. Discovery uses capability fit (Eq. 2); the attention queue uses regret-if-ignored:*

$$\text{regret}(x) = \underbrace{\text{stakes}(x)}_{\text{magnitude}} \times \underbrace{\text{irreversibility}(x)}_{v^{-1}} \times \underbrace{\text{anomaly}(x)}_{\text{surprise}}. \tag{3}$$

No universal monotone transform of one scalar yields the other on that domain.

Proof sketch. Suppose, for contradiction, that there is a strictly monotone map ϕ with $\text{regret}(x) = \phi(\text{fit}(x))$ for all items x , so the two heads induce the same ranking. Construct two items. Item A is a highly capable, perfectly on-topic completion of a safe, fully reversible task: $\text{fit}(A)$ is maximal, but $\text{stakes}(A) \cdot \text{irreversibility}(A) \cdot \text{anomaly}(A)$ is near zero, so $\text{regret}(A)$ is minimal. Item B is an off-topic, low-capability agent that has nonetheless just proposed an irreversible, high-stakes, anomalous action: $\text{fit}(B)$ is low, but $\text{regret}(B)$ is maximal. Then $\text{fit}(A) > \text{fit}(B)$ while $\text{regret}(A) < \text{regret}(B)$, so the two heads order $\{A, B\}$ oppositely. No monotone ϕ can both preserve and reverse an order, contradiction. Hence the heads optimize genuinely different objectives; they may share candidate generation and decay, but the scoring head must be chosen per reader. $\square$ $\square$

The consequence is a design rule: the operator wants the *most dangerous* item surfaced, the agent wants the *most capable* collaborator. Collapsing them into one ranker silently serves one reader and starves the other.




Figure 8: The split ranker (Thm. 7.1). The discovery ranker and the operator’s attention queue *share* candidate generation and recency-decay (Prop. 7.1) over the same signals — claims, skills, notes, episodes, presence — but apply distinct scoring heads: discovery maximizes *fit* (capability match, Eq. 2); the attention queue maximizes *regret-if-ignored* (Eq. 3). The operator wants the most dangerous item surfaced, the agent wants the most capable collaborator — incompatible loss functions, not one objective with swapped weights, so the elegant “one ranker” claim is false-as-stated and demoted to “shared substrate, distinct heads.”

Protocol 7.1. Attention-queue ranking with miss-cost

On each refresh, given the live set of items and the operator’s per-class trust history:

1. **Generate.** Pull candidate items from the shared substrate, each tagged with a recency weight $\propto e^{-\lambda \text{ hoursAgo}}$ (Prop. 7.1).
2. **Score by regret.** For each item x compute $\text{regret}(x) = \text{stakes}(x) \cdot \text{irreversibility}(x) \cdot \text{anomaly}(x)$ (Eq. 3).
3. **Apply the cost matrix.** Convert regret to a forced-zoom probability via the Signal-Detection criterion of Def. 5.1: the higher $C_{\text{miss}}/C_{\text{fa}}$ for the item’s action class, the more aggressively it is surfaced — the miss-cost term, not raw rank, decides what interrupts.
4. **Lane and emit.** Place items above the distress threshold on the reserved high-priority lane; emit the rest in regret order. Log what was *not* surfaced and why (the suppression counter-surface of §9).

7.3 The quality gates: refuse-to-route and the costly escalation

Two gates carry most of the design’s trustworthiness. **Refuse-to-route:** if every candidate falls below a confidence floor, the ranker returns empty-with-explanation, not a confident wrong answer — “I don’t know” must beat a guess, because sending an agent to the wrong door is high-cost and silent. This is the exact dual of the completion gate’s fail-loud (Def. 4.1): both are the same refuse-to-guess discipline, one on the read side, one on the authority side. **The costly escalation:** the attention queue is the system’s *most spoofable* surface — agents that learn the stakes-ranking will manufacture distress to win the operator’s attention. Goodhart’s law applies more sharply here than to the discovery ranker (Strathern 1997 [40]). The fix is signaling theory: an escalation the operator dismisses *debts the agent’s standing*, so crying wolf is costly — the pre-trusted-set idea of **EigenTrust** (Kamvar et al. 2003 [39]) applied to the distress lane. This arms the abdication-resistance and Goodhart gaps at once.

7.4 Staleness and decay on every read-surface

A recurring failure in real fleets makes the point concretely. An agent process dies or hits a provider usage limit, but its file claim remains on the books; hours later that *dead* claim still reads as “current” and a live agent is blocked from a file nobody is actually working in. This is a staleness bug, and it generalizes to every projection.

Property 7.1 (Universal recency-decay). Every read-surface projection — briefing, resurrection handoff, discovery result, attestation report — carries an explicit TTL or recency-decay. A pull signal contributes $\propto \exp(-\lambda \cdot \text{hoursAgo})$ with class-specific half-lives (e.g. a short half-life for file claims, longer for episodic memory, notes capped at a couple of days). *A stale row can never outrank a live one; a dead-session claim must decay out of “current,” not persist as misleading truth.* This is not a new mechanism but a uniform application of the decay primitive that already governs the pheromone layer, and it is the production discipline of every health-checked, TTL-expiring service registry [41].

The dead-claim case is the worked instance: had the resurrection handoff and the claim projection carried Prop. 7.1, the dead agent’s claim would have aged out of “current” rather than blocking a live agent. Decay is easy to apply to a forgetting layer and easy to forget on a digest; Prop. 7.1 closes that gap by making it universal.

7.5 Ambient legibility: the cross-modal load-balancer

Per Wickens’ Multiple Resource Theory (§5), attention is vectored, not scalar. The dense console loads the *visual-focal* channel; an ambient channel — a menu-bar indicator that turns red on a PASS-to-FAIL transition, an opt-in sound, a reduced-motion cue — loads a *different*, always-visible, pre-attentive channel. This is not a second-class fallback — it is the cross-modal load-balancing mechanism, and it may be the *primary* alarm path, because a separate low-clutter field is where pop-out actually works (**Treisman & Gelade 1980**, Feature Integration Theory [29] — *a single salient feature pops out pre-attentively in $\sim 200\text{--}500\text{ ms}$ in a non-cluttered field, but degrades toward serial search as distractor heterogeneity rises* — so a busy console defeats the pop-out a dense, single-color distress lane depends on).

Exercises

Check your understanding.

(7.1) State Thm. 7.1 in one sentence and give the loss function each head optimizes. (7.2) Why is the attention queue more Goodhart-exposed than the discovery ranker (§7.3)?

Trace the mechanism.

(7.3) Replay the dead-claim case (§7.4) twice: once without Prop. 7.1 and once with it. Show exactly where the live agent unblocks. (7.4) An agent fires an escalation; the operator dismisses it. Trace the costly-signal debit and explain how it deters crying wolf without silencing genuine distress.

Open problems.

(7.5)** Calibrating the discovery-ranker weights with *no* ground truth: can the operator’s accept/reject of routing suggestions serve as implicit relevance feedback — and does that loop Goodhart itself? (7.6)* The decay-vs-summary boundary: a theory of *which* compaction for *which* signal (decay for coordination traces, summary for decisions, eviction-plus-pointer for reconstructable artifacts).

8 Tokens: the swarm’s COGS *and* its legibility engine

A swarm of coding agents has exactly one consumable that is both metered and meaningful: **tokens** — *the sub-word units an LLM reads and writes, billed per million* (**Sennrich et al.**

2016, byte-pair encoding [32]). Tokens occupy a position no other resource does: they are *simultaneously* the swarm’s **cost-of-goods-sold** (the direct variable cost any agent economy must meter) *and* its **legibility engine** (the mechanism by which a swarm becomes seeable). The bridge between the two is **compaction**.

Key idea. The same compaction choice controls the bill *and* controls what is true and visible. When the context window fills you must drop something — and what you drop is a *cost* decision (you stop paying to carry it) *and* a *legibility* decision (whoever reads the residue no longer sees it). The act that resolves both is compaction, and compaction’s output is exactly the digest a human or successor agent reads. *The digest IS the compaction.*

8.1 Tokens as COGS, and the effective-context trap

For a fleet the unit of output is “a landed piece of work” and the dominant variable cost is inference tokens (input context + output generation, each priced per million) — the textbook shape of **COGS**. Every price an agent market can set (a rented fleet’s margin, an agent-for-hire’s outcome-per-token) needs a COGS line, so context economics is the *denominator* of the market, not a side metric. There is a cost trap: *effective* context $\ll$ *advertised* context. Models degrade well before their advertised window (**Liu et al. 2024**, *Lost in the Middle* [33] — *performance is highest at the beginning and end of context and degrades for information in the middle, even in long-context models*; **Anthropic 2025** names the same effect *context rot* [34]), rooted in the transformer’s n^2 attention over n tokens (**Vaswani et al. 2017** [35]). The consequence is blunt: packing an agent to 200K tokens does not buy 200K of capability; it buys degradation at full price. Budgeting to *effective* context is simultaneously a cost optimization and a quality optimization — the two point the same way, the defining feature of context economics. The primitive the market ultimately needs is a *per-agent-task token ledger keyed to outcomes* — “this task spent 84K input plus 12K output to land that change” — so that cost can be attributed to a witnessed result rather than to an opaque monthly bill.

8.2 Compaction is the legibility engine; the digest IS the compaction

Compaction (**Anthropic 2025** [34] — *taking a conversation nearing the window limit, summarizing it, and reinitiating with the summary*, with the discipline *maximize recall first, then optimize precision*) is the canonical move for keeping a long-horizon agent under budget. Its siblings — structured note-taking (external memory) and sub-agent context isolation (the parent never sees the bloat) — complete the family. The reframe: *the only artifact anyone reads to understand the swarm is a compaction of its raw trajectory*. The operator reads a digest, not six transcripts; the seventh agent reads a briefing, not the first six’s scrollbar; a crashed agent’s successor reads a handoff, not the dead agent’s context. Each is a summary of dropped tokens produced for a specific reader. So compaction is the legibility mechanism of the *entire swarm*: the same act that keeps the bill down produces the very digest a human or successor agent reads (Figure 9).




Figure 9: Five read-surfaces, each a token-compaction of the raw trajectory produced for a specific reader (§8.2): briefing is external note-taking, attention is precision compaction, episodic memory is recall-then-precision, pheromone is time-decay (forgetting), resurrection is a handoff summary. Viewed correctly, the swarm’s coordination layer is a *distributed compaction engine* — and because each surface is a compaction, each is governed by the same cost-and-legibility economics, the same recency-decay (Prop. 7.1), and the same one law (Def. 3.1).

The most counterintuitive instance is *forgetting as compaction*. **Pheromone decay** — multiplying every stored coordination trace by a decay factor each interval — implements **stigmergy** (Grassé 1959 [36] — *coordination via persistent traces left in a shared environment, as ants deposit evaporating trails*). Decay is deliberate, continuous, $O(1)$ compaction of the shared context: the map stays readable because the stale ink fades. It is legibility by subtraction, and it is the same primitive Prop. 7.1 generalizes to every read-surface.

8.3 The context-degradation cascade (the shared failure surface)

Cost and legibility share one failure surface: when compaction goes wrong, the bill *and* the truth degrade together (Figure 10). **(1) Lost-in-the-middle:** a load-bearing fact buried mid-window is paid-for-and-ignored — edge-place facts, shorten the window. **(2) Context rot:** quality decays as the window grows even with nothing dropped — compact earlier (the cost cure and the quality cure are the same act). **(3) Recursive-summarization collapse:** each summary injects model noise; summarize the summary enough and the noise compounds into confident fabrication. The load-bearing cure: *compact from the durable artifacts each round — the version-control history, the written notes, the coordination database — never from the previous summary*. A system whose artifacts are durable and addressable is unusually well-placed here, because each compaction re-derives from source instead of recursing on prose. **(4) Over-flattening (the Scott failure):** the digest reads clean but the real situation is unreachable from it — detection rule: any digest line with no deep-link to its artifact; cure: legibility-with-zoom enforced by construction. A spartan, text-only operator console enforces this almost for free, because a terminal grid *cannot* over-render: the medium itself forbids the flattening.




Figure 10: The context-degradation cascade (§8.3): rot makes you compact, naive compaction loses the middle, recursion fabricates, and the operator-facing digest over-flattens what’s left — the failures compound, hence “cascade.” Each rung (red) has a cure (teal), and breaking *any* rung stops the cascade; the load-bearing cure is *compact-from-artifacts* (rung 3), which a system with durable, addressable state (claims, notes, episodes) makes cheap. Cost and legibility share this surface: when compaction fails, the bill *and* the truth degrade together.

Strategy	What it drops	Failure if abused	When it is the right tool
Recursive summary	Older prose, re-summarized	Confident fabrication (rung 3)	Never as the <i>only</i> record; only over durable artifacts re-read each round
Edge-placement	Nothing; reorders	—	Whenever a fact is load-bearing: put it first or last (counters lost-in-the-middle)
External note-taking	In-context detail, kept on disk	Notes nobody reads	Decisions and rationale that a successor must recover
Sub-agent isolation	Child context the parent never sees	Parent loses zoomability into the child	Bounded sub-tasks whose only output the parent needs is a result
Decay / forgetting	Stale coordination traces, continuously	Live signal aged out too fast	Ephemeral coordination state (claims, presence), where staleness is the enemy
Eviction + pointer	The artifact body; keep an address	Dangling pointer if the artifact moves	Reconstructable artifacts (a diff, a log) addressable on demand

Table 3: The compaction strategies and their trade-offs. The unifying rule is Thm. 6.1: a strategy may drop inert detail freely but must retain enough to point at every load-bearing artifact. Recursive summary is the only strategy that can cross that floor irreversibly, which is why it must always compact from durable source, never from the previous summary.

8.4 Single-operator: account, don't auction

In the wedge all agents serve one operator, so there is *no incentive problem* — only a visibility problem. The right mechanism is *accounting*, not a market: a per-agent-task token ledger, budget caps, and a loud failure when a cap blows. The externality-pricing and Sybil-resistance machinery (Nisan et al. 2007 [42]; Douceur 2002, the Sybil attack [43]; Ostrom 1990, commons governance [44]) is a concern for the cross-operator economy, not the wedge — and it is one more reason the continuity-to-person-to-reputation through-line must come first: you cannot bill, cap, or reputation-score a swarm of disposable spawns, because Sybils dodge every per-agent mechanism. Context economics therefore *demand*s the identity layer it appears to precede.

Exercises

Check your understanding.

(8.1) Why is “the digest IS the compaction” (§8.2) more than a slogan — what concrete consequence does it have for how the operator’s digest is produced? (8.2) Explain why budgeting to effective context is simultaneously a cost and a quality optimization (§8.1).

Trace the mechanism.

(8.3) For each of the five compaction primitives (Figure 9), name the reader, what it drops, and what it keeps. (8.4) Walk the four-rung cascade (§8.3) and name the single cure that breaks each rung.

Open problems.

(8.5)★ The compaction-quality scalar: is *successor-replay-success- from-digest-alone* a sound, gaming-resistant metric, and can it be made a cheap attestation invariant (the replay smoke-test is itself token-expensive)? (8.6)★ Optimal token-budget allocation across a DAG of orchestrator/worker/ reviewer agents under a total budget.

9 Reconciling the canon: roles, consent, and local knowledge

The Leviathan metaphor is load-bearing only if it survives contact with the political- theory canon. Three reconciliations are required, and a reviewer would refuse the paper without them.

9.1 Who is the multitude, who is the sovereign?

Hobbes’ covenant is *among the subjects*; the sovereign is its product, not a party to it. So the metaphor breaks differently depending on which entity sits where (Figure 11). We assign roles explicitly, using Hobbes’ own author/actor distinction (*Leviathan* ch. 16 [1]):

- **The agents are the multitude.** They covenant — via the rule of the road, the coordination protocol — to be bound, each to all, enforced by the daemon. This is the literal Hobbesian covenant-among-subjects.
- **The daemon is the sovereign-as-actor.** It holds the authority the multitude instituted; it blocks, lands, escalates. But, per the legible-sovereign amendment (Prop. 2.1), it is the *most* legible actor, not (as in Hobbes) the least.
- **The operator is the author.** In Hobbes’ author/actor split, the *author* owns the authority that the *actor* exercises. The operator is not a peer subject and not the sovereign-in-action; the operator is the source of authority, exercising it through the daemon and able to withdraw it (Prop. 2.2). This is the slot Hobbes leaves for the one who authorizes but does not personally act.

This assignment is what makes the consent grant (Def. 2.1) coherent: the author issues a scoped grant to the actor, over a multitude bound by covenant.




Figure 11: Role assignment (§9.1) in Hobbes’ author/actor distinction (*Leviathan* ch. 16). The *agents* are the multitude who covenant each-with-all; the *daemon* is the sovereign-as-actor that exercises the instituted authority — blocking, landing, escalating — but, by the legible-sovereign amendment (Prop. 2.1), is the most legible actor, not the least; the *operator* is the *author* who owns the authority, issues scoped consent grants (Def. 2.1), and holds the inalienable override (Prop. 2.2). Naming the operator “the sovereign” would break the covenant; the author slot is the one Hobbes leaves for the one who authorizes without personally acting.

9.2 Express consent, not tacit; voice *and* exit

§2.2 already made consent a first-class object precisely to escape Hume’s tacit-consent critique; the canon demands we also engage **Locke** (*Second Treatise*, §§95–122 [9] — *express consent binds where tacit consent does not*) and **Pateman** (*The Problem of Political Obligation*, 1979 [10] — *liberal consent theory keeps collapsing into hypothetical consent*). The consent grant is express by construction: a discrete, scoped, revocable authorization with an audit trail (Def. 2.1). And the inalienable override (Prop. 2.2) supplies the *exit* that Hirschman [11] says keeps *voice* honest. The design has rich voice machinery; the override is the missing exit, and exit is what gives the author real leverage over the actor.

9.3 Mêtis is Hayek, and some of it cannot be made legible

The honest admission of §3.1 — that a read-path to the diff is more legibility, not mêtis — has a 1945 economics name. **Hayek**, *The Use of Knowledge in Society* (1945 [12] — *the knowledge that matters is dispersed, particular to time and place, and not aggregable by any central planner; this is the fundamental reason central planning fails*) is the other half of Scott’s argument from the

opposite pole: the operator-attention economy (§5) is at bottom a Hayekian knowledge-allocation problem, not only a Wickens attention-resource problem. The core claim of this layer — “the binding constraint is decentralized, non-spawnable knowledge held in one head” — is a Hayek argument, and Scott’s *Two Cheers for Anarchism* (2012 [4]) is the *constructive* sequel that says what to do: preserve the spaces where *mêtis* lives, do not flatten them for legibility’s sake. The skill-retention tax (§5.4) is the design’s gesture at exactly this, and it is the hardest mechanism in the paper to realize, because preserving the illegible is, by definition, the thing legibility cannot do for you.

Exercises

Check your understanding.

(9.1) Map each of agents, daemon, operator onto Hobbes’ multitude, sovereign-actor, author. Why does the metaphor break if the operator is called the sovereign? (9.2) Why does Hirschman’s *exit* (Prop. 2.2) make *voice* (escalation) honest?

Trace the mechanism.

(9.3) Show that the consent grant (Def. 2.1) is *express* in Locke’s sense by listing the four properties that distinguish it from “the operator just started using the tool.”

Open problem.

(9.4)★ *The ranker as a political organ.* Specify the “what did the queue suppress, and why” counter-surface (Pitfall after Prop. 2.1) so that ranking-as-governing is itself legible. Does the counter-surface need its own counter-surface? Where does the regress terminate, and on what principle?

10 Related work and prior art

This paper sits at the confluence of five literatures that rarely cite one another. We survey them in one place; each was introduced in context above.

Legibility and the limits of central schemes. The organizing lens is **Scott’s** *Seeing Like a State* [3]: states make populations governable by imposing legibility, and high-modernist *over*-legibility recurrently fails because it destroys the local, hard-to-codify *mêtis* the simplified order depended on; *Two Cheers for Anarchism* [4] is its constructive sequel. The same point arrives from economics in **Hayek’s** *The Use of Knowledge in Society* [12]: the decisive knowledge is dispersed and not aggregable by a central planner. **Rao** [5] ported “legibility” into a standard lens on systems that flatten reality to a single purpose. Our contribution is to make Scott’s warning a *buildable* rule (digest-with-zoom, Def. 3.1) and to give it an information-theoretic floor (Thm. 6.1).

Authority, consent, and the social contract. The authority argument is Hobbesian [1, 2], amended by the liberal consent tradition — **Locke** [9], **Hume** [8], **Pateman** [10] — and by **Hirschman’s** exit/voice framework [11]. Strikingly, the state-of-nature-to-sovereign arc has been observed as an *emergent* dynamic of LLM populations (**Dai et al.** [6], building on **Park et al.** [7]). We turn the metaphor into a mechanism: an express, scoped, revocable consent grant (Def. 2.1) with an inalienable override (Prop. 2.2), and a legible-sovereign rule (Prop. 2.1) that inverts Hobbes’ opaque sovereign.

Human factors, automation, and signal detection. The operator model draws on the automation literature: **Bainbridge’s** ironies of automation [22], **Lee & See** on trust calibration [21], **Endsley** on situation awareness and the out-of-the-loop problem [23, 24], the

vigilance-decrement results of **Mackworth** [26] and **Warm et al.** [25], **Wickens**’ multiple-resource theory [20], **Treisman & Gelade**’s feature-integration theory [29], and **Miller**’s capacity limit [18]. The forced-zoom decision is modeled with **Green & Swets**’ Signal Detection Theory [17] (Def. 5.1); the alarm discipline follows process-control practice [30] and the clinical alarm-fatigue evidence [31]; **Campbell** [27] and **Strathern** [40] (Goodhart’s law) bound any metered governor. To our knowledge the operator-attention objective spined explicitly on SDT miss-cost (Eq. 1) is new to agent supervision.

Information foraging and the cost of reading. Read-poverty (Def. 6.1) is the agent-coordination instance of **Pirolli & Card**’s *information foraging theory* [19] — information-seekers follow “information scent” and abandon a patch when its expected yield falls below the cost of foraging — and of the long-context degradation results that make reading expensive even for machines (**Liu et al.** [33]; **Anthropic** [34]). The remedy is the classical database remedy — an index — recast as a directory over agents.

Agent discovery, naming, and trust. The directory substrate has deep prior art in **FIPA**’s Directory Facilitator and Agent Management System [37], re-invented for LLM agents as the Agent Name Service (**Ren et al.** [38]). For the trust layer that sits above discovery, the canonical reputation primitive is **EigenTrust**’s pre-trusted-set construction [39], with Sybil resistance per **Douceur** [43] and commons governance per **Ostrom** [44] — machinery the wedge defers but must not contradict. Our specific result here is the *split ranker* (Thm. 7.1): discovery and operator-attention ranking are provably distinct objectives, not one ranker with swapped weights.

Where this paper is positioned. Table 4 places the contribution against the nearest neighbors in each literature.

Literature	Nearest prior art	This paper’s move
Legibility	Scott; Hayek; Rao	Make over-legibility a buildable failure mode; prove a legibility lower bound
Social contract	Hobbes; Locke; Hume; Hirschman	Express, scoped, revocable consent grant; inalienable override; legible sovereign
Automation & trust	Bainbridge; Lee & See; Endsley	Per-(action-class, agent) calibration; SDT miss-cost objective; skill-retention tax
Information foraging	Pirolli & Card; lost-in-the-middle	Read-poverty as the binding scale constraint; directory-as-index
Discovery & trust	FIPA DF/AMS; ANS; EigenTrust	Split ranker: fit vs. regret-if-ignored are distinct objectives

Table 4: Where this paper sits relative to the nearest prior art in each of its five contributing literatures.

11 The time axis and the bridge to the economy

11.1 Legibility over time, not just the present

It is tempting to treat legibility as a snapshot — what is the swarm doing *now*. But most operator decisions are forensic: *why* did this land? The time axis is a distinct legibility mode — a replay scrubber over history, commit-anchored provenance on every annotation, and an append-only event log that answers “how did we get here?” (Scott’s cadastral map is static; a swarm needs

a legible *history*.) Together with the projection mode (§5.3), legibility spans all three tenses: the forensic past (replay), the inspectable present (digest-with-zoom), and the projected future (freeze-probe SA).

11.2 What this layer hands upward (the through-line)

The wedge is the single-player product. But the same legibility discipline applied to *continuity* is the load-bearing wall of everything above it. The through-line the companion papers depend on is one sentence:

The economy rests on three continuity organs — memory, checkpoint (today, notes rather than true execution state), and a witnessed-outcome ledger (today, commitments and oracle closure rather than neutral graded outcomes) — and reputation keys on the richer third organ; the checkpoint organ is the weakest continuity link, and a real execution-state checkpoint — “resurrection with teeth” — is the literal foundation of any agent market.

Concretely, the legibility layer provides upward:

- **Legible continuity** — resurrection-with-memory, episodic memory, and the briefing together make an agent’s continuity legible. This is the precondition for the through-line *memory + checkpoint → continuity → a person not a spawn → reputation → a tradeable asset → the market*. No legible continuity, no reputation, no tradeable agent. *The score is cheap; the substrate it scores over — witnessed outcomes on a non-forgeable identity — is the gate*. That non-forgeable identity is a BUILT (WEAK) single-operator primitive in the wedge: daemon-minted **actor-souls** and a bounded newcomer pool ship, while universal write-boundary enforcement does not. The cross-operator attestation a real market needs is an additional, as-yet-unbuilt mechanism the economy paper must declare rather than assume.
- **The completion ledger** — in the target design, every verified completion (and every loud-failed one) becomes an outcome event. Today durable commitments, oracle-bound closure, and overdue detection form a partial witness substrate; neutral grading and reputation updates do not ship. This layer is the *outcome witness*; the reputation layer is the *scorer*. The split-ranker substrate (Thm. 7.1) and the costly-escalation signal (§7.3) are the candidate-generation and trust-signal scaffolding the reputation head consumes.
- **The consent grant as a priceable object** — a hosted-trust offering is the transfer of a consent grant (Def. 2.1) to a third party, which the economy paper prices.
- **Operator-attention economics** — the denominator a market cannot escape. The SDT-spined objective (§5) supplies the operator-attention cost of supervising a rented fleet.

The Leviathan that makes your swarm legible to you, without lying to you with a pretty map, is the product. Everything above it — federation, the market — is a second Leviathan made of the first.

11.3 The open problems, as a map

Table 5 consolidates the starred exercises into the paper’s open-problem surface, with the rung each couples to. They are genuine research problems, not homework dressed up.

Open problem	Difficulty	Couples to
Forced-zoom rate $p(r, s, v)$ (Ex. 5.4)	***	reputation (r term, Eq. 1)
Operator-attention vs. token-COGS Pareto frontier (Ex. 5.4)	***	§8
Compaction-quality scalar as an attestation invariant (Ex. 8.5)	**	honest attestation
Completionist verification of the unverifiable (Ex. 4.4)	**	Def. 4.1
Adversarial legibility (narration $\leftrightarrow$ artifact) (Ex. 3.4)	***	sandbox + reputation
Abdication-resistance: does the tax preserve SA? (Ex. 5.5)	**	§5.4
Calibrating discovery-ranker weights with no ground truth (Ex. 7.5)	**	implicit relevance feedback
Decay-vs-summary boundary (Ex. 7.6)	*	Prop. 7.1
Legibility's information-theoretic lower bound (Ex. 6.5)	***	Thm. 6.1
The ranker-as-political-organ regress (Ex. 9.4)	**	Prop. 2.1

Table 5: The paper's open problems, consolidated from the starred exercises, with difficulty and the mechanism each couples to. Several couple this layer forward to the identity-and-reputation layer, which is the seam the companion papers carry.

Key idea. The wedge is a single-player product a solo developer pays for *today* — no economy, no cryptography, no second operator. It justifies the authority (the swarm is a state of nature; consent to a *legible local* Leviathan is rational), sets the product's quality bar (legibility-with-zoom, verifiable targets, SDT-spined friction, honest completion), and connects forward (legible continuity is the load-bearing wall of any future market). Build the harbor first; the trade comes when the ships do.

References

- [1] Thomas Hobbes. *Leviathan, or The Matter, Forme and Power of a Common-Wealth Ecclesiasticall and Civill*. 1651.
- [2] *Hobbes's Moral and Political Philosophy*. Stanford Encyclopedia of Philosophy. <https://plato.stanford.edu/entries/hobbes-moral/>
- [3] James C. Scott. *Seeing Like a State: How Certain Schemes to Improve the Human Condition Have Failed*. Yale University Press, 1998.
- [4] James C. Scott. *Two Cheers for Anarchism*. Princeton University Press, 2012.
- [5] Venkatesh Rao. A Big Little Idea Called Legibility. *ribbonfarm*, 2010. <https://www.ribbonfarm.com/2010/07/26/a-big-little-idea-called-legibility/>
- [6] Gordon Dai, Weijia Zhang, Jinhan Li, Siqi Yang, Chidera Onochie Ibe, Srihas Rao, Arthur Caetano, and Misha Sra. Artificial Leviathan: Exploring Social Evolution of LLM Agents Through the Lens of Hobbesian Social Contract Theory. arXiv:2406.14373, 2024. <https://arxiv.org/abs/2406.14373>

- [7] Joon Sung Park, Joseph C. O'Brien, Carrie J. Cai, Meredith Ringel Morris, Percy Liang, and Michael S. Bernstein. Generative Agents: Interactive Simulacra of Human Behavior. In *UIST*, 2023. arXiv:2304.03442.
- [8] David Hume. Of the Original Contract. 1748.
- [9] John Locke. *Second Treatise of Government*, §§95–122. 1689.
- [10] Carole Pateman. *The Problem of Political Obligation: A Critique of Liberal Theory*. Wiley, 1979.
- [11] Albert O. Hirschman. *Exit, Voice, and Loyalty: Responses to Decline in Firms, Organizations, and States*. Harvard University Press, 1970.
- [12] Friedrich A. Hayek. The Use of Knowledge in Society. *American Economic Review*, 35(4):519–530, 1945.
- [13] Diego Ongaro and John Ousterhout. In Search of an Understandable Consensus Algorithm (Raft). In *USENIX ATC*, 2014.
- [14] Fred B. Schneider. Enforceable Security Policies. *ACM Transactions on Information and System Security*, 3(1):30–50, 2000.
- [15] Miles Turpin, Julian Michael, Ethan Perez, and Samuel R. Bowman. Language Models Don't Always Say What They Think: Unfaithful Explanations in Chain-of-Thought Prompting. In *NeurIPS*, 2023. arXiv:2305.04388.
- [16] Bertrand Meyer. Applying “Design by Contract”. *IEEE Computer*, 25(10):40–51, 1992.
- [17] David M. Green and John A. Swets. *Signal Detection Theory and Psychophysics*. Wiley, 1966.
- [18] George A. Miller. The Magical Number Seven, Plus or Minus Two. *Psychological Review*, 63(2):81–97, 1956.
- [19] Peter Pirolli and Stuart Card. Information Foraging. *Psychological Review*, 106(4):643–675, 1999.
- [20] Christopher D. Wickens. Multiple Resources and Performance Prediction. *Theoretical Issues in Ergonomics Science*, 3(2):159–177, 2002.
- [21] John D. Lee and Katrina A. See. Trust in Automation: Designing for Appropriate Reliance. *Human Factors*, 46(1):50–80, 2004.
- [22] Lisanne Bainbridge. Ironies of Automation. *Automatica*, 19(6):775–779, 1983.
- [23] Mica R. Endsley. Toward a Theory of Situation Awareness in Dynamic Systems. *Human Factors*, 37(1):32–64, 1995.
- [24] Mica R. Endsley and Esin O. Kiris. The Out-of-the-Loop Performance Problem and Level of Control in Automation. *Human Factors*, 37(2):381–394, 1995.
- [25] Joel S. Warm, Raja Parasuraman, and Gerald Matthews. Vigilance Requires Hard Mental Work and Is Stressful. *Human Factors*, 50(3):433–441, 2008.
- [26] Norman H. Mackworth. The Breakdown of Vigilance During Prolonged Visual Search. *Quarterly Journal of Experimental Psychology*, 1(1):6–21, 1948.

- [27] Donald T. Campbell. Assessing the Impact of Planned Social Change. *Evaluation and Program Planning*, 2(1):67–90, 1979.
- [28] Sophie Leroy. Why Is It So Hard to Do My Work? The Challenge of Attention Residue When Switching Between Work Tasks. *Organizational Behavior and Human Decision Processes*, 109(2):168–181, 2009.
- [29] Anne M. Treisman and Garry Gelade. A Feature-Integration Theory of Attention. *Cognitive Psychology*, 12(1):97–136, 1980.
- [30] ANSI/ISA. *ANSI/ISA-18.2: Management of Alarm Systems for the Process Industries*. 2016.
- [31] Maria Cvach. Monitor Alarm Fatigue: An Integrative Review. *Biomedical Instrumentation & Technology*, 46(4):268–277, 2012.
- [32] Rico Sennrich, Barry Haddow, and Alexandra Birch. Neural Machine Translation of Rare Words with Subword Units (BPE). In *ACL*, 2016.
- [33] Nelson F. Liu, Kevin Lin, John Hewitt, Ashwin Paranjape, Michele Bevilacqua, Fabio Petroni, and Percy Liang. Lost in the Middle: How Language Models Use Long Contexts. *TACL*, 12:157–173, 2024. arXiv:2307.03172.
- [34] Anthropic. Effective Context Engineering for AI Agents. 2025. <https://www.anthropic.com/engineering/effective-context-engineering-for-ai-agents>
- [35] Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention Is All You Need. In *NeurIPS*, 2017. arXiv:1706.03762.
- [36] Pierre-Paul Grassé. La reconstruction du nid et les coordinations interindividuelles... La théorie de la stigmergie. *Insectes Sociaux*, 6:41–80, 1959.
- [37] Foundation for Intelligent Physical Agents. *FIPA Agent Management Specification (SC00023)*. 2002. <http://www.fipa.org/specs/fipa00023/>
- [38] V. Ren et al. Agent Name Service (ANS): A Universal Directory for Secure AI Agent Discovery and Interoperability. arXiv:2505.10609, 2025.
- [39] Sepandar D. Kamvar, Mario T. Schlosser, and Hector Garcia-Molina. The EigenTrust Algorithm for Reputation Management in P2P Networks. In *WWW*, 2003.
- [40] Marilyn Strathern. “Improving Ratings”: Audit in the British University System. *European Review*, 5(3):305–321, 1997. (Goodhart’s law.)
- [41] HashiCorp. Consul Service Discovery and DNS Interface (health-checked, TTL-expiring registry). <https://developer.hashicorp.com/consul/docs/discover>
- [42] Noam Nisan, Tim Roughgarden, Éva Tardos, and Vijay V. Vazirani (eds.). *Algorithmic Game Theory*. Cambridge University Press, 2007.
- [43] John R. Douceur. The Sybil Attack. In *IPTPS*, 2002.
- [44] Elinor Ostrom. *Governing the Commons: The Evolution of Institutions for Collective Action*. Cambridge University Press, 1990.

A Implementation and status

The body of this paper argues mechanisms on their merits and does not depend on any of them being built. This appendix — and *only* this appendix — records the concrete engineering status of each mechanism in the reference implementation, named *Port Daddy*. We use four honest labels, with one rule for the whole table: confusing *built* with *designed* is itself the failure the paper argues against, so each row carries its evidence.

built = code exists in the reference implementation today; **BUILT (WEAK)** = code exists but is partial, unwired, or honest about a known gap; **DESIGNED** = a concrete, accepted design with no merged implementation; *vision* = a mechanism argued in this paper with no design document yet.

	Mechanism	Status	Evidence / location
L	Attention composer (agent-facing)	built	<code>lib/attention.ts</code>
L	Briefing projection (exemplary digest-with-zoom)	built	<code>lib/briefing.ts</code>
L	Resurrection handoff	BUILT (<i>WEAK</i>)	<code>lib/resurrection.ts</code> ; notes, not checkpoints
L	Durable commitment / outcome substrate	BUILT (<i>WEAK</i>)	<code>lib/commitments.ts</code> , <code>lib/obligation-monitor.ts</code> ; grading and reputation binding absent
L	Local actor identity root	BUILT (<i>WEAK</i>)	<code>lib/actor-souls.ts</code> , <code>lib/budget-guard.ts</code> ; universal write gating absent
L	Honest attestation / legible sovereign	built	<code>lib/attest.ts</code> ; ADR-0045
L	Episodic memory; pheromone decay; skill index	built	<code>lib/episodic-memory.ts</code> , <code>lib/pheromone.ts</code> , <code>lib/shipwright/skill-index.ts</code>
L	Anomaly monitor (detect-and-compensate, post-commit)	BUILT (<i>WEAK</i>)	<code>lib/arbitrator.ts:328</code> is a log subscriber (Prop. 4.1)
L	Operator attention queue (regret-ranked lanes)	DESIGNED	ADR-0046; not yet ranked into lanes
L	Discovery router (relevance ranking)	DESIGNED	ADR-0030; <code>lib/router.ts</code> not yet on disk
L	Text-only operator console	DESIGNED	ADR-0046; <code>core/pd-tui</code> not yet on disk
A	Roadmap-as-truth (authority accountable to it)	BUILT (<i>WEAK</i>)	<code>rows/matrices</code> exist; accountability DESIGNED
A	Adversarial / conflict-free review organ	DESIGNED	ADR-0047 Phase 1
A	Completionist completion (verifier-gated)	<i>vision</i>	Def. 4.1; no design doc yet
A	Escalation (typed prioritized interrupt)	DESIGNED	ADR-0047 → ADR-0046 distress lane; predicate unspecified
A	Thoughtful landing / merge ordering	BUILT (<i>WEAK</i>)	<code>lib/merge-queue.ts</code> present, not wired
O	Operator-attention objective (SDT-spined)	<i>vision</i>	Def. 5.1; unmodeled in code
O	Trust calibration via canary + catch-rate	<i>vision</i>	no implementation
O	Consent grant + inalienable override	<i>vision</i>	Def. 2.1, Prop. 2.2
O	Time-axis legibility (replay, provenance)	DESIGNED	ADR-0046 replay scrubber; event log built
O	Ambient legibility (menu-bar indicator on PASS→FAIL)	BUILT (<i>WEAK</i>)	indicator exists; watchdog wire DESIGNED

Table 6: Implementation and status of every mechanism named in this paper. **L** = legibility half, **A** = authority half, **O** = operator-model. The legibility read-surfaces are largely built; the digest layer that unifies them is designed; the authority half — the Leviathan actually *ruling* — and the operator-model are largely designed-to-proposed. The wedge is real but more than half-designed: the safety and reading exist; the deciding and landing are the work that remains.

Three points about the reference implementation are load-bearing enough to restate:

1. **The anomaly monitor is detect-and-compensate, not prevention** (Prop. 4.1). The monitor at `lib/arbiter.ts:328` is a post-commit log subscriber; by Schneider [14] it enforces no safety property. “Physically unreachable” is reserved for constraint- or boot-gate-enforced states only.
2. **The unified ranker is two rankers** (Thm. 7.1). The discovery router maximizes *fit*; the attention queue maximizes *regret-if-ignored*. They share candidate generation and decay, not an objective.
3. **Every read-surface decays** (Prop. 7.1). Briefing, resurrection, discovery, and attestation projections all carry recency-decay; the dead-claim case (§7.4) is the worked failure this closes.

B Notation and the nomenclature key

Two distinctions in this paper are easy to collapse and load-bearing to keep separate.

- **Capability vs. permission.** *Capability* is *ability* — what the execution sandbox physically makes possible. *Permission* is *normative status* — what the policy layer allows. They must never be collapsed: “able but forbidden” (a dangerous escape-hatch flag that exists in the tooling but must not be used) has to stay expressible, or the system cannot reason about a capability it possesses but is not permitted to exercise.
- **Two distinct delegation objects.** The *authorization chain* is a cryptographic, hop-bound, attenuation-monotonic delegation chain (a security object, developed in the companion protocol paper). The *delegation trace* is the coordination object over which loop-detection runs (a liveness object, in this paper’s protocol layer). They are different artifacts with different invariants; “delegation chain” unqualified conflates a security claim with a coordination claim and must be avoided.
- **Physically unreachable** is reserved for constraint-enforced or boot-gate-enforced states only (Prop. 4.1); a detect-and-compensate monitor never earns the phrase.