

Find the output - Constructor Overloading :

Question 1 :

Find the output for the following program:

```
public class Volume{
    double vol;
    public Volume(int s){
        vol = s * s * s;
    }
    public Volume(int l, int b, int h){
        vol = l*b*h;
    }
    public Volume(double r){
        vol = 4/3 * 3.14 * r * r *r;
    }
    void print(){
        System.out.println(vol + " is the volume of the shape");
    }
    public static void main(){
        Volume obj1 = new Volume(3);
        Volume obj2 = new Volume(3, 5 , 7);
        obj1.print();
        obj2.print();
    }
}
```

Question 2 :

Find the output for the following program:

```
class Student{
    String name;
    int age;
    public Student(){
        name = "New Student";
        age = 18;
    }
    public Student(String n, int a){
        name = n;
        age = a;
    }
    String displayName(){
        return name + " ";
    }
    public static void main(String[] args){
        Student one = new Student();
        Student two = new Student("Surya", 15);
        System.out.println(one.displayName() + two.displayName());
    }
}
```

Question 3 :

Find the output for the following program:

```
class Value{
    double a,b;
    public Value(){
        a = 3.0;
        b = 2.5;
    }
    public Value(double x, double y){
        a = x;
        b = y;
    }
    void display(){
        double max = Math.max(a,b);
        System.out.println(max);
    }
    public static void main(){
        Value val = new Value();
        Value val2= new Value(2.1, 4.5);
        val.display();
        val2.display();
    }
}
```