AMPERE | GREAVES ELECTRIC MOBILITY



NEXUS

Performance Meets Comfort

Engineered To Outperform. Outlast. Outshine.

Real Safety. Unreal Reliability.
Longest Running and Safest Lithium Ferro Phosphate Battery.
Brightest Diamond Cut Headlamps.

Real Strength. Unreal Durability.
Dual Frame Extra Strong Chassis.
High Ultimate Tensile Strength Steel SPFH 590.
Tested 1 Mn+ Kms, 6 National Records and 1 International Record.

Real Rides. Unreal Experience.
Perfect for any Family Member, Any Road.
Practical Technology, Software on Wheels.
High Performance Mid-Mount Motor.

Real Convenience. Unreal Comfort
Charge Anywhere, Charge Fastest.
Ride upto 100+ KMs.
Big Seat, Best Suspension, Best Ground Clearance.

Real Trust. Unreal Care.
Best-In-Class Warranty with Always-on Service Support.
17 Years of EV Expertise.
165 Years of Greaves Engineering Excellence.



MAGNUS

The Perfect City Electric Scooter



NEO

Comfortable and Convenient Electric Scooter for First Time Riders

CHIRAG AUTOMOTIVE
"Spark Your Journey With Seamless Support"

Electric Scooter of the Year

INDIA DESIGN MARK

165 YEARS EMPOWERING LIVES

17 YEARS EV EXPERTISE

Safe Lithium Ferro Phosphate Battery
With Upto 5Y/75,000 Kms Warranty*
PAN-India Service Support
15+ Financing Options

70417 56888

SAMA-GF 23/24 EARTH EON, OPP URMI SCHOOL, SAMA SAVLI ROAD, VADODARA.

KALALI – ABHISHEK LANDMARK OPP JAGNATH MAHADEV TEMPLE, KALALI, VADSAR ROAD, VADODARA.

SPECIFICATIONS


		NEXUS EX	NEXUS ST
Battery	Capacity (kWh)	3.0	3.0
	Chemistry	LFP	LFP
	Battery Life (km)	2,00,000	2,00,000
	Range IDC (km)	136	136
	Range Real (km)	100	100
Motor	Peak Power (kW)	4.0	4.0
	Peak Torque at wheel (Nm)	162	162
	Gradeability (deg)	16	16
	Acceleration 0–40 (sec)	4.8	4.8
Warranty	Vehicle (Y/Kms)	3 / 30,000	3 / 30,000
	Battery (Y/Kms)	5 / 75,000	5 / 75,000
Storage	Bootspace (L)	22	22
	Helmet	1 full	1 full
Charging Time	0–100%	3.3	3.3
	0–80%	3.0	3.0
	Charger	Off board	Off board
Wheel	Steel vs Alloy	Alloy	Alloy
	Size F / R (inch)	12 / 12	12 / 12
Driving Comfort	Ground Clearance (mm)	176	176
Brakes	Front / Rear	Disc / Drum	Disc / Drum
	ABS	NA	NA
Speed	Top speed (kmph)	93	93
Cluster	Riding Modes + Reverse	3 + 1	3 + 1
	Tech	PMVA	TFT
	Size (inch)	6.2	7.0
Aesthetics	Seat	Std	Std
	Color	6	6

CARBON KNIGHT | ZANSKAR AQUA | LUNAR WHITE | INFINITE BLUE | INDIAN RED | STEEL GREY

*T&C Apply

SPECIFICATIONS

		MAGNUS NEO	MAGNUS GRAND	MAGNUS EXTA
Battery	Capacity (kWh)	2.3	2.3	3.0
	Chemistry	LFP	LFP	LFP
	Battery Life (km)	1,70,000	1,70,000	2,20,000
	Range IDC (km)	118	118	142
	Range Real (km)	85	85	110
Motor	Peak Power (kW)	2.4	2.4	2.4
	Peak Torque at wheel (Nm)	110	110	110
	Gradeability (deg)	12	12	12
	Acceleration 0–40 (sec)	6.5	6.5	6.5
Warranty	Vehicle (Y/Kms)	3 / 30,000	3 / 30,000	3 / 30,000
	Battery (Y/Kms)	5 / 75,000	5 / 75,000	5 / 75,000
Storage	Bootspace (L)	22	22	33
	Helmet	1 half	1 full	1 full, 1 half
Charging Time	0–100%	6.0	6.0	7.25
	0–80%	5.0	5.0	5.45
	Charger	Off board	Off board	Off board
Wheel	Steel vs Alloy	Steel	Steel	Steel
	Size F / R (inch)	12 / 12	12 / 12	12 / 12
Driving Comfort	Ground Clearance (mm)	165	165	165
Brakes	Front / Rear	Drum / Drum	Drum / Drum	Drum / Drum
	ABS	NA	NA	NA
Speed	Top speed (kmph)	65	65	65
Cluster	Riding Modes + Reverse	2 + 1	2 + 1	2 + 1
	Tech	LCD	LCD	LCD
	Size (inch)	3.5	3.5	3.5
Aesthetics	Seat	Std	Std	Ergo
	Color	5	2	3



*T&C Apply