




Decline scenario



— $\{N_c = 1e3, t_0 = 25\}$ — $\{N_c = 5e3, t_0 = 25\}$ — $\{N_c = 1e3, t_0 = 50\}$ — $\{N_c = 5e3, t_0 = 50\}$

Constant scenario




— $N_c = 5e2$



— $N_c = 1e3$

— $N_c = 2e3$

— $N_c = 1e4$





Growth scenario





— $\{N_c = 1e4, t_0 = 25\}$ — $\{N_c = 5e3, t_0 = 25\}$ — $\{N_c = 1e4, t_0 = 50\}$ — $\{N_c = 5e3, t_0 = 50\}$

Invasion scenario





$\{N_f = 10, t_0 = 25\}$ $\{N_f = 100, t_0 = 25\}$ $\{N_f = 10, t_0 = 50\}$ $\{N_f = 100, t_0 = 50\}$

Bottleneck scenario



— $\{N_c = 1e3, t_1 = 50\}$ — $\{N_c = 1e3, t_1 = 100\}$ — $\{N_c = 5e3, t_1 = 50\}$ — $\{N_c = 5e3, t_1 = 100\}$

Carrying capacity scenario



— $\{N_f = 100, t_0 = 25\}$ — $\{N_f = 10, t_0 = 25\}$ — $\{N_f = 10, t_0 = 50\}$ — $\{N_f = 100, t_0 = 50\}$