Equations ... a Memoir
Vishnu, Sumanth, Carl, and Victor
July 17, 2015

Contents

1	Unt	ranslated Schrodinger Equation	i
	1.1	Partial Differential Equation	j
	1.2	Moment Equation	i
	1.3	Summation Moment Formulation	i
2	Tra	nslated Scaled Schrodinger Equation	i
2		nslated Scaled Schrodinger Equation	i
2	2.1	Partial Differential Equation	
2	2.1 2.2		i

1 Untranslated Schrodinger Equation

1.1 Partial Differential Equation

$$-\nabla^2 \Psi + (x^2 + y^2 + x^2 y^2)\Psi = E\Psi$$

1.2 Moment Equation

$$-p(p-1)\mu(p-2,q)-q(q-1)\mu(p,q-2)+\mu(p+2,q)+\mu(p,q+2)+\mu(p+2,q+2)-E\mu(p,q)=0$$

1.3 Summation Moment Formulation

$$\mu(p,q) = \sum_{i=0}^{N} M(p,q,2j)\mu(2j,2j)$$

2 Translated Scaled Schrodinger Equation

2.1 Partial Differential Equation

$$-\left[\nabla^2 + 4\alpha\left(x\frac{\partial}{\partial x} + y\frac{\partial}{\partial y}\right) + 4\alpha^2\left(x^2 + y^2\right) + 4\alpha\right]\tilde{\varphi}_a + \left[\left(x + \tau_1\right)^2 + \left(y + \tau_2\right)^2 + \left(x + \tau_1\right)^2\left(y + \tau_1\right)^2\right]\tilde{\varphi}_a = E\tilde{\varphi}_a$$

2.2 Moment Equation

$$\begin{split} -p(p-1)\tilde{\mu_{\alpha}}(p-2,q) - q(q-1)\tilde{\mu_{\alpha}}(p,q-2) + [4\alpha(p+q+1) + \tau_1^2 + \tau_2^2 + \tau_1^2\tau_2^2 - E]\tilde{\mu_{\alpha}}(p,q) + \\ 2\tau_1(\tau_2^2 + 1)\tilde{\mu_{\alpha}}(p+1,q) + 2\tau_2(\tau_1^2 + 1)\tilde{\mu_{\alpha}}(p,q+1) + 4\tau_1\tau_2\tilde{\mu_{\alpha}}(p+1,q+1) + \\ (\tau_2^2 - 4\alpha^2)\tilde{\mu_{\alpha}}(p+2,q) + (\tau_1^2 - 4\alpha^2 + 1)\tilde{\mu_{\alpha}}(p,q+2) + 2\tau_2\tilde{\mu_{\alpha}}(p+2,q+1) + 2\tau_1\tilde{\mu_{\alpha}}(p+1,q+2) + \tilde{\mu_{\alpha}}(p+2,q+2) = 0 \end{split}$$

2.3 Summation Moment Formulation

$$\tilde{\mu_{\alpha}}(p,q) = \sum_{j=0}^{Q} \tilde{M_{\alpha}}(p,q,j) \tilde{\mu_{\alpha}}(p_j,q_j)$$