

MySQL

module 2 SQL commands

→ Database operations

create database : create database name;

See all databases : show databases ;

delete database : drop database db-name;

→ Table operations

create table : CREATE TABLE table-name(
col1 datatype,
col2 datatype,
:);

foreign key : FOREIGN KEY(new-table-column)
REFERENCES old-table(old-table-column);

Show all : show tables;
tables

Show table st. : desc table-name;

insert values : INSERT INTO table-name(col1, col2, ...)
VALUES (), (), () ... ;

Display whole table : SELECT * FROM table-name

Display some cols : SELECT col1, col2 ... FROM
table-name;


update: UPDATE table-name
SET col1 = val1, col2 = val2
WHERE condition;

delete:
data DELETE from table-name
WHERE condition

delete table: DROP TABLE IF EXISTS table-name
delete data

from table: TRUNCATE table table-name;

⇒ Types of SQL commands




ADD
MODIFY
RENAME
DROP column

ADD: ALTER TABLE name
(column) ADD col-name datatype ;

MODIFY: ALTER TABLE name
(column) MODIFY col-name new-datatype ;

RENAME: ALTER TABLE name
(column) RENAME COLUMN old-col to new-col;

DROP : ALTER TABLE name
(column) DROP COLUMN col-name;



② Data control Language

GRANT: GRANT SELECT, UPDATE
TO user1, user2 ;

GRANT sysdba to user-name;

↓
giving full control &
super user privileges over dbms

REVOKE: REVOKE SELECT, UPDATE ...
ON table-name user1, user2;

③ Transactional control language

SAVEPOINT

↳ (check point)

ROLLBACK

↳ (go to marked
check point)

START TRANSACTION; To record insertions

insert data

SAVEPOINT name;

delete data

realization

(☹️)

ROLLBACK TO name;

Some statements can't be rolled back
like:

create / drop / alter tables

"

"

databases

