Desarrollo Web en Entorno Cliente

Ruth Ivorra Albert

Fundamentos de git

1. git -version

```
C:\Users\ruthp>git --version
git version 2.38.0.windows.1
```

2. Configuración inicial

```
C:\Users\ruthp>git config --global user.email ruth.ivorra.albert@gmail.com

C:\Users\ruthp>git config --global user.name Ruth

C:\Users\ruthp>git config --global user.surname Ivorra Albert

C:\Users\ruthp>git config --global core.editor "'C:\Users\ruthp\AppData\Local\Programs\Microsoft VS Code\Code.exe'
-multiInst -notabbar -nosession -noPlugin"

C:\Users\ruthp>
```

3.

a. Iniciar repositorio

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente>cd S1R1
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git init
Initialized empty Git repository in C:/Users/ruthp/OneDrive/Escritorio/DAW/DAW2/Cliente/S1R1/.git/
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>_
```

b. libros.txt




c. Primer commit

C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git add libros.txt

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git commit -m "3 libros"
[master (root-commit) 90dff13] 3 libros
1 file changed, 3 insertions(+)
create mode 100644 libros.txt
```


d. 2 libros más



e. Segundo commit

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git add libros.txt
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git commit -m "5 libros"
[master d8dc69b] 5 libros
1 file changed, 3 insertions(+), 1 deletion(-)
```


f. Películas



g. git status

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git status
On branch master
Untracked files:
   (use "git add <file>..." to include in what will be committed)
        peliculas.txt
nothing added to commit but untracked files present (use "git add" to track)
```


h. Comidas




Tercer commit

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git add peliculas.txt comidas.txt
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git commit -m "Pelis y comidas"
[master 2619eb7] Pelis y comidas
2 files changed, 6 insertions(+)
create mode 100644 comidas.txt
create mode 100644 peliculas.txt
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>
```

j. Eliminar comidas



k. Añadir dos películas más



I. Cambios en el directorio

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git diff
diff --git a/comidas.txt b/comidas.txt
deleted file mode 100644
index d967dbe..0000000
--- a/comidas.txt
+++ /dev/null
@@ -1,3 +0,0 @@
 No newline at end of file
diff --git a/peliculas.txt b/peliculas.txt
index d2d9665..3f4d2cb 100644
--- a/peliculas.txt
+++ b/peliculas.txt
aa -1,3 +1,5 aa
Coco
Toy Story
No newline at end of file
Peter Pan
```

m. Añadir cambios al área de preparación


```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git add .
```

n. Git status, indicando el borrado de comidas y modificación de películas


ñ. Cuarto commit

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git commit -m "mas peliculas y borrado comidas"
[master 16bcf60] mas peliculas y borrado comidas
2 files changed, 3 insertions(+), 4 deletions(-)
delete mode 100644 comidas.txt
```

o. Datos.bak y tres libros más




p. Subcarpeta output y archivo salida.txt



q. Git status

r. Archivo.gitignore



s. git status sin datos.bak and output/salida.txt

t. Commit incluir .gitignore

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git add .gitignore
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git commit -m "ignore"
[master c94f1bb] ignore
1 file changed, 2 insertions(+)
create mode 100644 .gitignore
```

u. Histórico de cambios


```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S1R1>git log
commit c94f1bbec5127265e471b9d5b07d78ae3d360279 (HEAD -> master)
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Fri Oct 7 11:00:04 2022 +0200
    ignore
commit 16bcf6092deb90c295421ea34563a7e82e7a97e0
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Fri Oct 7 10:47:56 2022 +0200
    mas peliculas y borrado comidas
commit 2619eb79c5f07d1301403cfe860a480ee2f80197
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Fri Oct 7 09:53:15 2022 +0200
    Pelis y comidas
commit d8dc69b18ebe75698b958fb829a08c9c88a5bd3d
Author: Ruth <ruth.ivorra.albert@gmail.com>
        Fri Oct 7 09:28:41 2022 +0200
    5 libros
commit 90dff13601aa885a5ccaee73bddaf8d85de215d5
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Fri Oct 7 09:24:40 2022 +0200
:...skipping...
commit c94f1bbec5127265e471b9d5b07d78ae3d360279 (HEAD -> master)
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Fri Oct 7 11:00:04 2022 +0200
    ignore
commit 16bcf6092deb90c295421ea34563a7e82e7a97e0
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Fri Oct 7 10:47:56 2022 +0200
    mas peliculas y borrado comidas
commit 2619eb79c5f07d1301403cfe860a480ee2f80197
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Fri Oct 7 09:53:15 2022 +0200
    Pelis y comidas
commit d8dc69b18ebe75698b958fb829a08c9c88a5bd3d
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Fri Oct 7 09:28:41 2022 +0200
    5 libros
commit 90dff13601aa885a5ccaee73bddaf8d85de215d5
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Fri Oct 7 09:24:40 2022 +0200
   3 libros
```

Fundamentos de Git II

- 1. Carpeta S2R1
 - a. Repositorio Git

C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git init Initialized empty Git repository in C:/Users/ruthp/OneDrive/Escritorio/DAW/DAW2/Cliente/S2R1/.git/

b. Fichero actores y 3 nombres



c. Primer commit

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git add actores.txt
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git commit -m "Actores"
[master (root-commit) 64b7bef] Actores
1 file changed, 3 insertions(+)
create mode 100644 actores.txt
```


d. Crear la rama test

C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git branch test

e. Cambiar a la rama test

C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git checkout test
Switched to branch 'test'

f. Fichero actrices, 3 nombres y commit



g. Resultado del comando git log - - graph - -all

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git log --graph --all

* commit 560560159533e9074f4da04fde789949f88a6ef7 (HEAD -> test)
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Thu Oct 13 16:46:20 2022 +0200

Actrices test

* commit 64b7bef87082734c89561820a6eba92633dc8455 (master)
Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Thu Oct 13 16:37:49 2022 +0200

Actores
```

h. Cambiar a master

C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git checkout master
Switched to branch 'master'


i. Merge rama test a master

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git merge test
Updating 64b7bef..5605601
Fast-forward
  actrices.txt | 3 +++
  1 file changed, 3 insertions(+)
  create mode 100644 actrices.txt
```

i. Rama test2

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git status
On branch master
nothing to commit, working tree clean
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git branch test2
```

k. Añadir una actriz y commit en master



```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git add actrices.txt
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git commit -m "Pam"
[master 3849141] Pam
    1 file changed, 2 insertions(+), 1 deletion(-)
```

I. Cambio de rama a test2

C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git checkout test2
Switched to branch 'test2'

m. Añadir actriz y commit en test2

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git add actrices.txt
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git commit -m "katniss"
[test2 4e068d3] katniss
1 file changed, 2 insertions(+), 1 deletion(-)
```

n. git log - - graph - -all

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git log --graph --all
 commit 4e068d39dd484af7b277a78be747eaa2da8a05f5 (HEAD -> test2)
Author: Ruth <ruth.ivorra.albert@gmail.com>
 Date: Thu Oct 13 17:07:46 2022 +0200
     katniss
 * commit 3849141fc820c69fd087e10b44fb17f0f789fd9d (master)
   Author: Ruth <ruth.ivorra.albert@gmail.com>
   Date: Thu Oct 13 16:52:48 2022 +0200
       Pam
 commit 560560159533e9074f4da04fde789949f88a6ef7 (test)
 Author: Ruth <ruth.ivorra.albert@gmail.com>
 Date: Thu Oct 13 16:46:20 2022 +0200
     Actrices test
 commit 64b7bef87082734c89561820a6eba92633dc8455
 Author: Ruth <ruth.ivorra.albert@gmail.com>
 Date: Thu Oct 13 16:37:49 2022 +0200
     Actores
```

ñ. Cambio a rama master

C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git checkout master
Switched to branch 'master'

o. Merge test2 a master

p. Resuelve el conflicto

actrices.txt: Bloc de notas

Archivo Edición Formato Ver Ayuda

Emily Blunt

Angelina Jolie

Scarlett Johanson

Jenna Fischer

Jennifer Lawrence

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git add actrices.txt
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git commit -m "5 actrices"
[master 9f047b9] 5 actrices
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git merge test2
Already up to date.
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>
```

q. git log -graph -all


```
::\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R1>git log --graph --all
                             0cab93ec92b6d3c268aee72ef (HEAD -> master)
   Merge: 3849141 4e068d3
   Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Thu Oct 13 17:14:39 2022 +0200
        5 actrices
        nit 4e068d39dd484af7b277a78be747eaa2da8a05f5 (test2)
   Author: Ruth <ruth.ivorra.albert@gmail.com>
   Date: Thu Oct 13 17:07:46 2022 +0200
        katniss
   commit 3849141fc820c69fd087e10b44fb17f0f789fd9d
   Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Thu Oct 13 16:52:48 2022 +0200
commit 560560159533e9074f4da04fde789949f88a6ef7 (test) Author: Ruth <ruth.ivorra.albert@gmail.com>
 Date: Thu Oct 13 16:46:20 2022 +0200
     Actrices test
     it 64b7bef87082734c89561820a6eba92633dc8455
 Author: Ruth <ruth.ivorra.albert@gmail.com>
          Thu Oct 13 16:37:49 2022 +0200
...skipping...
   Merge: 3849141 4e068d3
   Author: Ruth <ruth.ivorra.albert@gmail.com>
Date: Thu Oct 13 17:14:39 2022 +0200
        5 actrices
     ommit 4e068d39dd484af7b277a78be747eaa2da8a05f5 (test2)
   Author: Ruth <ruth.ivorra.albert@gmail.com>
   Date: Thu Oct 13 17:07:46 2022 +0200
        katniss
  commit 3849141fc820c69fd087e10b44fb17f0f789fd9d
Author: Ruth <ruth.ivorra.albert@gmail.com>
   Date: Thu Oct 13 16:52:48 2022 +0200
commit 560560159533e9074f4da04fde789949f88a6ef7 (test) Author: Ruth <ruth.ivorra.albert@gmail.com>
 Date: Thu Oct 13 16:46:20 2022 +0200
     Actrices test
     it 64b7bef87082734c89561820a6eba92633dc8455
 Author: Ruth <ruth.ivorra.albert@gmail.com>
 Date: Thu Oct 13 16:37:49 2022 +0200
     Actores
```

2. Repositorio remoto

3. Clonado repositorio remoto

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2>git clone C:/Users/ruthp/OneDrive/Escritorio/DAW/DAW2/Cliente/S2R2-remoto/
Cloning into 'S2R2-remoto'...
warning: You appear to have cloned an empty repository.
done.
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2>
```

a. Archivo directores.txt



b. Commit directores.txt

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2>cd S2R2-remoto
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>git add directores.txt
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>git commit -m "3 directores"
[master (root-commit) db2b0f9] 3 directores
1 file changed, 3 insertions(+)
create mode 100644 directores.txt
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>
```

c. Push

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 262 bytes | 262.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To C:/Users/ruthp/OneDrive/Escritorio/DAW/DAW2/Cliente/S2R2-remoto
* [new branch] master -> master
```


d. Rama version1

C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>git branch version1

e. Cambio a rama version1

C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>git checkout version1
Switched to branch 'version1'

f. Añadir 2 directores y commit



C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>git add directores.txt
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>git commit -m "5 directores"
[version1 c4a840d] 5 directores
1 file changed, 3 insertions(+), 1 deletion(-)

g. Push rama remota

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>git push -u C:/Users/ruthp/OneDrive/Escritorio/DAW/DAW2/Cliente/S2R2-remoto/ version1
Enumerating objects: 100% (5/5), done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compression objects: 100% (2/2), done.
Writing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 320 bytes | 320.00 kiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To C:/Users/ruthp/OneDrive/Escritorio/DAW/DAW2/Cliente/S2R2-remoto/
* [new branch] version1 -> version1
branch 'version1' set up to track 'C:/Users/ruthp/OneDrive/Escritorio/DAW\DAW2\Cliente\S2R2\remoto>
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2\remoto>
```

4. S2R3

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R3>git clone C:/Users/ruthp/OneDrive/Escritorio/DAW/DAW2/Cliente/S
2R2-remoto/
Cloning into 'S2R2-remoto'...
done.
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R3>
```

a. Mostrar directores.txt y git status

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R3>cd S2R2-remoto
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R3\S2R2-remoto>type directores.txt
Quentin Tarantino
Steven Spielberg
George Lucas
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R3\S2R2-remoto>git status
On branch master
Your branch is up to date with 'origin/master'.
nothing to commit, working tree clean
```

b. Rama version1 local

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R3\S2R2-remoto>git checkout version1
Switched to a new branch 'version1'
branch 'version1' set up to track 'origin/version1'.
```

c. Mostrar directores.txt

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R3\S2R2-remoto>type directores.txt
Quentin Tarantino
Steven Spielberg
George Lucas
Martin Scorsese
Stanley Kubrick
```

d. Cambio a rama master

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R3\S2R2-remoto>git checkout master Switched to branch 'master'
Your branch is up to date with 'origin/master'.
```

e. Merge version1 a master

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R3\S2R2-remoto>git merge version1
Updating db2b0f9..c4a840d
Fast-forward
directores.txt | 4 +++-
1 file changed, 3 insertions(+), 1 deletion(-)
```

f. Push master

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R3\S2R2-remoto>git push C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW
2\Cliente\S2R2-remoto master
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
To C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2-remoto
db2b0f9..c4a840d master -> master
```

- 5. Vuelta a S2R2
 - a. Obtener cambios del remoto

C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>git fetch C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2-remoto
From C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2-remoto
* branch HEAD -> FETCH_HEAD

b. Actualizar rama master


```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>git pull C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2-remoto master
From C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2-remoto
* branch master -> FETCH_HEAD
Already up to date.
```

c. Comprobación


```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\S2R2\S2R2-remoto>type directores.txt
Quentin Tarantino
Steven Spielberg
George Lucas
Martin Scorsese
Stanley Kubrick
```

Github


En primer lugar, desde nuestra cuenta de Github, clonamos el repositorio con un fork desde la interfaz.



Y copiando el enlace del repositorio nuestro, lo clonamos en una carpeta local.




Añadimos nuestro nombre a README.dm y hacemos un commit:




C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\Remoto>cd sesion3-practica
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\Remoto\sesion3-practica>git add README.md
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\Remoto\sesion3-practica>git commit -m "Nombre y apellidos"
[master 095acd2] Nombre y apellidos
1 file changed, 1 insertion(+)


Activamos la pestaña de issues para poder visualizar:




Creamos los issues y el milestone, y los enlazamos.




Añadimos 3 discos al txt correspondiente y hacemos el commit que cierra el issue.



Hacemos lo mismo con los libros y las películas.







Tras esto, hacemos el push para subir nuestros cambios. Al solicitar credenciales, iniciamos sesión desde el navegador, y ya nos permite subir.

```
C:\Users\ruthp\OneDrive\Escritorio\DAW\DAW2\Cliente\Remoto\sesion3-practica>git push https://github.com/ruth-ia/sesion3-practica.git master info: please complete authentication in your browser...
Enumerating objects: 17, done.
Counting objects: 180% (17/17), done.
Delta compression using up to 12 threads
Compression using up to 12 threads
Compressing objects: 190% (12/12), done.
Writing objects: 190% (12/12), 1.27 KiB | 1.27 MiB/s, done.
Total 12 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), completed with 1 local object.
To https://github.com/ruth-ia/sesion3-practica.git
a692f8f..13d73c4 master -> master
```

Como resultado de la subida, se han completado las 3 tareas del milestone.



Añadimos las capturas de los cierres de issues al repositorio y pusheamos.



También añadimos esta memoria de capturas como pdf en la misma carpeta.

