

# Exemplo da aula

Beatriz

2022-11-01

## R Markdown

This is an **R Markdown document**. Markdown is a *simple formatting* syntax for authoring `HTML`, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com> (<http://rmarkdown.rstudio.com>).

## Titulo de nivel 3

1. Beatriz (<https://beamilz.com>)
2. Andressa
3. Vitor
4. Gabriel
5. Daniel



```
getwd()
```

```
## [1] "/Users/beatrizmilz/Desktop/material-curso-relatorios/praticas"
```

```
llalalalla
```



CTRL ALT I

```
sample(1:100, 5)
```

```
## [1] 41 75 57 19 37
```

```
# use comentários!
```

```
sample(1:100, 5)
```

## Legenda

Col1	Col2	Col3


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

## Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.