



## A Capitalized Title: Something about a Package foo

Yihui Xie  
RStudio

Romain Lesur  
Affiliation

---

### Abstract

The abstract of the article.

*Keywords:* keywords, not capitalized, Java.

---

## 1. Introduction

This template demonstrates some of the basic markdown you'll need to know to create a JSS article with **pagedown** (Xie, Lesur, Thorne, and Tan 2021).

### 1.1. Code formatting

You should use **Pandoc**'s markdown but you also can use *L<sup>A</sup>T<sub>E</sub>X* commands:

- Java or Java
- **plyr**, `plyr` or `plyr`
- `print("abc")` or `print("abc")`

## 2. R code

Can be inserted in regular R Markdown blocks.

```
R> x <- 1:10  
R> x
```

```
[1] 1 2 3 4 5 6 7 8 9 10
```

## 3. Render the document

If you use the option `self_contained: false` (see line #22 of this Rmd file), don't click on the **Knit** button in RStudio. Use instead the **xaringan** (Xie 2021) RStudio add-in *Infinite Moon Reader*.

## References

Xie Y (2021). *Xaringan: Presentation Ninja*. Retrieved from <https://github.com/yihui/xaringan>  
Xie Y, Lesur R, Thorne B, Tan X (2021). *Pagedown: Paginate the HTML Output of r Markdown with CSS for Print*. Retrieved from <https://github.com/rstudio/pagedown>

### Affiliation:

Yihui Xie  
RStudio  
First line  
Second line  
E-mail: [name@company.com](mailto:name@company.com)  
URL: <https://rstudio.com>

---

*Journal of Statistical Software*

published by the Foundation for Open Access Statistics

MMMMMM YYYY, Volume VV, Issue II

doi: [10.18637/jss.v000.i00](https://doi.org/10.18637/jss.v000.i00)

---

<http://www.jstatsoft.org/>

<http://www.foastat.org/>

*Submitted:* yyyy-mm-dd

*Accepted:* yyyy-mm-dd

---