```
┌─ RESH SEARCH - CONTEXTUAL MODE - (CTRL+R to switch to RAW MODE) ──────────┐
│jq wc                                                                       │
└───────────────────────────────────────────────────────────────────────────┘

TIME HOST:          DIR FLAGS COMMAND-LINE
 8 M dell:     ~/git/resh     cat ~/.resh_history.json | jq '.cmdLine' | wc -l
14 D …ry_data/simon/dell G   jq . resh_history.json | less +F
18 D …ry_data/simon/dell G   cat resh_history.json | jq '{ "s": .sessionId ,"t"
18 D …ry_data/simon/dell G   grep 'cmdLine":"zsh "' resh_history.json | wc -l
18 D …ry_data/simon/dell G   grep 'cmdLine":"bash "' resh_history.json | wc -l
19 D …ry_data/simon/dell G   cat resh_history.json |  jq .cmdLine | less
19 D …ry_data/simon/dell G   cat resh_history.json |  jq | less
19 D …ry_data/simon/dell G   cat resh_history.json | grep -v 'exitCode":0' | jq
19 D …ry_data/simon/dell G   cat resh_history.json | wc -l
19 D …ry_data/simon/dell G   cat resh_history.json | grep 'exitCode":0'  | wc -
13 D …history_data/simon  G   wc -l */*
13 D …simon/dell_erasmus  G   wc -l *
14 D …simon/dell_erasmus  G   wc -l ~/.resh_history.json
14 D …simon/dell_erasmus  G   grep 'git/resh' resh_history.json | wc -l
14 D …simon/dell_erasmus  G   grep 'git/resh' resh_history.json | grep ' s' | wc
14 D …simon/dell_erasmus  G   grep 'git/resh' resh_history.json | grep ' a' | wc
14 D …simon/dell_erasmus  G   grep 'git/resh' resh_history.json | grep ' g' | wc
14 D …simon/dell_erasmus  G   grep 'git/resh' resh_history.json | grep 'b' | wc
 2020-04-24 00:51:44    tower:~/git/resh_private/history_data/simon/dell    c
     at resh_history.json | grep -v 'exitCode":0' | jq | less
HELP: type to search, UP/DOWN or CTRL+P/N to select, RIGHT to edit, ENTER to e
```