




XLM CPPI Backtest - Rebalance Hour: 0:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 1:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 2:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 3:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 4:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 5:00 UTC. M : 3.0 F : 0.6 P : 0.01



XLM CPPI Backtest - Rebalance Hour: 6:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 7:00 UTC. M : 3.0 F : 0.6 P : 0.01







XLM CPPI Backtest - Rebalance Hour: 8:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 9:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 10:00 UTC. M : 3.0 F : 0.6 P : 0.01



XLM CPPI Backtest - Rebalance Hour: 11:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 12:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 13:00 UTC. M : 3.0 F : 0.6 P : 0.01



XLM CPPI Backtest - Rebalance Hour: 14:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 15:00 UTC. M : 3.0 F : 0.6 P : 0.01







XLM CPPI Backtest - Rebalance Hour: 16:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 17:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 18:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 19:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 20:00 UTC. M : 3.0 F : 0.6 P : 0.01




XLM CPPI Backtest - Rebalance Hour: 21:00 UTC. M : 3.0 F : 0.6 P : 0.01



XLM CPPI Backtest - Rebalance Hour: 22:00 UTC. M : 3.0 F : 0.6 P : 0.01



XLM CPPI Backtest - Rebalance Hour: 23:00 UTC. M : 3.0 F : 0.6 P : 0.01





Comparison of 24 XLM CPPI Strategies by Hour: Risk-Adjusted Metrics

