TO START

```
import seaborn as sns
%matplotlib inline
```

distplot()



sns.distplot(tips['total_bill'], bins = 40)

jointplot()



sns.jointplot(x='total_bill',y='tip',data=tips)

pairplot()



sns.pairplot(tips)

rugplot()



sns.rugplot(tips['total_bill'])

barplot()



sns.barplot(x='sex',y='total_bill',data=tips)

boxplot()



sns.boxplot(x='day',y='total_bill',data = tips)

countplot()



sns.countplot(x='sex',data=tips)

violinplot()



sns.violinplot(x="day", y="total_bill", data=tips)

stripplot()



sns.stripplot(x="day", y="total_bill", data=tips)

Sponsored by **Readable.com**
Measure your website readability!
https://readable.com

swarmplot()



sns.swarmplot(x="day", y="total_bill", data=tips)

heatmap() with values



sns.heatmap(tips.corr(),**annot=True**)

heatmap()



sns.heatmap(tips.corr())

heatmap(linecolor='', linewidth=x')



sns.heatmap(matrix,cmap='PuBu',linecolor='white',linewidths=1)

clustermap()



sns.clustermap(matrix, cmap='BuPu')

PairGrid()



sns.PairGrid(df)

PairGrid() with options



g = sns.PairGrid(df)
g.map_diag(plt.hist)
g.map_upper(plt.scatter)
g.map_lower(sns.kdeplot)

FacetGrid()



g = sns.FacetGrid(data=tips, col='time', row='smoker')

lmplot()



sns.lmplot(x='total_bill',y='tip',data=tips)

Sponsored by **Readable.com**
Measure your website readability!
https://readable.com

lmplot(col='')



sns.lmplot(x='total_bill',y='tip',data=tips,c-
ol='sex')

lmplot(col='', row='')



sns.lmplot(x="total_bill", y="tip", row="sex",
col="time",data=tips)

lmplot(col='', row='', hue='')



sns.lmplot(x='total_bill',y='tip',data=tips,c-
ol='day', row='time', hue='sex')

Sponsored by **Readable.com**
Measure your website readability!
https://readable.com