

97%的 sRGB, 74%的 AdobeRGB, 74%的 P3, 69%的 NTSC

色彩精确度视器品质分析仪



ID	色样 实	验室		结果 实	验室		Delta E		1	2	3	4	5	6	7	
1A	61.35	34.81	18.38	61.66	34.46	18.05	0.33									122
2A	75.50	5.84	50.42	75.33	6.49	48.72	0.78	- 33								
ЗА	66.82	-25.06	23.47	67.02	-24.42	23. 26	0.34									
4A	60.53	-22.62	-20.40	60.51	-23.57	-19.40	0.85									
5A	59.66	-2.03	-28.46	60.20	-4.29	-26.74	1.66									
6A	59.15	30.83	-5.72	59.19	30.58	-5.40	0.21									
1B	82.68	5.03	3.02	82.55	4.38	3.29	0.82									
2B	82.25	-2.42	3.78	82.01	-2.56	3.98	0.28									
3B	82.29	2.20	-2.04	82.16	1.54	-1.66	0.93									
4B	24.89	4.43	0.78	25.69	4.76	0.61	0.72									
5B	25.16	-3.88	2.13	25.80	-2.95	1.31	1.39									
6B	26.13	2.61	-5.03	26.97	2.84	-5. 25	0.70									
1C	85.42	9.41	14.49	81.67	9.28	13.11	2.67				120					
2C	74.28	9.05	27.21	75.97	9.09	23.92	2.09			- 6						
3C	64.57	12.39	37.24	67.90	10.97	32.18	3.35	1		710						
4C	44.49	17.23	26.24	45. 22	17.15	25.61	0.76									
5C	25. 29	7.95	8.87	26.07	7.91	8.41	0.67									
6C	22.67	2.11	-1.10	23.82	1.12	-0.89	1.58		4 - B							
1D	92.72	1.89	2.76	92.51	1.61	2.89	0.43									
2D	88.85	1.59	2.27	88.68	1.78	2.91	0.62									
3D	73.42	0.99	1.89	73.19	1.40	1.72	0.63									
4D	57.15	0.57	1.19	57.49	0.03	0.99	0.88									
5D	41.57	0.24	1.45	42.15	0.05	1.01	0.73						1000			
6D	25.65	1.24	0.05	31.74	0.87	0.36	4.68					-				
1E	96.04	2.16	2.60	95.89	2.11	3.03	0.41									
2E	80.44	1.17	2.05	80.09	1.62	2. 25	0.68									
3E	65.52	0.69	1.86	65.61	0.20	1.90	0.72	3								
4E	49.62	0.58	1.56	49.92	0.28	1.68	0.54									
5E	33.55	0.35	1.40	34. 29	0.12	0.92	0.82									
6E	16.91	1.43	-0.81	17.73	1.26	-1.21	0.72									
1F	47.12	-32.52	-28.75	48.95	-20.79	-24.27	5.46									
2F	50.49	53.45	-13.55	50.67	52. 29	-13.55	0.39									
3F	83.61	3.36	87.02	83. 27	4.32	86.61	0.60									
4F	41.05	60.75	31.17	40.84	61.11	29.62	0.85									

显示器名称: (标准监视器类型) XPS 9360-1 日期: 2021-12-27 p. 2

5F	54.14	-40.76	34.75	53.31	-35.31	32.67	2.10	
6F	Spyde	er 监视图	器质的	析议35	8.86	-46.02	2.42	datacolor
1G	60.94	38. 21	61.31	60.74	38.45	60.07	0.59	
2G	37.80	7.30	-43.04	38. 45	4.73	-41.25	1.31	
3G	49.81	48.50	15.76	49.89	48.74	14.59	0.68	
4G	28.88	19.36	-24.48	43.10	39.94	1.49	22.17	
5G	72.45	-23.57	60.47	71.95	-22.04	58.30	0.84	
6G	71.65	23.74	72.28	71.60	22.95	70.98	0.40	
1H	70.19	-31.85	1.98	69.93	-31.49	1.68	0.32	
2H	54.38	8.84	-25.71	54. 52	7.81	-25.05	0.64	
ЗН	42.03	-15.78	22.93	43.82	-11.77	13.33	5.54	
4H	48.82	-5.11	-23.08	44.82	-11.17	0.82	18.09	
5Н	65.10	18.14	18.68	64.78	17.53	16.89	1.07	
6H	36.13	14.15	15.78	53.17	16.05	15.85	16.11	
				最小值			0.21	
3%				最大值:			22.17	
				平均值:			2.32	

显示器额定置器品质分析仪

datacolor

类别	额定值	1	2	3	4	5
色域	5.0	\Diamond	\Diamond	\Diamond	\Diamond	\Diamond
色调响应	5.0	\Diamond	\Diamond	\Diamond	\Diamond	\Diamond
白点	4.0	\Diamond	\Diamond	\Diamond	\Diamond	
对比度	5.0	\Diamond	\Diamond	\Diamond	\Diamond	\Diamond
亮度均匀度	4.0	\Diamond	\Diamond	\Diamond	\Diamond	
色彩均匀度	5.0	\Diamond	\Diamond	\Diamond	\Diamond	\Diamond
色彩精确度	4.0	\Diamond	\Diamond	\Diamond	\Diamond	
整体额定值	4.5	\Diamond	\Diamond	\Diamond	\Diamond	<