

95%的 sRGB, 73%的 AdobeRGB, 72%的 P3, 69%的 NTSC

色彩精确度视器品质分析仪



ID	色样 实	验室		结果 实	验室		Delta E	1	2	3	4	5	6	7
1A	61.35	34.81	18.38	58.56	37.11	20.18	2.68							
2A	75.50	5.84	50.42	73.07	6.95	52.91	2.02		- 3					
3A	66.82	-25.06	23.47	64.09	-26.34	25.63	2.45	1						
4A	60.53	-22.62	-20.40	57.63	-23.06	-19.57	2.64							
5A	59.66	-2.03	-28.46	56.24	-1.48	-29.63	3.12		-					
6A	59.15	30.83	-5.72	55.73	32.01	-5.59	3.16	100	200					
1B	82.68	5.03	3.02	80.53	5.74	3.86	1.77							
2B	82.25	-2.42	3.78	80.10	-2.59	4.73	1.68							
3B	82.29	2.20	-2.04	80.18	2.29	-1.97	1.45							
4B	24.89	4.43	0.78	20.65	4.74	0.25	3.08							
5B	25.16	-3.88	2.13	20.75	-2.64	0.98	3.62	100	-		l			
6B	26.13	2.61	-5.03	21.98	2.59	-4.92	3.00							
1C	85.42	9.41	14.49	83.77	10.64	15.72	1.56							
2C	74.28	9.05	27.21	71.80	10.38	29.52	2. 21							
3C	64.57	12.39	37.24	61.17	13.98	38.52	3.05							
4C	44.49	17.23	26.24	40.75	18.28	26.40	3.49		- (8)	18				
5C	25. 29	7.95	8.87	21.05	7.86	8.02	3.10							
6C	22.67	2.11	-1.10	18.85	1.08	-1.13	3.01	144	550					
1D	92.72	1.89	2.76	91.68	2.00	3.17	0.74							
2D	88.85	1.59	2.27	87.55	1.93	3. 49	1.41							
3D	73.42	0.99	1.89	70.79	0.55	2.96	2.32							
4D	57.15	0.57	1.19	53.37	-0.10	1.48	3.71		1,1					
5D	41.57	0.24	1.45	37.50	0.43	2.23	3.64	100	- 40	14 3	l			
6D	25.65	1.24	0.05	21.89	1.51	-0.19	2.75							
1E	96.04	2.16	2.60	95.26	3.04	2.69	1.22							
2E	80.44	1.17	2.05	80.24	0.79	2.98	1.05							
3E	65.52	0.69	1.86	62.53	0.45	2.80	2.67	100	- 1					
4E	49.62	0.58	1.56	45.80	0.32	2.13	3.82		000	1000				
5E	33.55	0.35	1.40	29.18	0.54	1.89	3.48			100	8			
6E	16.91	1.43	-0.81	12.88	1.32	-1.52	2.74	- *	20				100	
1F	47.12	-32.52	-28.75	45.34	-19.21	-24.66	6.19							
2F	50.49	53.45	-13.55	47.73	54. 53	-11.75	2.90		- (8)					
3F	83.61	3.36	87.02	81.76	5.45	85.80	1.75							
4F	41.05	60.75	31.17	39.06	59.13	33. 28	2. 25							

显示器名称: (标准监视器类型) XPS 9360-1 日期: 2021-12-27 p. 2

							14		
5F	54.14	-40.76	34.75	50.90	-40.55	36.18	3. 24		
6F	Spyde	er 监视器	品质的	析仪0	14.11	-48.27	2.65	datacolor	
1G	60.94	38.21	61.31	58.39	40.86	61.88	2.57		_
2G	37.80	7.30	-43.04	33.66	8.15	-44.00	3. 45	N 20 N	
3G	49.81	48.50	15.76	46.85	50.47	17.71	3.10		
4G	28.88	19.36	-24.48	24.73	19.24	-24.44	3.09		
5G	72.45	-23.57	60.47	69.59	-24.33	60.59	2.21		
6G	71.65	23.74	72.28	69.36	26.93	72.82	2.47	a v	
1H	70.19	-31.85	1.98	67.93	-33.24	4.03	2.26		
2H	54.38	8.84	-25.71	50.70	8.40	-26.12	3.66		
3Н	42.03	-15.78	22.93	38. 25	-15.87	22.80	3. 33		
4H	48.82	-5.11	-23.08	44.91	-5.12	-23.67	3.81		
5H	65.10	18.14	18.68	61.68	19.33	19.08	2.96	and the same of th	
6H	36.13	14.15	15.78	31.54	15.44	14.66	4.02		
				最小值			0.74		
200	15			最大值:			6.19		
-				平均值:			2.76		

显示器额定置器品质分析仪

datacolor

类别	额定值	1	2	3	4	5
色域	5.0	\Diamond	\Diamond	\Diamond	\Diamond	\Diamond
色调响应	2.0	\Diamond	\Diamond			
白点	3.5	\Diamond	\Diamond	\Diamond	<	
对比度	5.0	\Diamond	\Diamond	\Diamond	\Diamond	\Diamond
亮度均匀度	3.5	\Diamond	\Diamond	\Diamond	<	
色彩均匀度	4.5	\Diamond	\Diamond	\Diamond	\Diamond	(
色彩精确度	3.5	\Diamond	\Diamond	\Diamond	<	
整体额定值	4.0	\Diamond	\Diamond	\Diamond	\Diamond	