时空智能服务平台使用手册

操作指南 · 1/5 · 2026-09-18

01 平台导览

进入系统首先打开地理工作台。数据资源是第二个模块，提供地理数据与非地理数据两类入口。

顶部项目选择器始终选择一个具体项目。时空科普和团队动态是公共板块，不随项目切换隐藏。项目管理位于后台管理。

全局搜索可检索有权访问的资源、工程和成果。操作按钮由功能权限控制，项目标签决定可访问哪些业务对象。

02 快速入门

登录后确认顶部项目标签；所有人自动可访问“公开”，其他标签由超级管理员分配。

在资源列表选择数据，加载到图层树后查看地图及属性。先保存重要编辑，再切换项目或退出系统。

需要重复使用图层、符号和视图时保存地图工程；正式制图从已保存工程创建出图草稿。

03 账号、项目与权限

一人可拥有多个项目标签，但每次仅在选定的一个项目内工作。没有“全部可访问”的工作模式。

超级管理员在后台创建项目、分配用户标签；其他用户不能自行获得私有项目访问权。“公开”项目无需分配。

项目成员可查看所属项目的已发布对象；编辑、删除、下载等还需相应功能权限。保存于公开项目意味着允许所有人阅读，上传前应确认项目选择。

时空智能服务平台使用手册

操作指南 · 2/5 · 2026-09-18

04 地理工作台

从数据列表加载矢量或栅格图层。可调整顺序、显隐和符号化，定位到图层范围，查看属性。

默认使用 Mapbox 底图；底图菜单可切换已配置的服务。工程会保存底图选择，重新打开时恢复。网络或服务配置异常会提示，制图不会用简化背景冒充正式底图。

05 空间查询

查询对象下拉列表仅列出已加载到图层树、有有效来源的可查询矢量数据；同一来源合并显示。

先加载所需数据，再选择查询对象并绘制或指定空间范围。隐藏但未移除的图层仍可作为查询对象；栅格不在矢量查询列表。

移除某来源的最后一个图层后，该来源不能继续查询，相关选择和结果会清空。查询按来源重新执行，当前加载图层的原属性筛选不自动带入。

06 属性查询与图层

属性查询用于按字段条件筛选数据。检查字段类型、运算符和空值，再将结果加载为图层。

图层可显示或隐藏；移除图层不会删除资源文件。查询结果和当前显示范围并非同一概念，导出前请确认所选数据及范围。

时空智能服务平台使用手册

操作指南 · 3/5 · 2026-09-18

07 数据上传

进入数据资源的上传入口，显式选择隶属项目标签。超级管理员可选全部项目，一般用户只能选已获授权项目；至少须有“公开”等一个有效标签。

按是否具有地理坐标信息选择地理或非地理数据，上传并预览文件，完成字段、坐标参考系、名称和来源等校验后提交。

提交后在相同项目的存量数据中核对记录、预览和项目标签。切换项目不会改变已经上传数据的归属。

08 数据准备规范

地理数据应具有明确坐标参考系和有效几何或坐标字段；经纬度、投影坐标及单位要区分。非地理数据应明确字段名称、含义、单位和缺失值。

为文件和记录提供可辨识名称、来源、采集日期或版本。先检查导入预览及警告，再提交；不要把导入成功等同于专业质量审查完成。

09 存量数据维护

存量列表只展示当前项目有权访问的数据，可按名称、类型等筛选。地理数据与非地理数据分类依据坐标及几何信息。

资源的项目标签与访问权联动。看不到私有项目资源时，请先确认顶部项目及管理员分配的标签，而不是在资源上选择额外可见角色。

时空智能服务平台使用手册

操作指南 · 4/5 · 2026-09-18

10 工程、制图与成果

工程保存图层引用、查询条件、符号化、底图及地图视图。工程列表分页展示摘要，打开时才读取完整快照。

覆盖或编辑工程需基于最近读取的版本。如果另一窗口已保存，系统拒绝覆盖并提示冲突。保留当前编辑内容，重新读取工程、核对差异后再保存。

从工程创建制图草稿，拖动地图框、标题、图例、指北针、比例尺、区位框等要素。主图、格网和比例尺使用同一实际输出范围；比例尺表示地图中心附近的局部尺度。

沿用现有纸张、DPI 和输出格式。预览确认后生成版本并发布；发布成果对所属项目成员可读，公开项目所有人可读，下载和还原另需功能权限。

11 后台与公共内容

后台根据功能权限提供用户、项目、资源、成果、日志和备份管理。超级管理员具有最高权限，可查看所有项目，但业务操作仍选择一个具体项目。

新闻和科普已发布内容所有人可读，与项目无关。内容管理员编辑时上传的新附件先暂存，仅上传者预览；点击保存后与正文、封面、说明一起生效。

取消编辑会撤销新上传的暂存附件。异常离开页面留下的附件在 24 小时后过期，停止访问；后续上传或管理员执行清理时删除过期文件。现有文章内容和学习链接保持不变。

时空智能服务平台使用手册

操作指南 · 5/5 · 2026-09-18

12 权限与日志

超级管理员在项目管理中分配用户标签，在账号或角色管理中维护操作权限。两者分别决定数据范围与可执行操作。

核对数据访问问题时记录用户、当前项目、对象名称、操作及时间。日志可用于追溯创建、更新、上传、发布和权限调整；不要传播密码或会话信息。

13 备份与恢复

平台备份包含业务数据库、配置、媒体、上传、所有项目内容及持久成果；科研备份包含公开与所有私有项目科研目录，不受当前项目切换影响。

完整恢复需要匹配的两类备份。先在独立目录解压，核对清单校验值、数据库完整性和文件引用，确认资源、附件、工程与成果可用后，再安排恢复窗口。

缓存、临时文件和备份自身不作为科研原始资料。备份包含内部数据与配置，应存放于管理员控制的目录。

Spatiotemporal Intelligence Platform

User guide · 1/5 · 18 September 2026

01 Platform tour

The geo workspace is the first module. Data Resources is second and organizes geographic and non-geographic data.

Select one project at a time. Published knowledge and team news remain visible regardless of that selection. Project management is under Administration.

Search authorized resources, map projects and outputs. Feature permissions control actions; project labels control access to business objects.

02 Quick start

After signing in, check the current project. Everyone can access Public; a super administrator assigns other labels.

Load a resource into the layer tree, then inspect its map and attributes. Save edits before switching projects or signing out.

Save a map project to reuse layers, symbology and the view. Create a map-output draft from a saved project.

03 Accounts, projects and permissions

One person may belong to several projects but works in one selected project at a time. There is no all-project workspace.

Super administrators create labels and assign users in Administration. Public needs no assignment; private access cannot be self-assigned.

Project members can view published objects in that project. Editing, deletion and download also require the corresponding permissions. Check the project before uploading to Public.

Spatiotemporal Intelligence Platform

04 Geo workspace

Load vector or raster layers, change their order, visibility and symbology, zoom to their extent, and inspect attributes.

Mapbox is the default. Select another configured provider in the basemap menu. Saved projects retain the selection. Export reports unavailable imagery instead of substituting a placeholder.

05 Spatial query

The target list contains queryable vector sources already loaded in the layer tree, with duplicate sources combined.

Load data first, choose a target, and draw or specify the spatial extent. Hidden layers remain loaded; raster data is not a vector-query target.

Removing the final layer for a source clears its query selection and results. Queries run against the source; existing layer attribute filters are not automatically inherited.

06 Attributes and layers

Use attribute queries to filter data by fields. Check types, operators and null values before loading results as a layer.

Hiding or removing a layer does not delete its resource. Query results and the visible map extent differ; check the data and extent before exporting.

Spatiotemporal Intelligence Platform

07 Upload data

Open Upload in Data Resources and explicitly select the owning project. Super administrators can select any project; other users select only authorized projects.

Choose geographic or non-geographic data according to coordinate information. Preview the file and validate fields, CRS, name and source before committing.

Verify the record, preview and project label in the same project inventory. Switching projects does not change uploaded data ownership.

08 Prepare data

Geographic data needs a known CRS and valid geometry or coordinate fields. Distinguish geographic and projected coordinates and their units. Document non-geographic field meanings, units and missing values.

Provide identifiable names, sources, dates or versions. Review previews and warnings before committing; successful import does not replace scientific quality review.

09 Data inventory

Inventory lists authorized data in the current project, with name and type filters. Geographic classification depends on usable coordinates or geometry.

Resource access follows its project label. If private data is missing, check the current project and assigned labels; there is no extra audience-role setting on resources.

Spatiotemporal Intelligence Platform

10 Projects, cartography and outputs

Projects store layer references, queries, symbology, basemap and map view. The list is paginated; full snapshots are fetched only on opening.

Edits and overwrites must use the last-read version. If another window saved first, the server rejects the overwrite. Retain your edits, reload, compare changes and save again.

Create a layout draft and drag the map frame, title, legend, north arrow, scale and overview. Image, grid and scale use the same output extent; the scale represents the map centre.

Use the existing paper, DPI and output formats. Preview, create a version and publish to the owning project. Public is readable by everyone; download and restoration require the relevant permissions.

11 Administration and public content

Administration exposes user, project, resource, output, log and backup management according to permissions. Super administrators access every project but business operations still select one.

Published news and knowledge are public regardless of project. New uploads stay private to the uploading editor until Save commits the body, cover, captions and attachments together.

Cancel removes staged uploads. Files left by an interrupted session expire after 24 hours and become inaccessible. A later upload or an administrator's cleanup removes expired files. Existing article content and learning links are unchanged.

Spatiotemporal Intelligence Platform

12 Permissions and audit logs

Super administrators assign project labels in Project Management and action permissions in account or role management. These control scope and allowed actions respectively.

For access issues, record user, current project, object, action and time. Logs trace updates, uploads, publication and permission changes; do not share passwords or session data.

13 Backup and recovery

Platform backup includes databases, configuration, media, uploads, project content and persistent outputs. Research backup includes Public and all private-project research directories.

Full recovery needs matching backups of both types. Restore to a separate directory first and verify checksums, databases and references before scheduling a recovery window.

Caches, temporary files and backup archives themselves are not primary research data. Backups contain internal data and configuration and belong in administrator-controlled storage.