pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions

l7q1.sql × Untitled* ×

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query Query History

```
1  create index idx_flights_actual_departure
2  on flights (actual_departure);
3
```

Data Output Messages Notifications

```
CREATE INDEX

Query returned successfully in 82 msec.
```

Total rows: Query complete 00:00:00.082 CRLF Ln 3, Col 1

14°C Cloudy

Поиск

ENG 9:26 PM 11/10/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions

Untitled* | airport_db_lab7/p... | l7q1.sql | l7q2.sql* | airport_db_lab7/p... | l3q10.sql

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  delete from booking_flight
2  where flight_id in (select max(flight_id) from flights
3                      group by flight_no, scheduled_departure
4                      having count(*)>1);
5
6  delete from flights
7  where flight_id in (select max (flight_id) from flights
8                      group by flight_no, scheduled_departure
9                      having count(*)>1);
10
11 create unique index flights_no_scheduledDeparture
12 on flights (flight_no, scheduled_departure);
```

Data Output | Messages | Notifications

```
CREATE INDEX

Query returned successfully in 183 msec.
```

Total rows: | Query complete 00:00:00.183 | CRLF | Ln 12, Col 45

11°C Light rain

Поиск

ENG

5:37 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions

Untitled* | airport_db_lab7/p... | l7q1.sql | l7q2.sql* | airport_db_lab7/p... | l3q10.sql | l7q3.sql

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  create index idx_flights_dep_arr
2  on flights (departure_airport_id, arrival_airport_id);
```

Data Output | Messages | Notifications

```
CREATE INDEX

Query returned successfully in 138 msec.
```

Total rows: | Query complete 00:00:00.138 | CRLF | Ln 2, Col 55

11°C Light rain

Поиск

ENG

5:46 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions

Untitled* | airport_db_lab7/p... | l7q1.sql | l7q2.sql* | airport_db_lab7/p... | l3q10.sql | l7q3.sql | l7q4.sql*

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  create index idx_flights_actual_departure
2  ON flights (actual_departure);
3
4  explain analyze
5  select * from flights
6  where actual_departure = '2023-06-15';
```

Data Output | Messages | Notifications

Showing rows: 1 to 12 | Page No: 1 of 1

	QUERY PLAN text
1	Bitmap Heap Scan on flights (cost=4.31..13.70 rows=4 width=61) (actual time=0.083..0.086 rows=4.00 loops=1)
2	Recheck Cond: (actual_departure = '2023-06-15'::date)
3	Heap Blocks: exact=4
4	Buffers: shared hit=4 read=2
5	-> Bitmap Index Scan on idx_flights_actual_departure (cost=0.00..4.31 rows=4 width=0) (actual time=0.066..0.067 rows=4.00 loo...
6	Index Cond: (actual_departure = '2023-06-15'::date)
7	Index Searches: 1
8	Buffers: shared read=2
9	Planning:
10	Buffers: shared hit=8 read=1
11	Planning Time: 0.420 ms
12	Execution Time: 0.109 ms

Successfully run. Total query runtime: 134 msec. 12 rows affected.

Total rows: 12 | Query complete 00:00:00.134 | CRLF | Ln 6, Col 6

11°C Light rain

Поиск

ENG 5:50 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions

Untitled* | airport_db_lab7/p... | l7q1.sql | l7q2.sql* | airport_db_lab7/p... | l7q5.sql

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  EXPLAIN ANALYZE
2  SELECT * FROM flights
3  WHERE arrival_airport_id = 12;
```

Data Output | Messages | Notifications

Showing rows: 1 to 6 | Page No: 1 of 1

	QUERY PLAN text
1	Seq Scan on flights (cost=0.00..25.41 rows=56 width=61) (actual time=0.036..0.201 rows=56.00 loop...
2	Filter: (arrival_airport_id = 12)
3	Rows Removed by Filter: 937
4	Buffers: shared hit=13
5	Planning Time: 0.142 ms
6	Execution Time: 0.226 ms

Total rows: 6 | Query complete 00:00:00.082 | CRLF | Ln 3, Col 31

11°C Light rain

Поиск

ENG

5:56 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions

Untitled* | airport_db_lab7/p... | l7q1.sql | l7q2.sql* | airport_db_lab7/p... | l7q5.sql | l7q6.sql*

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  INSERT INTO passengers
2      (passenger_id, first_name, last_name, date_of_birth, gender,
3       country_of_citizenship, country_of_residence, passport_number,
4       created_at, update_at)
5  VALUES
6      (201, 'Aigerim', 'Sarsen', '1995-04-12', 'Female',
7       'Kazakhstan', 'Kazakhstan', 'KZ-1234567-1',
8       '2024-05-01', '2024-05-01');
9
10 --The first insert succeeded, because the passport number was new.
11 --The second insert used the same passport number, and PostgreSQL rejected it with
12 --“duplicate key value violates unique constraint”.
13 --Thus unique index guarantees each passport number can appear only once in the table.
```

Data Output | Messages | Notifications

```
ERROR:  duplicate key value violates unique constraint "ind_passengers_passportnum"
Key (passport_number)=(KZ-1234567-1) already exists.

ОШИБКА:  duplicate key value violates unique constraint "ind_passengers_passportnum"
SQL state: 23505
Detail: Key (passport_number)=(KZ-1234567-1) already exists.
```

Total rows: | Query complete 00:00:00.109 | CRLF | Ln 13, Col 87

11°C Light rain

Поиск

ENG

6:03 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions

Untitled* | airport_db_lab7/p... | l7q1.sql | l7q2.sql* | airport_db_lab7/p... | l7q5.sql | l7q6.sql | l7q7.sql

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  CREATE INDEX idx_pass_name_dob_country
2  ON passengers (first_name, last_name, date_of_birth, country_of_citizenship);
3
4  SELECT passenger_id, first_name, last_name, date_of_birth, country_of_citizenship
5  FROM passengers
6  WHERE country_of_citizenship = 'Philippines'
7    AND date_of_birth >= '1984-01-01'
8    AND date_of_birth <  '1985-01-01';
9
```

Data Output | Messages | Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	passenger_id [PK] integer	first_name character varying (50)	last_name character varying (50)	date_of_birth date	country_of_citizenship character varying (50)
1	8	Howard	Igo	1984-03-29	Philippines

Total rows: 1 | Query complete 00:00:00.172 | CRLF | Ln 2, Col 78

11°C Light rain

Поиск

ENG 8:40 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions

Untitled* | airport_db_lab7/p... | l7q1.sql | l7q2.sql | l7q5.sql | l7q6.sql | l7q7.sql | l7q8.sql*

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  SELECT indexname, indexdef
2  FROM pg_indexes
3  WHERE tablename = 'passengers';
4
5  --DROP INDEX idx_pass_name_dob_country;
6  --DROP INDEX ind_passengers_passportnum;
```

Data Output | Messages | Notifications

Showing rows: 1 to 1 | Page No: 1 of 1

	indexname name	indexdef text
1	passengers_pkey	CREATE UNIQUE INDEX passengers_pkey ON public.passengers USING btree (passenge...

Successfully run. Total query runtime: 179 msec. 1 rows affected.

Total rows: 1 | Query complete 00:00:00.179 | CRLF | Ln 5, Col 3

8°C Light rain

Поиск

ENG

8:46 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions

Untitled* | airport_db_lab7/p... | l7q1.sql | l7q2.sql | l7q5.sql | l7q6.sql | l7q7.sql | l7q8.sql | l7q9.sql

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  EXPLAIN ANALYZE
2  SELECT * FROM booking
3  WHERE passenger_id = 100;
4
5  --CREATE INDEX idx_booking_passenger
6  --ON booking (passenger_id);
```

Data Output | Messages | Notifications

Showing rows: 1 to 10 | Page No: 1 of 1


	QUERY PLAN text
1	Bitmap Heap Scan on booking (cost=4.17..9.24 rows=3 width=46) (actual time=0.047..0.050 rows=3.00 loops=1)
2	Recheck Cond: (passenger_id = 100)
3	Heap Blocks: exact=2
4	Buffers: shared hit=3
5	-> Bitmap Index Scan on idx_booking_passenger (cost=0.00..4.17 rows=3 width=0) (actual time=0.021..0.021 rows=3.00 loo...
6	Index Cond: (passenger_id = 100)
7	Index Searches: 1
8	Buffers: shared hit=1
9	Planning Time: 0.162 ms
10	Execution Time: 0.079 ms


Total rows: 10 | Query complete 00:00:00.135 | CRLF | Ln 6, Col 29


8°C Light rain

Поиск

ENG 8:51 AM 11/11/2026


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (2)
Local
PostgreSQL 18
Databases (7)
airport_db
airport_db_lab3
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
airport_db_lab4
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
airport_db_lab7
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
rport_db_lab7/p...
l7q1.sql
l7q2.sql
l7q5.sql
l7q6.sql
l7q7.sql
l7q8.sql
l7q9.sql*
l7q10.sql*
airport_db_lab7/postgres@PostgreSQL 18
No limit
Query
Query History
1 EXPLAIN ANALYZE
2 SELECT f.flight_no, b.price
3 FROM booking b
4 JOIN booking_flight bf ON bf.booking_id = b.booking_id
5 JOIN flights f ON f.flight_id = bf.flight_id
6 WHERE b.price > 9000;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 24
Page No: 1 of 1
QUERY PLAN
text
6 -> Hash (cost=31.65..31.65 rows=120 width=10) (actual time=0.526..0.529 rows=117.00 loops=1)
7 Buckets: 1024 Batches: 1 Memory Usage: 14kB
8 Buffers: shared hit=12
9 -> Hash Join (cost=12.00..31.65 rows=120 width=10) (actual time=0.191..0.494 rows=117.00 loops=1)
10 Hash Cond: (bf.booking_id = b.booking_id)
11 Buffers: shared hit=12
12 -> Seq Scan on booking_flight bf (cost=0.00..17.00 rows=1000 width=8) (actual time=0.022..0.135 rows=993.00 loo...
13 Buffers: shared hit=7
14 -> Hash (cost=11.25..11.25 rows=60 width=10) (actual time=0.158..0.159 rows=60.00 loops=1)
15 Buckets: 1024 Batches: 1 Memory Usage: 11kB
16 Buffers: shared hit=5
17 -> Seq Scan on booking b (cost=0.00..11.25 rows=60 width=10) (actual time=0.026..0.142 rows=60.00 loops=1)
18 Filter: (price > '9000'::numeric)
19 Rows Removed by Filter: 440
20 Buffers: shared hit=5
21 Planning:
22 Buffers: shared hit=12
23 Planning Time: 0.686 ms
24 Execution Time: 0.994 ms
Total rows: 24
Query complete 00:00:00.124
CRLF
Ln 6, Col 22
8°C
Light rain
Поиск
ENG
8:57 AM
11/11/2026


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
l7q2.sql
l7q5.sql
l7q6.sql
l7q7.sql
l7q8.sql
l7q9.sql
l7q10.sql
l7q11.sql
Untitled*
airport_db_lab7/postgres@PostgreSQL 18
No limit
Query
Query History
--create index idx_flights_status
--on flights (status);
explain analyze
select flight_no, status
from flights
where status = 'Departed';
Data Output
Messages
Notifications
Showing rows: 1 to 12
Page No: 1 of 1
QUERY PLAN
text
Bitmap Heap Scan on flights (cost=4.19..14.95 rows=5 width=14) (actual time=0.055..0.058 rows=5.00 loops=1)
Recheck Cond: ((status)::text = 'Departed'::text)
Heap Blocks: exact=1
Buffers: shared hit=2
-> Bitmap Index Scan on idx_flights_status (cost=0.00..4.19 rows=5 width=0) (actual time=0.023..0.023 rows=5.00 loo...
Index Cond: ((status)::text = 'Departed'::text)
Index Searches: 1
Buffers: shared hit=1
Planning:
Buffers: shared hit=16
Planning Time: 0.807 ms
Execution Time: 0.085 ms
Total rows: 12
Query complete 00:00:00.163
CRLF
Ln 7, Col 27
airport_db_lab4
airport_db_lab7
dvdrental
dvdrental1
postgres
Login/Group Roles
Tablespaces (2)
pg_default
pg_global
7°C
Light rain
Поиск
ENG
10:06 AM
11/11/2026


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
l7q2.sql
l7q5.sql
l7q6.sql
l7q7.sql
l7q8.sql
l7q9.sql
l7q10.sql
l7q11.sql*
Untitled*
airport_db_lab7/postgres@PostgreSQL 18
No limit
Query
Query History
--create index idx_flights_status
--on flights (status);
explain analyze
select flight_no, status
from flights
where status = 'Boarding';
Data Output
Messages
Notifications
Showing rows: 1 to 6
Page No: 1 of 1
QUERY PLAN
text
Seq Scan on flights (cost=0.00..25.41 rows=496 width=14) (actual time=0.016..0.150 rows=497.00 loop...
Filter: ((status)::text = 'Boarding'::text)
Rows Removed by Filter: 496
Buffers: shared hit=13
Planning Time: 0.121 ms
Execution Time: 0.177 ms
Total rows: 6
Query complete 00:00:00.141
CRLF
Ln 7, Col 25
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
airport_db_lab4
Casts
Catalogs
airport_db_lab7
dvdrental
dvdrental1
postgres
Login/Group Roles
Tablespaces (2)
pg_default
pg_global
7°C
Light rain
Поиск
ENG
10:08 AM
11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Catalogs
- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas
- Subscriptions
- airport_db_lab4
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages
  - Publications
  - Schemas
  - Subscriptions
- airport_db_lab7
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages
  - Publications
  - Schemas
  - Subscriptions
- dvdrental
- dvdrental1
- postgres
- Login/Group Roles
- Tablespaces (2)
  - pg_default
  - pg_global

l7q5.sql | l7q6.sql | l7q7.sql | l7q8.sql | l7q9.sql | l7q10.sql | l7q11.sql | Untitled* | l7q12.sql

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  --create index idx_baggage_weight
2  --on baggage (weight_in_kg);
3
4  explain analyze
5  select baggage_id, weight_in_kg
6  from baggage
7  where weight_in_kg > 49;
```

Data Output | Messages | Notifications

Showing rows: 1 to 12 | Page No: 1 of 1

	QUERY PLAN text
1	Bitmap Heap Scan on baggage (cost=4.31..8.37 rows=5 width=10) (actual time=0.081..0.091 rows=7.00 loops=1)
2	Recheck Cond: (weight_in_kg > '49'::numeric)
3	Heap Blocks: exact=4
4	Buffers: shared hit=6
5	-> Bitmap Index Scan on idx_baggage_weight (cost=0.00..4.31 rows=5 width=0) (actual time=0.018..0.018 rows=7.00 loo...
6	Index Cond: (weight_in_kg > '49'::numeric)
7	Index Searches: 1
8	Buffers: shared hit=2
9	Planning:
10	Buffers: shared hit=19
11	Planning Time: 1.312 ms
12	Execution Time: 0.126 ms

Total rows: 12 | Query complete 00:00:00.130 | CRLF | Ln 7, Col 25

8°C Light rain

Поиск

ENG 10:14 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Catalogs
- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas
- Subscriptions
- airport_db_lab4
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages
  - Publications
  - Schemas
  - Subscriptions
- airport_db_lab7
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages
  - Publications
  - Schemas
  - Subscriptions
- dvdrental
- dvdrental1
- postgres
- Login/Group Roles
- Tablespaces (2)
  - pg_default
  - pg_global

l7q5.sql | l7q6.sql | l7q7.sql | l7q8.sql | l7q9.sql | l7q10.sql | l7q11.sql | Untitled* | l7q12.sql

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  --create index idx_baggage_weight
2  --on baggage (weight_in_kg);
3
4  explain analyze
5  select baggage_id, weight_in_kg
6  from baggage
7  where weight_in_kg > 5;
```

Data Output | Messages | Notifications

Showing rows: 1 to 6 | Page No: 1 of 1

	QUERY PLAN text
1	Seq Scan on baggage (cost=0.00..10.25 rows=451 width=10) (actual time=0.018..0.091 rows=451.00 loop…
2	Filter: (weight_in_kg > '5'::numeric)
3	Rows Removed by Filter: 49
4	Buffers: shared hit=4
5	Planning Time: 0.130 ms
6	Execution Time: 0.118 ms

Total rows: 6 | Query complete 00:00:00.110 | CRLF | Ln 7, Col 23

8°C Light rain

Поиск

ENG

10:15 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Catalogs
- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas
- Subscriptions
- airport_db_lab4
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages
  - Publications
  - Schemas
  - Subscriptions
- airport_db_lab7
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages
  - Publications
  - Schemas
  - Subscriptions
- dvdrental
- dvdrental1
- postgres
- Login/Group Roles
- Tablespaces (2)
  - pg_default
  - pg_global

l7q6.sql | l7q7.sql | l7q8.sql | l7q9.sql | l7q10.sql | l7q11.sql | Untitled* | l7q12.sql | l7q13.sql

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  --create index idx_airport_airportname
2  --on airport (airport_name);
3
4  set enable_seqscan = off;
5  explain analyze
6  select airport_id, airport_name
7  from airport
8  where airport_name like '%Airport';
9
10 explain analyze
11 select airport_id, airport_name
12 from airport
13 where airport_name like 'A%';
```

Data Output | Messages | Notifications

Showing rows: 1 to 7 | Page No: 1 of 1

	QUERY PLAN text
1	Index Scan using idx_airport_name_pattern on airport (cost=0.14..8.16 rows=1 width=122) (actual time=0.032..0.036 rows=3.00 loo...
2	Index Cond: (((airport_name)::text ~>=~ 'A'::text) AND ((airport_name)::text ~<~ 'B'::text))
3	Filter: ((airport_name)::text ~~ 'A%'::text)
4	Index Searches: 1
5	Buffers: shared hit=2
6	Planning Time: 0.143 ms
7	Execution Time: 0.059 ms

Successfully run. Total query runtime: 120 msec. 7 rows affected.

Total rows: 7 | Query complete 00:00:00.120 | CRLF | Ln 12, Col 13

8°C Light rain

Поиск

ENG 10:33 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Catalogs
- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas
- Subscriptions
- airport_db_lab4
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages
  - Publications
  - Schemas
  - Subscriptions
- airport_db_lab7
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages
  - Publications
  - Schemas
  - Subscriptions
- dvdrental
- dvdrental1
- postgres
- Login/Group Roles
- Tablespaces (2)
  - pg_default
  - pg_global

l7q7.sql | l7q8.sql | l7q9.sql | l7q10.sql | l7q11.sql | Untitled* | l7q12.sql | l7q13.sql | l7q14.sql

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  CREATE INDEX idx_airport_country_city
2  ON airport (country, city);
3
4  EXPLAIN ANALYZE SELECT * FROM airport WHERE country = 'China';
5
6  EXPLAIN ANALYZE SELECT * FROM airport WHERE city = 'Tielu';
7
8  EXPLAIN ANALYZE SELECT * FROM airport WHERE country = 'China' AND city = 'Tielu';
```

Data Output | Messages | Notifications

Showing rows: 1 to 6 | Page No: 1 of 1

	QUERY PLAN text
1	Seq Scan on airport (cost=0.00..1.30 rows=1 width=484) (actual time=0.011..0.014 rows=1.00 loop…
2	Filter: ((((country)::text = 'China'::text) AND ((city)::text = 'Tielu'::text))
3	Rows Removed by Filter: 19
4	Buffers: shared hit=1
5	Planning Time: 0.068 ms
6	Execution Time: 0.020 ms

Total rows: 6 | Query complete 00:00:00.116 | CRLF | Ln 8, Col 82

8°C Light rain

Поиск

ENG 10:38 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Catalogs
- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas
- Subscriptions
- airport_db_lab4
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages
  - Publications
  - Schemas
  - Subscriptions
- airport_db_lab7
  - Casts
  - Catalogs
  - Event Triggers
  - Extensions
  - Foreign Data Wrappers
  - Languages
  - Publications
  - Schemas
  - Subscriptions
- dvdrental
- dvdrental1
- postgres
- Login/Group Roles
- Tablespaces (2)
  - pg_default
  - pg_global

l7q8.sql | l7q9.sql | l7q10.sql | l7q11.sql | Untitled* | l7q12.sql | l7q13.sql | l7q14.sql | l7q15.sql*

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  --CREATE INDEX idx_passengers_lower_last_name
2  --ON passengers (LOWER(last_name));
3
4  SET enable_seqscan = off;
5  EXPLAIN ANALYZE
6  SELECT * FROM passengers
7  WHERE last_name = 'Irnis';
```

Data Output | Messages | Notifications

Showing rows: 1 to 9 | Page No: 1 of 1

	QUERY PLAN text
1	Seq Scan on passengers (cost=0.00..5.51 rows=1 width=64) (actual time=0.020..0.044 rows=1.00 loop...
2	Disabled: true
3	Filter: ((last_name)::text = 'Irnis'::text)
4	Rows Removed by Filter: 200
5	Buffers: shared hit=3
6	Planning:
7	Buffers: shared hit=17
8	Planning Time: 0.713 ms
9	Execution Time: 0.063 ms

Total rows: 9 | Query complete 00:00:00.153 | CRLF | Ln 4, Col 26

8°C Light rain

Поиск

ENG

10:46 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas

airport_db_lab7/p... | Untitled* | airport_db_lab7/p... | airport_db_lab7/p... | l7q14.sql | l7q15.sql | l7q16.sql*

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  --CREATE INDEX idx_booking_passenger_price
2  --ON booking (passenger_id, price);
3
4  --VACUUM ANALYZE booking;
5
6  EXPLAIN ANALYZE
7  SELECT price
8  FROM booking
9  WHERE passenger_id = 100;
```

Data Output | Messages | Notifications

Showing rows: 1 to 9 | Page No: 1 of 1

	QUERY PLAN text
1	Index Only Scan using idx_booking_passenger_price on booking (cost=0.27..4.33 rows=3 width=6) (actual time=0.087..0.089 rows=3.00 loo…
2	Index Cond: (passenger_id = 100)
3	Heap Fetches: 0
4	Index Searches: 1
5	Buffers: shared hit=1 read=2
6	Planning:
7	Buffers: shared hit=13
8	Planning Time: 0.225 ms
9	Execution Time: 0.105 ms

Total rows: 9 | Query complete 00:00:00.079 | CRLF | Ln 9, Col 1

8°C Light rain

Поиск

ENG

11:11 AM 11/11/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (2)
  - Local
  - PostgreSQL 18
    - Databases (7)
      - airport_db
      - airport_db_lab3
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab4
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions
      - airport_db_lab7
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrappers
        - Languages
        - Publications
        - Schemas
        - Subscriptions

l7q10.sql | Untitled* | l7q13.sql* | l7q14.sql | l7q15.sql | l7q16.sql* | l7q17.sql

airport_db_lab7/postgres@PostgreSQL 18

No limit

Query | Query History

```
1  --CREATE UNIQUE INDEX uq_airline_code
2  --ON airline (airline_code);
3
4  SELECT airline_code, COUNT(*)
5  FROM airline
6  GROUP BY airline_code
7  HAVING COUNT(*) > 1;
8
9  SELECT * FROM airline
10 WHERE airline_code IS NULL;
11
12 SELECT indexname, indexdef
13 FROM pg_indexes
14 WHERE tablename = 'airline';
```

Data Output | Messages | Notifications

Showing rows: 1 to 2 | Page No: 1 of 1

	indexname name	indexdef text
1	airline_pkey	CREATE UNIQUE INDEX airline_pkey ON public.airline USING btree (airline_id)
2	uq_airline_co...	CREATE UNIQUE INDEX uq_airline_code ON public.airline USING btree (airline_c...

Total rows: 2 | Query complete 00:00:00.249 | CRLF | Ln 11, Col 1

8°C Light rain

Поиск

KA3

11:49 AM 11/11/2026