

Frontend view – 10 HTML Pages Created

1. Index Page/Home page

```

2. <!DOCTYPE html>
3. <html lang="en" xmlns:th="http://www.thymeleaf.org">
4. <head>
5. <meta charset="ISO-8859-1">
6. <title>Welcome to Sporty Shoes</title>
7. <style>
8. th, td {
9.     border-style:solid;
10.    border-color: #96D4D4;
11. }
12. p {
13. font-family: Verdana;
14. }
15.</style>
16.</head>
17.<body>
18.<h1 align="center" style="color:red">Welcome to Sporty Shoes</h1>
19.<h2 style="color:green">Product Categories</h2>
20.<ul>
21.    <li><h4 style="color:blue">Nike</h4></li>
22.    <li><h4 style="color:blue">Reebok</h4></li>
23.    <li><h4 style="color:blue">Woodland</h4></li>
24.    <li><h4 style="color:blue">Puma</h4></li>
25.    <li><h4 style="color:blue">Action</h4></li>
26.    <li><h4 style="color:blue">Bata</h4></li>
27.    <li><h4 style="color:blue">Redchef</h4></li>
28.</ul>
29.<p><a href="/adminlogin"><b>Admin Login</b></a>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&||&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&<a href="/newuser"><b>User sign-up</b></a>||&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&<a href="/neworder"><b>Place an Order</b></a></p><br>
30.</body>
31.</html>

```

2. Admin Login-Page

```
<!DOCTYPE html>
<html lang="en" xmlns:th="http://www.thymeleaf.org">
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<h1 align="center" style="color:red">Welcome to Sporty Shoes</h1>
<h2 style="color:blue">Admin Login</h2>
<br>
<form action="/admin">
  Admin Userid:&nbsp;  <input type="email" id="username" name="username" required
pattern="[sridharchennur@gmail.com]{24}" placeholder="xxx@email.com">&nbsp;  
  Admin Passowrd:&nbsp;  <input type="password" id="password" name="password" required
pattern="[admin@123]{9}">&nbsp;  
  <input type="submit" value="Sign-in">
</form>

</body>
</html>
```

3. New User Registration Page

```
<!DOCTYPE html>
<html lang="en" xmlns:th="http://www.thymeleaf.org">
<head>
<meta charset="ISO-8859-1">
<title>New user registration</title>
</head>
<body>
<div class="container">
<h1 align="center" style="color:red">Welcome to Sporty Shoes</h1>
<h2 align="center" style="color:blue">User Sign-up</h2>
<br>

<form th:action="@{/signup}" th:object=${userreg} method="post">

User Name: <input type="text" th:field="*{username}" placeholder="Enter the name"
class="form-control col-4 mb">&nbsp;

Email Id:<input type="text" th:field="*{email}" placeholder="Enter the email"
class="form-control col-4 mb">&nbsp;

Password: <input type="password" th:field="*{password}" placeholder="Enter the
password" class="form-control col-4 mb">&nbsp;

<button class="btn btn-primary" type="submit">Sign-up</button>

</form>

</div>

<br>
<a href="/index">Back to Home-Page</a>
</body>
</html>
```

4. New Order page

```
<!DOCTYPE html>
<html lang="en" xmlns:th="http://www.thymeleaf.org">
<head>
<meta charset="ISO-8859-1">
<title>New Order</title>
</head>
<body>
<div class="container">
<h1 align="center" style="color:red">Welcome to Sporty Shoes</h1>
<h2 style="color:blue">Place an Order</h2>
<br>

<h4 style="color:Red">Caution: Ensure the entry criteria while shopping!!!.</h4>

<form th:action="@{/saveorder}" th:object="${userorder}" method="post">

Product Category: <input type="text" th:field="*{prodcats}" placeholder="Enter the
Category" class="form-control col-4 mb">&nbsp;

Product Name:<input type="text" th:field="*{prodname}" placeholder="Enter the product
name" class="form-control col-4 mb">&nbsp;

User Name:<input type="text" th:field="*{puser}" placeholder="Enter the username"
class="form-control col-4 mb">&nbsp;
<button class="submit" type="submit">Place Order</button>

<ul>
<li><h3 style="color:blue">Category->Nike || Product-> Sports Shoes</h3></li>
<li><h3 style="color:blue">Category->Reebok || Product-> Sports Shoes</h3></li>
<li><h3 style="color:blue">Category->Puma || Product-> Sports Shoes</h3></li>
<li><h3 style="color:blue">Category->Redchef || Product-> Sandals</h3></li>
<li><h3 style="color:blue">Category->Bata || Product-> Cheppals</h3></li>
<li><h3 style="color:blue">Category->Action || Product-> Belt
Sandals</h3></li>
<li><h3 style="color:blue">Category->Woodland || Product-> Shoes</h3></li>
</ul>

</form>

</div>

<br>
<a href="/index">Back to Sporty shoes homepage</a>

</body>
</html>
```

5. Admin Page

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Admin Logged-in</title>
</head>
<body>
<h1 align="center" style="color:red">Welcome to Sporty Shoes</h1>
<h2 style="color:blue">Admin Logged-in</h2>

<br>
<ul>
<li><h4><a href="/userdisplay">Registered Users</a></h4></li>

<li><h4><a href="/productcat">Product Categorization</a></h4></li>

<li><h4><a href="/userorder">Purchase Reports</a></h4></li>
</ul>
<br>
<h4><a href="/index">Log-out</a></h4>
</body>
</html>
```

6. Viewing users registered by Admin

```
<!DOCTYPE html>
<html lang="en" xmlns:th="http://www.thymeleaf.org">
<head>
<meta charset="ISO-8859-1">
<style>
table, td, th {
    border: 1px solid black;
}

table {
    border-collapse: collapse;
    width: 50%;
}

td {
    text-align: center;
}
</style>
<title>Registered User List</title>
</head>
<body>
<h1 align="center" style="color:red">Welcome to Sporty Shoes</h1>

    <h2 style="color:blue">Registered User List</h2>

    <form th:action="@{/search}" method="get">
        <input type="text" name="keyword" th:value="${keyword}" placeholder="Search by
Username" size="50" >
        <button type="submit" class="btn btn-info" >Search</button>

    </form>
    <br><br>

<form method="get" th:action="@{/userdisplay}">
    <table>
<tr><th>User Id</th><th>User Name</th><th>Email</th></tr>
<tr th:each="data :${userreg}">
<td><span th:text="${data.userid}"></span>&nbsp;</td>
<td><span th:text="${data.username}"></span>&nbsp;</td>
<td><span th:text="${data.email}"></span>&nbsp;</td>
</tr>
</table>
</form>
<br>
<a href="/admin">Back to Admin Logon</a>
</body>
</html>
```

7. Searching of the registered users by Admin

```
<!DOCTYPE html>
<html lang="en" xmlns:th="http://www.thymeleaf.org">
<head>
<meta charset="ISO-8859-1">
<style>
table, td, th {
    border: 1px solid black;
}

table {
    border-collapse: collapse;
    width: 50%;
}

td {
    text-align: center;
}
</style>
<title>Search Results</title>
</head>
<body>
<table>
<h1 align="center" style="color:red">Welcome to Sporty Shoes</h1>
<h2 style="color:blue">Search Results</h2>
<tr><th>User Id</th><th>User Name</th><th>Email</th></tr>
<tr th:each="data :${userreg}">
<td><span th:text="${data.userid}"></span>&nbsp;</td>
<td><span th:text="${data.username}"></span>&nbsp;</td>
<td><span th:text="${data.email}"></span>&nbsp;</td>
</tr>
</table>
<br>
<a href="/userdisplay">Back to Registered Users</a>

</body>
</html>
```

8. Categorization of products by Admin

```
<!DOCTYPE html>
<html lang="en" xmlns:th="http://www.thymeleaf.org">
<head>
<meta charset="ISO-8859-1">
<title>Categorize the Products</title>
</head>
<body>
<div class="container">
<h1 align="center" style="color:red">Welcome to Sporty Shoes</h1>
<h2 style="color:blue">Product Categorization</h2>
<br>

<h4 style="color:Red">Caution: Follow the entry criteria while
categorization!!!..</h4>

<form th:action="@{/category}" th:object="${productcat}" method="post">

Product Category: <input type="text" th:field="*{category}" placeholder="Enter the
Category" class="form-control col-4 mb">&nbsp;

Product Name:<input type="text" th:field="*{pname}" placeholder="Enter the product
name" class="form-control col-4 mb">&nbsp;

<button class="submit" type="submit">Categorize</button>

<ul>
<li><h3 style="color:blue">Category->Nike || Product-> Sports Shoes</h3></li>
<li><h3 style="color:blue">Category->Reebok || Product-> Sports Shoes</h3></li>
<li><h3 style="color:blue">Category->Puma || Product-> Sports Shoes</h3></li>
<li><h3 style="color:blue">Category->Redchef || Product-> Sandals</h3></li>
<li><h3 style="color:blue">Category->Bata || Product-> Cheppals</h3></li>
<li><h3 style="color:blue">Category->Action || Product-> Belt
Sandals</h3></li>
<li><h3 style="color:blue">Category->Woodland || Product-> Shoes</h3></li>
</ul>

</form>

</div>

<br>
<a href="/admin">Back to Admin-page</a>
</body>
</html>
```


9. View the Order reports by Admin

```
<!DOCTYPE html>
<html lang="en" xmlns:th="http://www.thymeleaf.org">
<head>
<meta charset="ISO-8859-1">
<style>
table, td, th {
    border: 1px solid black;
}

table {
    border-collapse: collapse;
    width: 50%;
}

td {
    text-align: center;
}
</style>
<title>Order Reports</title>
</head>
<body>
<h1 align="center" style="color:red">Welcome to Sporty Shoes</h1>

    <h2 style="color:blue">List of Orders</h2>

    <form th:action="@{/filterby}" method="get">
Filter: <input type="text" name="keyword" th:value="${keyword}" placeholder="Filter
by date/category" size="50" >
    <button type="submit" class="btn btn-info" >Search</button>

    </form>
    <br><br>

<form method="get" th:action="@{/userorder}">
    <table>
<tr><th>Order Id</th><th>Product Name</th><th>Product category</th><th>User
Name</th><th>Order Date</th></tr>
<tr th:each="uo :${userorder}">
<td><span th:text="${uo.oid}"></span>&nbsp;</td>
<td><span th:text="${uo.prodname}"></span>&nbsp;</td>
<td><span th:text="${uo.prodcats}"></span>&nbsp;</td>
<td><span th:text="${uo.puser}"></span>&nbsp;</td>
<td><span th:text="${uo.date}"></span>&nbsp;</td>
</tr>
</table>
</form>
<br>
<a href="/admin">Back to Admin Logon</a>

</body>
</html>
```

10. Filter by Category & Date

```
<!DOCTYPE html>
<html lang="en" xmlns:th="http://www.thymeleaf.org">
<head>
<meta charset="ISO-8859-1">
<style>
table, td, th {
    border: 1px solid black;
}

table {
    border-collapse: collapse;
    width: 50%;
}

td {
    text-align: center;
}
</style>
<title>Order Reports</title>
</head>
<body>
<h1 align="center" style="color:red">Welcome to Sporty Shoes</h1>

    <h2 style="color:blue">List of Orders</h2>

    <form th:action="@{/filterby}" method="get">
Filter: <input type="text" name="keyword" th:value="${keyword}" placeholder="Filter
by date/category" size="50" >
    <button type="submit" class="btn btn-info" >Search</button>

    </form>
    <br><br>

<form method="get" th:action="@{/userorder}">
    <table>
<tr><th>Order Id</th><th>Product Name</th><th>Product category</th><th>User
Name</th><th>Order Date</th></tr>
<tr th:each="uo :${userorder}">
<td><span th:text="${uo.oid}"></span>&nbsp;</td>
<td><span th:text="${uo.prodname}"></span>&nbsp;</td>
<td><span th:text="${uo.prodcats}"></span>&nbsp;</td>
<td><span th:text="${uo.puser}"></span>&nbsp;</td>
<td><span th:text="${uo.date}"></span>&nbsp;</td>
</tr>
</table>
</form>
<br>
<a href="/admin">Back to Order Page</a>

</body>
</html>
```