

Treasury – Settlement & Funding

Step-by-Step Validation Guide

Stage Environment | Release 9.4

Overview

This document describes the end-to-end process to validate Treasury Settlement & Funding flows in the Stage environment for the Wellfit Payments platform. It covers six payment scenarios. For each scenario, the same skeleton applies: authenticate, submit the transaction, validate the DB state, manually set the SettlementDate, trigger the two Treasury APIs (Create Funding Batch and Send Funding Batch), and validate the resulting DB updates.

Each step is illustrated with reference screenshots captured during a passing test run, so you know exactly what to look for in the SQL results and Postman responses.

Sections

- 1. Treasury – Card Present (CP) Payment
- 2. Treasury – Card Present (CP) Refund
- 3. Treasury – Card Not Present (CNP) Payment
- 4. Treasury – Card Not Present (CNP) Refund
- 5. Treasury – ACH eCheck Payment
- 6. Treasury – ACH eCheck Refund

Transaction Status Reference

Transaction status IDs used throughout this document:

Id	Code	Description
1	PENDING	Initial state, not yet submitted
2	SUBMITTED	Sent to processor / network
3	APPROVED	Processor approved
4	DECLINED	Processor declined
5	FUNDED	Funds transferred (ACH: funded to merchant)
6	SETTLED	Final settlement complete
7	RETURNED	ACH return received
10	FULL REFUND	Fully refunded by processor
18	PARTIAL REFUND	Partially refunded by processor

Common Endpoints

- Auth: POST <https://stage-platform.wellfit.com/payments/authenticate>
- Create Funding Batch: POST <https://stage-platform.wellfit.com/treasury/create-funding-batch>
- Send Funding Batch: POST <https://stage-platform.wellfit.com/treasury/send-funding-batch>
- ACH Payment: POST <https://stage-wf-payments-v2-api.azurewebsites.net/api/v1/payments>

- ACH Refund: POST <https://stage-wf-payment-management-api.azurewebsites.net/api/transactions/{transactionId}/refund>
- CNP Payment: POST <https://stage-platform.wellfit.com/payments/credit-card/process-card>
- CNP Refund: POST <https://stage-platform.wellfit.com/payments/refund-transaction>

Section 1 — Treasury: Card Present (CP) Payment

Card Present (CP) Payment follows the same Treasury skeleton as CNP and ACH. The specific submission endpoint and payload depend on the in-person processor integration in use. Once the transaction is in status Approved, the remaining Treasury steps (manually set SettlementDate → Create Funding Batch → validate → Send Funding Batch → validate FundingBatches) are identical to the CNP Payment flow described in Section 3.

Note: This section was not covered in the source test run; populate the submission step below with the CP-specific endpoint and request body once available, then follow the same validation steps and refer to the screenshots in Section 3 / Section 5.

Skeleton Steps (same as CNP Payment)

1. Authenticate and obtain Bearer Token.
2. Submit the CP payment (endpoint and payload TBD).
3. Validate the transaction is stored as Approved in Payments DB and Platform DB.
4. Manually set SettlementDate in the Platform DB.
5. Call POST /treasury/create-funding-batch and confirm 202 Accepted.
6. Validate SettlementDate and FundingInstructions in Platform DB.
7. Validate the Payments DB status moves to 5 (Funded).
8. Validate FundingInstructions correlation (FIPC-PayFac, FISC-NetSettlement, PayFacFee, Amount).
9. Call POST /treasury/send-funding-batch and confirm 202 Accepted.
10. Validate Payments.FundingBatches has a new row with BatchFileName.

Section 2 — Treasury: Card Present (CP) Refund

Card Present (CP) Refund follows the same Treasury skeleton as CNP Refund. The specific submission endpoint depends on the in-person processor integration. Once the refund is in status Approved (with the original transaction in status 6 Settled), the remaining Treasury steps are identical to the CNP Refund flow described in Section 4.

Note: This section was not covered in the source test run; populate the submission step below with the CP refund endpoint and request body once available, then follow the same validation steps and refer to the screenshots in Section 4 / Section 6.

Skeleton Steps (same as CNP Refund)

11. Authenticate and obtain Bearer Token.
12. Update the original CP transaction to status 6 (Settled) via SQL.
13. Submit the CP refund (endpoint and payload TBD).
14. Validate the refund is stored as Approved in Payments DB and Platform DB.
15. Manually set SettlementDate in the Platform DB for the refund.
16. Call POST /treasury/create-funding-batch and confirm 202 Accepted.
17. Validate SettlementDate and FundingInstructions in Platform DB.
18. Validate the Payments DB status moves to 5 (Funded).
19. Validate FundingInstructions correlation.
20. Call POST /treasury/send-funding-batch and confirm 202 Accepted.
21. Validate Payments.FundingBatches has a new row with BatchFileName.

Section 3 — Treasury: Card Not Present (CNP) Payment

This flow validates the full Treasury Settlement & Funding lifecycle for a Card Not Present (CNP) sale transaction. The screenshots referenced in the Treasury steps below come from the source test run and apply identically to all payment types.

Preconditions

- Access to the Platform DB (read/write).
- Valid credentials for the WellfitUnifiedPaymentsAPI user.
- Postman or an equivalent REST client configured for the Stage environment.
- An eligible Sub-Merchant ID and token for the payment method.

Step 1: Authenticate and obtain a Bearer Token

Send a POST to the authentication endpoint to retrieve the Bearer Token used by all subsequent calls.

Request

```
POST https://stage-platform.wellfit.com/payments/authenticate

{
  "username": "WellfitUnifiedPaymentsAPI",
  "password": "Testing123!!W3llf1t1!"
}
```

Expected

- HTTP 200 OK.
- Response body contains a Bearer Token to be used in the Authorization header of the requests that follow.

Step 2: Submit a CNP (credit card) payment

Send a sale request to the credit-card processing endpoint. Use any test amount, a valid sub-merchant, and a tokenized card.

Request

```
POST https://stage-platform.wellfit.com/payments/credit-card/process-card

{
  "amount": <randomAmount>,
  "cvv": "349",
  "expirationDate": "0327",
  "network": "VI",
  "orderId": "Postman-<randomId>",
  "payFacFee": 0.00,
  "subMerchantId": "4431318D-E50D-4A3B-AAB7-FB65B489F5AF",
  "token": "<cardTokenGuid>",
  "zipCode": "33333",
  "metadata": "{\"test\":\"12218\"}"
}
```

Expected

- HTTP 200 OK or 202 Accepted, depending on the endpoint.
- Response includes a transactionId / refundTransactionId — record it for use in the queries that follow.

Step 3: Validate the transaction is stored in the DB as Approved

Run the following queries to confirm the transaction landed in both databases with the expected status. Replace the IDs with the values from Step 1 / 2.

Payments DB queries

```
SELECT TOP 5 * FROM Payments.PaymentRequests
  WHERE paymentTransactionId = '<paymentTransactionId>';

SELECT TOP 5 * FROM Transactions.PaymentTransactionHistory
  WHERE PaymentTransactionId = '<paymentTransactionGuid>'
  ORDER BY entityCreatedAt DESC;

SELECT * FROM [Transactions].[PaymentTransaction]
  WHERE PaymentTransactionId = '<paymentTransactionId>';
```

Platform DB query

```
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';
```

Expected — Payments DB

- StatusId = 3 (Approved)
- SettlementDate = NULL
- FundedDate = NULL

Expected — Platform DB

- SettlementDate = NULL
- FundingInstructions = NULL
- Status = Approved

Step 4: Manually set the SettlementDate in the Platform DB

Treasury jobs only pick up transactions with a SettlementDate. For testing purposes, set it manually via SQL using today's (or the desired) date.

Query

```
UPDATE Payments.Payments
  SET SettlementDate = '2026-05-21'
  WHERE transactionId = '<transactionId>';

-- Verify the update
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';
```

Expected

- SettlementDate is now populated with the expected date in the Platform DB.

```

se... 10 SELECT * FROM Transactions.PaymentTransaction where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'
win... 11 --Platform DB
se... 12
se... 13 SELECT * From payments.payments where transactionId = '83999403816107069'
win... 14
se... 15 UPDATE Payments.Payments SET SettlementDate = '2026-05-21' where transactionId = '83999403816107069'
se... 16
se... 17 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'
win...
win...
se...
win...
se...
win...

```

Messages
12:00:16 PM Started executing query at Line 14
(1 row affected)
(1 row affected)
Total execution time: 00:00:00.064

Figure: UPDATE Payments.Payments SET SettlementDate — confirms 1 row affected.

```

10
11 --Platform DB
12
13 SELECT * From payments.payments where transactionId = '83999403816107069'
14
15 UPDATE Payments.Payments SET SettlementDate = '2026-05-21' where transactionId = '83999403816107069'
16
17 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'

```

ResultsMessages

Id	ResponseCode	ResponseMessage	Token	SettlementDate	Voided	FundingInstructionId	EmvApplicationId	EmvApplicationName	Ap
6107069	000	Approved	NULL	2026-05-21	0	NULL	NULL	NULL	M

Results grid

Figure: Platform DB — SettlementDate now populated (2026-05-21).

Step 5: Trigger the Create Funding Batch treasury API

This API picks up transactions with a SettlementDate and assigns them to a new funding batch.

Request

POST https://stage-platform.wellfit.com/treasury/create-funding-batch

```
{}
```

Expected

- HTTP 202 Accepted.
- Response body:

```
{
  "correlationId": "<guid>",
  "stage": "Create"
}
```





Figure: POST /treasury/create-funding-batch — 202 Accepted with stage: "Create".

Step 6: Validate FundingInstructions and SettlementDate in the Platform DB

After the Create Funding Batch call, the transaction should now carry a FundingInstructionId.

Query

```
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';
```

Expected — Platform DB

- SettlementDate = ExpectedDate (the value set in the previous step).
- FundingInstructions = Contains a FundingId (non-NULL GUID).
- Status = Approved.




Figure: Platform DB after Create Funding Batch — FundingInstructionId is populated.

Step 7: Validate the transaction has moved to status 5 (Funded) in the Payments DB

Queries

```
SELECT TOP 5 * FROM Payments.PaymentRequests
WHERE paymentTransactionId = '<paymentTransactionId>';
```

```
SELECT TOP 5 * FROM Transactions.PaymentTransactionHistory
```

```
WHERE PaymentTransactionId = '<paymentTransactionGuid>'
ORDER BY entityCreatedAt DESC;
```

```
SELECT * FROM [Transactions].[PaymentTransaction]
WHERE PaymentTransactionId = '<paymentTransactionId>';
```

Expected — Payments DB

- StatusId = 5 (Funded).
- SettlementDate = previously set value.
- FundedDate = NULL (this will be populated after Send Funding Batch runs successfully).

SQL Script:

```

3 --Payments DB
4
5 SELECT TOP 5* From Payments.PaymentRequests where paymentTransactionId = '01K555A4WQ2B7K302W50A5DN6C'
6
7 SELECT TOP 5* FROM Transactions.PaymentTransactionHistory where PaymentTransactionId = '2113c14b-e3dd-4e8a-8fd3-7bc0c98cde0c' order by entityCreatedAt DESC
8
9 Select * from Transactions.TransactionStatus
10
11 SELECT * FROM [Transactions].[PaymentTransaction] where PaymentTransactionId = '01K555A4WQ2B7K302W50A5DN6C'
12
13

```

Results:

OrderId	ParentTransactionId	RootTransactionId	TransactionTypeId	TransactionStatusId	PreviousStatusId	TransactionStatusReason	Amount	Currency
IRD-2025-033	NULL	NULL	1	5	3	NULL	90.00	USD
IRD-2025-033	NULL	NULL	1	3	NULL	Approved	90.00	USD

	Id	Code	Name	Description	IsFinal
1	1	PENDING	Pending	Initial state, not yet submitted	0
2	2	SUBMITTED	Submitted	Sent to processor/network	0
3	3	APPROVED	Approved	Processor approved	0
4	4	DECLINED	Declined	Processor declined	1
5	5	FUNDED	Funded	Funds transferred (ACH: funded to merchant)	0
6	6	SETTLED	Settled	Final settlement complete	1
7	7	RETURNED	Returned	ACH return received	0
8	8	RETURN_RETRY	Return Retry	Retry initiated after return	0
9	9	POST_SETTLE_RETURN	Post-Settle Return	Return after settlement (ACH)	1

Figure: Payments DB — TransactionStatusId = 5 (FUNDED), PreviousStatusId = 3 (Approved). Status table on the right confirms the codes.

Step 8: Validate FundingInstructions correlation values

Cross-check that the FundingInstructionId on the payment is linked to the matching rows in payments.fundingInstructions, and that PayFacFee / Amount values match between tables.

Queries

```
SELECT [id], [fundingInstructionId], [payFacFee], [amount]
FROM payments.payments
WHERE transactionId = '<transactionId>';
```

```
SELECT TOP 3 * FROM payments.fundingInstructions
ORDER BY timestamp DESC;
```

Expected

- FundingInstructionId on the payment matches the Id in payments.fundingInstructions.
- InstructionType rows include both FIPC-PayFac and FISC-NetSettlement for the batch.
- PayFacFee and Amount values are consistent between Payments.Payments and FundingInstructions.

se.win... 19
ibase... 20
se.win... 21
ibase... 22
se.win... 23
ibase... 24
se.win... 25

```

UPDATE Payments.PaymentTransaction SET SettlementDate = '2026-05-21' WHERE TransactionId = '83999483816107069'
SELECT [id], [fundingInstructionId], [payFacFee], [amount] From payments.payments where transactionId = '83999483816107069'
SELECT TOP 3 * from payments.fundingInstructions order by timestamp desc
-- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'

```

Results Messages

	id	fundingInstructionId	payFacFee	amount
1	2113c14b-e3dd-4e8a-8fd3-7bc8c98cde8c	d1660000-a5af-70a8-7a31-08deb76321cd	2.34	90.00

Results grid

	Id	TimeStamp	BatchId	InstructionType	Amount	TransferId	Chi
1	d1660000-a5af-70a8-e0ed-08deb76321dc	2026-05-21 18:02:33.0960294 +00:00	d1660000-a5af-70a8-9278-08deb76316d2	FIPC-PayFac	2.34	955748481dd44941b608ef73e	NU
2	d1660000-a5af-70a8-7a31-08deb76321cd	2026-05-21 18:02:32.9950945 +00:00	d1660000-a5af-70a8-9278-08deb76316d2	FISC-NetSettlement	87.66	c513a981a0f942d6a6e946726	NU
3	e20c0000-a5ae-70a8-2fb4-08deb6b01c9	2026-05-20 20:40:19.5491476 +00:00	e20c0000-a5ae-70a8-446f-08deb6aff4f2	FIPC-PayFac	5.72	19d27955b9144425b7e7731a9	NU

Figure: FundingInstructions correlation — FIPC-PayFac and FISC-NetSettlement rows match payFacFee and amount on the payment.

Step 9: Trigger the Send Funding Batch treasury API

Preconditions

- Transaction already in status 5 (Funded), with SettlementDate and FundingInstructionId populated.

Request

POST <https://stage-platform.wellfit.com/treasury/send-funding-batch>

```
{}
```

Expected

- HTTP 202 Accepted.
- Response body:

```
{
  "correlationId": "<guid>",
  "stage": "Send"
}
```




Figure: POST /treasury/send-funding-batch — 202 Accepted with stage: "Send".

Step 10: Validate the FundingBatches table contains the BatchFileName

After Send Funding Batch executes successfully, a new row in Payments.FundingBatches is created with a BatchFileName referencing the file in Azure Storage.

Query

```
SELECT * FROM Payments.FundingBatches ORDER BY requestSentTimeStamp DESC;
```

Expected

- The most recent row matches the timestamp of the Send Funding Batch call.
- BatchFileName is populated and matches the file in Azure Storage Explorer.

SQL Query:

```

24 -- Get Funding BatchFileName to search in Azure Storage Explorer (Ask Radhika to look up for file if no access)
25
26
27 SELECT * FROM Payments.FundingBatches order by requestSentTimeStamp desc
28
29

```

Id	MerchantId	RequestSentTimeStamp	BatchFileName	ResponseReceivedTimeStamp	TransactionId
1	d1660000-a5af-70a8-9278-08deb76316d2	2026-05-21 18:32:49.1458949 +00:00	05-21-2026_18-02-33-8531_YX0RYWV.xml	NULL	NULL
2	e20c0000-a5ae-70a8-446f-08deb6aff4f2	2026-05-20 20:47:48.0793836 +00:00	05-20-2026_20-40-20-3488_DNNAKAOW.xml	2026-05-20 20:50:22.9044045 +00:00	84807295779279617
3	d1660000-a5af-70a8-da44-08deb68ee485	2026-05-20 16:45:16.0536529 +00:00	05-20-2026_16-43-37-5347_BJLQEP.xml	2026-05-20 16:54:46.4685552 +00:00	84807294718051930
4	76a90000-a59a-70a8-d8ad-08deb5f7d4d8	2026-05-19 23:02:20.6022228 +00:00	05-19-2026_22-43-23-8987_YHSXPUEA.xml	2026-05-19 23:06:07.7134069 +00:00	84807288803300894
5	76a90000-a59a-70a8-1d34-08deb5de87d2	2026-05-19 19:49:58.4829370 +00:00	05-19-2026_19-41-10-2938_PMYIAVON.xml	2026-05-19 20:01:03.9934426 +00:00	83999329731377299
6	55700000-a5ae-70a8-70b6-08deb52c7932	2026-05-18 22:29:33.1715195 +00:00	05-18-2026_22-26-36-4447_GOUHVKVQ.xml	2026-05-18 22:33:52.8460818 +00:00	84807281803735618
7	63b00000-8d3d-7ced-e027-08deb28ba4f5	2026-05-15 14:13:49.6018383 +00:00	05-15-2026_14-07-50-1772_PWVRHBR.xml	2026-05-15 14:24:20.0970521 +00:00	83999301590578657
8	4b160000-3a3a-000d-5f29-08deabba73e1	2026-05-06 21:58:11.0503756 +00:00	05-06-2026_21-57-44-3495_CKJFUOYP.xml	NULL	NULL
9	d9950000-3a3a-000d-5f6f-08dea316a54	2026-05-04 23:07:10.8732691 +00:00	05-04-2026_23-04-19-4834_ADEPOENF.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
10	d9950000-3a3a-000d-f216-08dea79bab6f	2026-05-04 23:07:09.6292223 +00:00	05-01-2026_16-07-17-5572_NGHWISAE.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
11	34b30000-3a35-000d-2cfc-08dea7943b49	2026-05-04 23:07:08.3513202 +00:00	05-01-2026_15-14-02-1264_KGDKLWME.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
12	58ac0000-480b-0022-5945-08dea78d987c	2026-05-04 23:07:07.0462277 +00:00	05-01-2026_14-26-33-9380_HODVQBWK.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
13	58ac0000-480b-0022-f0c7-08dea789abb3	2026-05-04 23:07:05.7949612 +00:00	05-01-2026_13-58-30-1220_NORQKRDJ.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
14	c5d00000-3a3b-000d-50bc-08de489c32e5	2026-05-04 23:07:04.5549608 +00:00	12-31-2025_18-41-42-8228_DRYGVPMH.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
15	c5d00000-3a3b-000d-f14b-08de4899493b	2026-05-04 23:07:03.3043231 +00:00	12-31-2025_18-20-52-6964_PMLSFBOP.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
16	f0710000-b002-6045-94f3-08de48936411	2026-05-04 23:07:01.9849275 +00:00	12-31-2025_17-38-30-3546_PQRJWQNG.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
17	f0710000-b002-6045-937f-08de48904827	2026-05-04 23:07:00.6828329 +00:00	12-31-2025_17-16-23-3249_FOWHLAGA.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
18	e0ff0000-3a33-000d-76ae-08de4712e1a7	2026-05-04 23:06:59.2851751 +00:00	12-29-2025_19-46-38-1425_RKFOXYVR.xml	2026-05-06 20:28:11.6117494 +00:00	NULL

Ln 28, Col 1 (74 selected) Spaces: 2 UTF-8 CRLF 2,373 rows MSSQL 00:00:01 stage-platform-wellfit-sqlserver-database.windows.net : Platform (102)

Figure: Payments.FundingBatches — most recent row contains the BatchFileName (XML in Azure Storage).

Section 4 — Treasury: Card Not Present (CNP) Refund

This flow validates the full Treasury Settlement & Funding lifecycle for a CNP refund (partial or full). Refunds require the original transaction to be in status 6 (Settled).

Preconditions

- Access to the Payments DB and the Platform DB (read/write).
- Valid credentials for the WellfitUnifiedPaymentsAPI user.
- Postman or an equivalent REST client configured for the Stage environment.
- An eligible Sub-Merchant ID and token for the payment method.
- An original transaction in status 6 (Settled). If it is not, update it via SQL before submitting the refund (covered in Step 2).

Step 1: Authenticate and obtain a Bearer Token

Send a POST to the authentication endpoint to retrieve the Bearer Token used by all subsequent calls.

Request

```
POST https://stage-platform.wellfit.com/payments/authenticate

{
  "username": "WellfitUnifiedPaymentsAPI",
  "password": "Testing123!!W3llf1t1!"
}
```

Expected

- HTTP 200 OK.
- Response body contains a Bearer Token to be used in the Authorization header of the requests that follow.

Step 2: Make the original transaction eligible for refund

Refunds are only eligible for transactions in status 6 (Settled). If the test transaction is not yet in that state, update it via SQL in the Payments DB.

Query

```
UPDATE Transactions.PaymentTransaction SET TransactionStatusId = 6 WHERE PaymentTransactionId = '<originalPaymentTransactionId>'
```

Expected

- 1 row affected; TransactionStatusId is now 6 (Settled).

```

27 SELECT * FROM Payments.FundingBatches order by requestSentTimestamp desc
28
29
30 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS6AMKSH52T7G73EMWf9CBAQ'

```

Results	Messages							
umber	OrderId	ParentTransactionId	RootTransactionId	RetryAttempt	RailId	TransactionTypeId	TransactionStatusId	TransactionStatusReason
ie.wi...	ORD-2025-033	NULL	NULL	0	1	1	6	Approved
rind...								
ie.wi...								
ie.wi...								
rind...								
ie.wi...								
rind...								
ie.wi...								

Figure: UPDATE Transactions.PaymentTransaction SET TransactionStatusId = 6 — original transaction is now Settled and refund-eligible.

Step 3: Submit a CNP refund (partial or full)

Issue a refund against the original CNP transaction. Use any amount less than or equal to the original transaction amount. A unique orderId per refund is recommended.

Request

POST https://stage-platform.wellfit.com/payments/refund-transaction

```

{
  "amount": "<less than total transactionAmount>",
  "orderId": "Postman-Refund-<randomId>",
  "originalTransactionId": "<originalCnpTransactionId>"
}

```

Expected

- HTTP 200 OK or 202 Accepted, depending on the endpoint.
- Response includes a transactionId / refundTransactionId — record it for use in the queries that follow.

Step 4: Validate the transaction is stored in the DB as Approved (refund record)

Run the following queries to confirm the transaction landed in both databases with the expected status. Replace the IDs with the values from Step 1 / 2.

Payments DB queries

```

SELECT TOP 5 * FROM Payments.PaymentRequests
WHERE paymentTransactionId = '<paymentTransactionId>';

SELECT TOP 5 * FROM Transactions.PaymentTransactionHistory
WHERE PaymentTransactionId = '<paymentTransactionGuid>'
ORDER BY entityCreatedAt DESC;

SELECT * FROM [Transactions].[PaymentTransaction]
WHERE PaymentTransactionId = '<paymentTransactionId>';

```

Platform DB query

```
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';
```

Expected — Payments DB

- StatusId = 3 (Approved (refund record))
- SettlementDate = NULL

- FundedDate = NULL

Expected — Platform DB

- SettlementDate = NULL
- FundingInstructions = NULL
- Status = Approved

Step 5: Manually set the SettlementDate in the Platform DB

Treasury jobs only pick up transactions with a SettlementDate. For testing purposes, set it manually via SQL using today's (or the desired) date.

Query

```
UPDATE Payments.Payments
SET SettlementDate = '2026-05-21'
WHERE transactionId = '<transactionId>';

-- Verify the update
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';
```

Expected

- SettlementDate is now populated with the expected date in the Platform DB.




Figure: UPDATE Payments.Payments SET SettlementDate — confirms 1 row affected.




Figure: Platform DB — SettlementDate now populated (2026-05-21).

Step 6: Trigger the Create Funding Batch treasury API

This API picks up transactions with a SettlementDate and assigns them to a new funding batch.

Request

POST <https://stage-platform.wellfit.com/treasury/create-funding-batch>

```
{}
```

Expected

- HTTP 202 Accepted.
- Response body:

```
{  
  "correlationId": "<guid>",  
  "stage": "Create"  
}
```




Figure: POST /treasury/create-funding-batch — 202 Accepted with stage: "Create".

Step 7: Validate FundingInstructions and SettlementDate in the Platform DB

After the Create Funding Batch call, the transaction should now carry a FundingInstructionId.

Query

```
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';
```

Expected — Platform DB

- SettlementDate = ExpectedDate (the value set in the previous step).
- FundingInstructions = Contains a FundingId (non-NULL GUID).
- Status = Approved.


```

10
11 --Platform DB
12
13 SELECT * FROM payments.payments where transactionId = '83999403816107069'
14
15 UPDATE Payments.Payments SET SettlementDate = '2026-05-21' where transactionId = '83999403816107069'
16
17 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39E5RS3HTY2MY3H1JG04YA'

```

ResponseCode	ResponseMessage	Token	SettlementDate	Voided	FundingInstructionId	EnvApplicationId	EnvApplicationName	Appr
000	Approved	NULL	2026-05-21	0	d1660000-a5af-70a8-7a31-08deb76321cd	NULL	NULL	NUL

Figure: Platform DB after Create Funding Batch — FundingInstructionId is populated.

Step 8: Validate the transaction has moved to status 5 (Funded) in the Payments DB

Queries

```
SELECT TOP 5 * FROM Payments.PaymentRequests
WHERE paymentTransactionId = '<paymentTransactionId>';
```

```
SELECT TOP 5 * FROM Transactions.PaymentTransactionHistory
WHERE PaymentTransactionId = '<paymentTransactionGuid>'
ORDER BY entityCreatedAt DESC;
```

```
SELECT * FROM [Transactions].[PaymentTransaction]
WHERE PaymentTransactionId = '<paymentTransactionId>';
```

Expected — Payments DB

- StatusId = 5 (Funded).
- SettlementDate = previously set value.
- FundedDate = NULL (this will be populated after Send Funding Batch runs successfully).

```

3 --Payments DB
4
5 SELECT TOP 5* From Payments.PaymentRequests where paymentTransactionId = '01KS55A4WQ2B7K302W50A5DN6C'
6
7 SELECT TOP 5* FROM Transactions.PaymentTransactionHistory where PaymentTransactionId = '2113c14b-e3dd-4e8a-8fd3-7bc0c98cde0c' order by entityCreatedAt DESC
8
9 Select * from Transactions.TransactionStatus
10
11 SELECT * FROM [Transactions].[PaymentTransaction] where PaymentTransactionId = '01KS55A4WQ2B7K302W50A5DN6C'
12
13
14

```

OrderId	ParentTransactionId	RootTransactionId	TransactionTypeId	TransactionStatusId	PreviousStatusId	TransactionStatusReason	Amount	Currenc
IRD-2025-033	NULL	NULL	1	5	3	NULL	90.00	USD
IRD-2025-033	NULL	NULL	1	3	NULL	Approved	90.00	USD

	Id	Code	Name	Description	IsFinal
1	1	PENDING	Pending	Initial state, not yet submitted	0
2	2	SUBMITTED	Submitted	Sent to processor/network	0
3	3	APPROVED	Approved	Processor approved	0
4	4	DECLINED	Declined	Processor declined	1
5	5	FUNDED	Funded	Funds transferred (ACH: funded to merchant)	0
6	6	SETTLED	Settled	Final settlement complete	1
7	7	RETURNED	Returned	ACH return received	0
8	8	RETURN_RETRY	Return Retry	Retry initiated after return	0
9	9	POST_SETTLE_RETURN	Post-Settle Return	Return after settlement (ACH)	1

Figure: Payments DB — TransactionStatusId = 5 (FUNDED), PreviousStatusId = 3 (Approved). Status table on the right confirms the codes.

Step 9: Validate FundingInstructions correlation values

Cross-check that the FundingInstructionId on the payment is linked to the matching rows in payments.fundingInstructions, and that PayFacFee / Amount values match between tables.

Queries

```
SELECT [id], [fundingInstructionId], [payFacFee], [amount]
FROM payments.payments
WHERE transactionId = '<transactionId>';
```

```
SELECT TOP 3 * FROM payments.fundingInstructions
ORDER BY timestamp DESC;
```

Expected

- FundingInstructionId on the payment matches the Id in payments.fundingInstructions.
- InstructionType rows include both FIPC-PayFac and FISC-NetSettlement for the batch.
- PayFacFee and Amount values are consistent between Payments.Payments and FundingInstructions.

id	fundingInstructionId	payFacFee	amount
1	2113c14b-e3dd-4e8a-8fd3-7bc8c98cde8c	d1660000-a5af-70a8-7a31-08deb76321cd	2.34

Id	TimeStamp	BatchId	InstructionType	Amount	TransferId	Chi
1	d1660000-a5af-70a8-e0ed-08deb76321cd	2026-05-21 18:02:33.0960294 +00:00	d1660000-a5af-70a8-9278-08deb76316d2	FIPC-PayFac	2.34	955748481dd44941b608ef73e
2	d1660000-a5af-70a8-7a31-08deb76321cd	2026-05-21 18:02:32.9950945 +00:00	d1660000-a5af-70a8-9278-08deb76316d2	FISC-NetSettlement	87.66	c513a901a0f942d6a6e946726
3	e20c0000-a5ae-70a8-2fb4-08deb6b01c9	2026-05-20 20:40:19.5491476 +00:00	e20c0000-a5ae-70a8-446f-08deb6aff4f2	FIPC-PayFac	5.72	19d27955b9144425b7e7731a9

Figure: FundingInstructions correlation — FIPC-PayFac and FISC-NetSettlement rows match payFacFee and amount on the payment.

Step 10: Trigger the Send Funding Batch treasury API

Preconditions

- Transaction already in status 5 (Funded), with SettlementDate and FundingInstructionId populated.

Request

```
POST https://stage-platform.wellfit.com/treasury/send-funding-batch
```

```
{}
```

Expected

- HTTP 202 Accepted.
- Response body:

```
{
  "correlationId": "<guid>",
  "stage": "Send"
}
```




Figure: POST /treasury/send-funding-batch — 202 Accepted with stage: "Send".

Step 11: Validate the FundingBatches table contains the BatchFileName

After Send Funding Batch executes successfully, a new row in Payments.FundingBatches is created with a BatchFileName referencing the file in Azure Storage.

Query

```
SELECT * FROM Payments.FundingBatches ORDER BY requestSentTimeStamp DESC;
```

Expected

- The most recent row matches the timestamp of the Send Funding Batch call.
- BatchFileName is populated and matches the file in Azure Storage Explorer.

SQL Query: `SELECT * FROM Payments.FundingBatches order by requestSentTimeStamp desc`

Id	MerchantId	RequestSentTimeStamp	BatchFileName	ResponseReceivedTimeStamp	TransactionId
d1660000-a5af-70a8-9278-08deb76316d2	01264096	2026-05-21 18:32:49.1458949 +00:00	05-21-2026_18-02-33-8531_YX0RYWV.xml	NULL	NULL
e20c0000-a5ae-70a8-446f-08deb6aff4f2	01264096	2026-05-20 20:47:48.0793836 +00:00	05-20-2026_20-40-20-3488_DNNKAKV.xml	2026-05-20 20:50:22.9044045 +00:00	84807295779279617
d1660000-a5af-70a8-da44-08deb68ee485	01264096	2026-05-20 16:45:16.0536529 +00:00	05-20-2026_16-43-37-5347_B1JLQEP.xml	2026-05-20 16:54:46.4685552 +00:00	84807294718051930
76a90000-a59a-70a8-d8ad-08deb5f7d4d8	01264096	2026-05-19 23:02:20.6022228 +00:00	05-19-2026_22-43-23-8987_YHSXPUEA.xml	2026-05-19 23:06:07.7134069 +00:00	84807288803300894
76a90000-a59a-70a8-1d34-08deb5de87d2	01264096	2026-05-19 19:49:58.4829370 +00:00	05-19-2026_19-41-10-2938_PMYIAVON.xml	2026-05-19 20:01:03.9934426 +00:00	83999329731377299
55700000-a5ae-70a8-70b6-08deb52c7932	01264096	2026-05-18 22:29:33.1715195 +00:00	05-18-2026_22-26-36-4447_GOUHVKVP.xml	2026-05-18 22:33:52.8460818 +00:00	84807281803735618
63b70000-8d3d-7ced-e027-08deb28ba4f5	01264096	2026-05-15 14:13:49.6018383 +00:00	05-15-2026_14-07-50-1772_PWVRHBR.xml	2026-05-15 14:24:20.0970521 +00:00	83999301590578657
40160000-3a3a-000d-5f29-08deabba73e1	01264096	2026-05-06 21:58:11.0503756 +00:00	05-06-2026_21-57-44-3495_CKJFUOYP.xml	NULL	NULL
d9950000-3a3a-000d-5f6f-08dea316a54	01264096	2026-05-04 23:07:10.8732691 +00:00	05-04-2026_23-04-19-4834_ADEPOENF.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
d9950000-3a3a-000d-f216-08dea79bab6f	01264096	2026-05-04 23:07:09.6292223 +00:00	05-01-2026_16-07-17-5572_NGHWISAE.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
34b30000-3a35-000d-2cfc-08dea7943b49	01264096	2026-05-04 23:07:08.3513202 +00:00	05-01-2026_15-14-02-1264_KGDKLWME.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
58ac0000-480b-0022-5945-08dea78d987c	01264096	2026-05-04 23:07:07.0462277 +00:00	05-01-2026_14-26-33-9380_HODVQBWK.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
58ac0000-480b-0022-f0c7-08dea789abb3	01264096	2026-05-04 23:07:05.7949612 +00:00	05-01-2026_13-58-30-1220_NORQKRDJ.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
c5d00000-3a3b-000d-50bc-08de489c32e5	01264096	2026-05-04 23:07:04.5549608 +00:00	12-31-2025_18-41-42-8228_DRYGVPMH.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
c5d00000-3a3b-000d-f74b-08de4899493b	01264096	2026-05-04 23:07:03.3043231 +00:00	12-31-2025_18-20-52-6966_PMLSFBOP.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
f0710000-b002-6045-94f3-08de48936411	01264096	2026-05-04 23:07:01.9849275 +00:00	12-31-2025_17-38-30-3546_PQRJWQNG.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
f0710000-b002-6045-937f-08de48904827	01264096	2026-05-04 23:07:00.6828329 +00:00	12-31-2025_17-16-23-3249_FOWHLAGA.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
e0ff0000-3a33-000d-76ae-08de4712e1a7	01264096	2026-05-04 23:06:59.2851751 +00:00	12-29-2025_19-46-38-1425_RKFOXYVR.xml	2026-05-06 20:28:11.6117494 +00:00	NULL

Ln 28, Col 1 (74 selected) Spaces: 2 UTF-8 CRLF 2,373 rows MSSQL 00:00:01 stage-platform-wellfit-sqlserver.database.windows.net : Platform (102)

Figure: Payments.FundingBatches — most recent row contains the BatchFileName (XML in Azure Storage).

Section 5 — Treasury: ACH eCheck Payment

This flow validates the full Treasury Settlement & Funding lifecycle for an ACH eCheck sale transaction. Reference screenshots are included for each step.

Preconditions

- Access to the Payments DB and the Platform DB (read/write).
- Valid credentials for the WellfitUnifiedPaymentsAPI user.
- Postman or an equivalent REST client configured for the Stage environment.
- An eligible Sub-Merchant ID and token for the payment method.

Step 1: Authenticate and obtain a Bearer Token

Send a POST to the authentication endpoint to retrieve the Bearer Token used by all subsequent calls.

Request

```
POST https://stage-platform.wellfit.com/payments/authenticate

{
  "username": "WellfitUnifiedPaymentsAPI",
  "password": "Testing123!!W3llf1t1!"
}
```

Expected

- HTTP 200 OK.
- Response body contains a Bearer Token to be used in the Authorization header of the requests that follow.

Step 2: Submit an ACH eCheck payment

Send a sale request to the Payments V2 API with paymentMethod = Ach. Use a valid bank-account token stored in TokenVault.BankAccountTokens and a complete authorization block.

Request

```
POST https://stage-wf-payments-v2-api.azurewebsites.net/api/v1/payments

{
  "subMerchantId": "A372295A-7AEB-4184-B4E9-16AB615237C4",
  "transactionType": "Sale",
  "amount": 90,
  "currency": "USD",
  "orderId": "ORD-2025-033",
  "orderIdType": "Invoice",
  "paymentMethod": {
    "type": "Ach",
    "ach": {
      "token": "<bankAccountToken>",
      "secCode": "WEB",
      "authorization": {
        "AuthorizationType": "VERBAL_IN_PERSON",
        "AuthorizationDate": "2026-04-06T09:15:00-05:00",
        "AuthorizationReference": "VISIT-20260406-DB",
        "SignedAuthorizationOnFile": null,
        "AuthorizingUserId": "front-desk-02",
        "DisclosureConfirmed": true
      }
    }
  }
}
```

```

    }
  },
  "metadata": "{\"invoiceId\": \"INV-002\", \"customerId\": \"CUST-67890\"}"
}

```

Expected

- HTTP 200 OK or 202 Accepted, depending on the endpoint.
- Response includes a transactionId / refundTransactionId — record it for use in the queries that follow.

Step 3: Validate the transaction is stored in the DB as Approved

Run the following queries to confirm the transaction landed in both databases with the expected status. Replace the IDs with the values from Step 1 / 2.

Payments DB queries

```

SELECT TOP 5 * FROM Payments.PaymentRequests
  WHERE paymentTransactionId = '<paymentTransactionId>';

SELECT TOP 5 * FROM Transactions.PaymentTransactionHistory
  WHERE PaymentTransactionId = '<paymentTransactionGuid>'
  ORDER BY entityCreatedAt DESC;

SELECT * FROM [Transactions].[PaymentTransaction]
  WHERE PaymentTransactionId = '<paymentTransactionId>';

```

Platform DB query

```

SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';

```

Expected — Payments DB

- StatusId = 3 (Approved)
- SettlementDate = NULL
- FundedDate = NULL

Expected — Platform DB

- SettlementDate = NULL
- FundingInstructions = NULL
- Status = Approved

Run Cancel Disconnect Change Database: Payments Estimated Plan Enable Actual Plan Parse Enable SQLCMD To Notebook

```

1 --Treasury API ACH Settlement and Funding
2
3 SELECT TOP 5* FROM Payments.PaymentRequests where paymentTransactionId = '01KS55A4W02B7K302W50ASDN6C'
4
5 SELECT TOP 5* FROM Transactions.PaymentTransactionHistory where PaymentTransactionId = '2113c14b-e3dd-4e8a-8fd3-7bc0c98cde0c' order by entityCreatedAt DESC
6
7 SELECT * FROM [Transactions].[PaymentTransaction] where PaymentTransactionId = '01KS55A4W02B7K302W50ASDN6C'
8
9
10
11
12 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'

```

Results Messages

	Id	IdempotencyKey	Rail	TransactionType	Amount	Currency	SubMerchantId	Order
1	2113c14b-e3dd-4e8a-8fd3-7bc0c98cde0c	7315dcba-dcfb-4ead-a1f8-bc56dedcfa6c	ACH	Sale	90.00	USD	A372295A-7AEB-4184-B4E9-16AB615237C4	ORD-

	PaymentTransactionId	ProcessorTransactionId	OrderId	ParentTransactionId	RootTransactionId	TransactionTypeId	TransactionStatusId	Prev
	2113c14b-e3dd-4e8a-8fd3-7bc0c98cde0c	83999403816107069	ORD-2025-033	NULL	NULL	1	3	NULL

	TransactionTimestamp	StatusTimestamp	SettlementDate	FundedDate	ProcessorId	ProcessorResponseCode	ProcessorResponseMes
	2026-05-21 17:28:41.6258171 +00:00	2026-05-21 17:28:41.6258171 +00:00	NULL	NULL	1	000	Approved

Figure: Payments DB — transaction stored with StatusId = 3 (Approved), SettlementDate and FundedDate NULL.

```

10 --Platform DB
11
12 SELECT * FROM payments.payments where transactionId = '83999403816107069'
13
14 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'
15

```

Results Messages

	ResponseCode	ResponseMessage	Token	SettlementDate	Voided	FundingInstructionId	EnvApplicationId	EnvApplicationName	ApprovalNumber
169	000	Approved	NULL	NULL	0	NULL	NULL	NULL	NULL

Figure: Platform DB — payment row shows Status = Approved with SettlementDate and FundingInstructionId as NULL.

Step 4: Manually set the SettlementDate in the Platform DB

Treasury jobs only pick up transactions with a SettlementDate. For testing purposes, set it manually via SQL using today's (or the desired) date.

Query

```

UPDATE Payments.Payments
SET SettlementDate = '2026-05-21'
WHERE transactionId = '<transactionId>';

-- Verify the update
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';

```

Expected

- SettlementDate is now populated with the expected date in the Platform DB.

```

se... 10 SELECT * FROM Transactions.PaymentTransaction where PaymentTransactionId = '83999403816107069'
win... 11 --Platform DB
se... 12
se... 13 SELECT * From payments.payments where transactionId = '83999403816107069'
win... 14
se... 15 UPDATE Payments.Payments SET SettlementDate = '2026-05-21' where transactionId = '83999403816107069'
se... 16
se... 17 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'
win...
win...
se...
win...
se...
win...
se...

```

Messages
12:00:16 PM Started executing query at Line 14
(1 row affected)
(1 row affected)
Total execution time: 00:00:00.064

Figure: UPDATE Payments.Payments SET SettlementDate — confirms 1 row affected.

```

10
11 --Platform DB
12
13 SELECT * From payments.payments where transactionId = '83999403816107069'
14
15 UPDATE Payments.Payments SET SettlementDate = '2026-05-21' where transactionId = '83999403816107069'
16
17 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'

```

ResultsMessages

Id	ResponseCode	ResponseMessage	Token	SettlementDate	Voided	FundingInstructionId	EmvApplicationId	EmvApplicationName	Ap
6107069	000	Approved	NULL	2026-05-21	0	NULL	NULL	NULL	M

Results grid

Figure: Platform DB — SettlementDate now populated (2026-05-21).

Step 5: Trigger the Create Funding Batch treasury API

This API picks up transactions with a SettlementDate and assigns them to a new funding batch.

Request

POST https://stage-platform.wellfit.com/treasury/create-funding-batch

```
{}
```

Expected

- HTTP 202 Accepted.
- Response body:

```
{
  "correlationId": "<guid>",
  "stage": "Create"
}
```





Figure: POST /treasury/create-funding-batch — 202 Accepted with stage: "Create".

Step 6: Validate FundingInstructions and SettlementDate in the Platform DB

After the Create Funding Batch call, the transaction should now carry a FundingInstructionId.

Query

```
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';
```

Expected — Platform DB

- SettlementDate = ExpectedDate (the value set in the previous step).
- FundingInstructions = Contains a FundingId (non-NULL GUID).
- Status = Approved.




Figure: Platform DB after Create Funding Batch — FundingInstructionId is populated.

Step 7: Validate the transaction has moved to status 5 (Funded) in the Payments DB

Queries

```
SELECT TOP 5 * FROM Payments.PaymentRequests
WHERE paymentTransactionId = '<paymentTransactionId>';
```

```
SELECT TOP 5 * FROM Transactions.PaymentTransactionHistory
```



```
WHERE PaymentTransactionId = '<paymentTransactionGuid>'
ORDER BY entityCreatedAt DESC;
```

```
SELECT * FROM [Transactions].[PaymentTransaction]
WHERE PaymentTransactionId = '<paymentTransactionId>';
```

Expected — Payments DB

- StatusId = 5 (Funded).
- SettlementDate = previously set value.
- FundedDate = NULL (this will be populated after Send Funding Batch runs successfully).

SQL Query Results:

```

3  --Payments DB
4
5  SELECT TOP 5* From Payments.PaymentRequests where paymentTransactionId = '01K555A4WQ2B7K302W50A5DN6C'
6
7  SELECT TOP 5* FROM Transactions.PaymentTransactionHistory where PaymentTransactionId = '2113c14b-e3dd-4e8a-8fd3-7bc0c98cde0c' order by entityCreatedAt DESC
8
9  Select * from Transactions.TransactionStatus
10
11 SELECT * FROM [Transactions].[PaymentTransaction] where PaymentTransactionId = '01K555A4WQ2B7K302W50A5DN6C'
12
13

```

Results Table:

OrderId	ParentTransactionId	RootTransactionId	TransactionTypeId	TransactionStatusId	PreviousStatusId	TransactionStatusReason	Amount	Currency
IRD-2025-033	NULL	NULL	1	5	3	NULL	90.00	USD
IRD-2025-033	NULL	NULL	1	3	NULL	Approved	90.00	USD

Status Table:

Id	Code	Name	Description	IsFinal
1	PENDING	Pending	Initial state, not yet submitted	0
2	SUBMITTED	Submitted	Sent to processor/network	0
3	APPROVED	Approved	Processor approved	0
4	DECLINED	Declined	Processor declined	1
5	FUNDED	Funded	Funds transferred (ACH: funded to merchant)	0
6	SETTLED	Settled	Final settlement complete	1
7	RETURNED	Returned	ACH return received	0
8	RETURN_RETRY	Return Retry	Retry initiated after return	0
9	POST_SETTLE_RETURN	Post-Settle Return	Return after settlement (ACH)	1

Figure: Payments DB — TransactionStatusId = 5 (FUNDED), PreviousStatusId = 3 (Approved). Status table on the right confirms the codes.

Step 8: Validate FundingInstructions correlation values

Cross-check that the FundingInstructionId on the payment is linked to the matching rows in payments.fundingInstructions, and that PayFacFee / Amount values match between tables.

Queries

```
SELECT [id], [fundingInstructionId], [payFacFee], [amount]
FROM payments.payments
WHERE transactionId = '<transactionId>';
```

```
SELECT TOP 3 * FROM payments.fundingInstructions
ORDER BY timestamp DESC;
```

Expected

- FundingInstructionId on the payment matches the Id in payments.fundingInstructions.
- InstructionType rows include both FIPC-PayFac and FISC-NetSettlement for the batch.
- PayFacFee and Amount values are consistent between Payments.Payments and FundingInstructions.

se.win... 19 UPDATE Payments.PaymentTransaction SET SettlementDate = 2026-05-21 WHERE TransactionId = '83999483816107069'

ibase... 20 SELECT [id], [fundingInstructionId], [payFacFee], [amount] From payments.payments where transactionId = '83999483816107069'

ibase... 21

se.win... 22 SELECT TOP 3 * from payments.fundingInstructions order by timestamp desc

ibase... 23

ibase... 24

ibase... 25 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'

se.win...

ibase...

id	fundingInstructionId	payFacFee	amount
1	2113c14b-e3dd-4e8a-8fd3-7bc8c98cde8c	d1660000-a5af-70a8-7a31-08deb76321cd	2.34

Results grid

Id	TimeStamp	BatchId	InstructionType	Amount	TransferId	Chi
1	d1660000-a5af-70a8-e0ed-08deb76321dc	2026-05-21 18:02:33.0960294 +00:00	d1660000-a5af-70a8-9278-08deb76316d2	FIPC-PayFac	2.34	955748481dd44941b608ef73e NU
2	d1660000-a5af-70a8-7a31-08deb76321cd	2026-05-21 18:02:32.9950945 +00:00	d1660000-a5af-70a8-9278-08deb76316d2	FISC-NetSettlement	87.66	c513a981a0f942d6a6e946726 NU
3	e20c0000-a5ae-70a8-2fb4-08deb6b01c9	2026-05-20 20:40:19.5491476 +00:00	e20c0000-a5ae-70a8-446f-08deb6aff4f2	FIPC-PayFac	5.72	19d27955b9144425b7e7731a9 NU

Figure: FundingInstructions correlation — FIPC-PayFac and FISC-NetSettlement rows match payFacFee and amount on the payment.

Step 9: Trigger the Send Funding Batch treasury API

Preconditions

- Transaction already in status 5 (Funded), with SettlementDate and FundingInstructionId populated.

Request

POST <https://stage-platform.wellfit.com/treasury/send-funding-batch>

```
{}
```

Expected

- HTTP 202 Accepted.
- Response body:

```
{
  "correlationId": "<guid>",
  "stage": "Send"
}
```




Figure: POST /treasury/send-funding-batch — 202 Accepted with stage: "Send".

Step 10: Validate the FundingBatches table contains the BatchFileName

After Send Funding Batch executes successfully, a new row in Payments.FundingBatches is created with a BatchFileName referencing the file in Azure Storage.

Query

```
SELECT * FROM Payments.FundingBatches ORDER BY requestSentTimeStamp DESC;
```

Expected

- The most recent row matches the timestamp of the Send Funding Batch call.
- BatchFileName is populated and matches the file in Azure Storage Explorer.

Results Messages

Id	MerchantId	RequestSentTimeStamp	BatchFileName	ResponseReceivedTimeStamp	TransactionId
1	d1660000-a5af-70a8-9278-08deb76316d2	01264096	2026-05-21 18:32:49.1458949 +00:00	05-21-2026_18-02-33-8531_YX0RYWV.xml	NULL
2	e20c0000-a5ae-70a8-446f-08deb6aff4f2	01264096	2026-05-20 20:47:48.0793836 +00:00	05-20-2026_20-40-20-3488_DNNKAKV.xml	84807295779279617
3	d1660000-a5af-70a8-da44-08deb68ee485	01264096	2026-05-20 16:45:16.0536529 +00:00	05-20-2026_16-43-37-5347_B1JLQEP.xml	84807294718051930
4	76a90000-a59a-70a8-d8ad-08deb5f7d4d8	01264096	2026-05-19 23:02:20.6022228 +00:00	05-19-2026_22-43-23-8987_YHSXPUEA.xml	84807288803300894
5	76a90000-a59a-70a8-1d34-08deb5de87d2	01264096	2026-05-19 19:49:58.4829370 +00:00	05-19-2026_19-41-10-2938_PMYIAVON.xml	83999329731377299
6	55700000-a5ae-70a8-70b6-08deb52c7932	01264096	2026-05-18 22:29:33.1715195 +00:00	05-18-2026_22-26-36-4447_QOHRKVPQ.xml	84807281803735618
7	63b00000-8d3d-7ced-e027-08deb28ba4f5	01264096	2026-05-15 14:13:49.6018383 +00:00	05-15-2026_14-07-50-1772_PWVRHBR.xml	83999301598578657
8	4b160000-3a3a-000d-5f29-08deabba73e1	01264096	2026-05-06 21:58:11.0503756 +00:00	05-06-2026_21-57-44-3495_CKJFUOYP.xml	NULL
9	d9950000-3a3a-000d-5f6f-08dea316a54	01264096	2026-05-04 23:07:10.8732691 +00:00	05-04-2026_23-04-19-4834_ADEPOENF.xml	2026-05-06 20:28:11.6117494 +00:00
10	d9950000-3a3a-000d-f216-08dea79bab6f	01264096	2026-05-04 23:07:09.6292223 +00:00	05-01-2026_16-07-17-5572_NGHWISAE.xml	2026-05-06 20:28:11.6117494 +00:00
11	34b30000-3a35-000d-2cfc-08dea7943b49	01264096	2026-05-04 23:07:08.3513202 +00:00	05-01-2026_15-14-02-1264_KGDKLWME.xml	2026-05-06 20:28:11.6117494 +00:00
12	58ac0000-480b-0022-5945-08dea78d987c	01264096	2026-05-04 23:07:07.0462277 +00:00	05-01-2026_14-26-33-9380_HODVQBWK.xml	2026-05-06 20:28:11.6117494 +00:00
13	58ac0000-480b-0022-f0c7-08dea789abb3	01264096	2026-05-04 23:07:05.7949612 +00:00	05-01-2026_13-58-30-1220_NORQKRDJ.xml	2026-05-06 20:28:11.6117494 +00:00
14	c5d00000-3a3b-000d-50bc-08de489c32e5	01264096	2026-05-04 23:07:04.5549608 +00:00	12-31-2025_18-41-42-8228_DRYGVPMH.xml	2026-05-06 20:28:11.6117494 +00:00
15	c5d00000-3a3b-000d-f74b-08de4899493b	01264096	2026-05-04 23:07:03.3043231 +00:00	12-31-2025_18-20-52-6966_FHLSFROP.xml	2026-05-06 20:28:11.6117494 +00:00
16	f0710000-b002-6045-94f3-08de48936411	01264096	2026-05-04 23:07:01.9849275 +00:00	12-31-2025_17-38-30-3546_PQRJWQNG.xml	2026-05-06 20:28:11.6117494 +00:00
17	f0710000-b002-6045-937f-08de48984827	01264096	2026-05-04 23:07:00.6828329 +00:00	12-31-2025_17-16-23-3249_FOWHLAGA.xml	2026-05-06 20:28:11.6117494 +00:00
18	e0ff0000-3a33-000d-76ae-08de4712e1a7	01264096	2026-05-04 23:06:59.2851751 +00:00	12-29-2025_19-46-38-1425_RKFOXYVR.xml	2026-05-06 20:28:11.6117494 +00:00

Ln 28, Col 1 (74 selected) Spaces: 2 UTF-8 CRLF 2,373 rows MSSQL 00:00:01 stage-platform-wellfit-sqlserver.database.windows.net : Platform (102)

Figure: Payments.FundingBatches — most recent row contains the BatchFileName (XML in Azure Storage).

Section 6 — Treasury: ACH eCheck Refund

This flow validates the full Treasury Settlement & Funding lifecycle for an ACH refund (partial or full). The initial status of the refund record is 18 (Partial Refund) or 10 (Full Refund); after Treasury runs, the refund transitions to status 5 (Funded).

Refunds are only eligible when the original ACH payment is in status 6 (Settled); see Step 2.

Preconditions

- Access to the Payments DB and the Platform DB (read/write).
- Valid credentials for the WellfitUnifiedPaymentsAPI user.
- Postman or an equivalent REST client configured for the Stage environment.
- An eligible Sub-Merchant ID and token for the payment method.
- An original transaction in status 6 (Settled). If it is not, update it via SQL before submitting the refund (covered in Step 2).

Step 1: Authenticate and obtain a Bearer Token

Send a POST to the authentication endpoint to retrieve the Bearer Token used by all subsequent calls.

Request

```
POST https://stage-platform.wellfit.com/payments/authenticate
```

```
{
  "username": "WellfitUnifiedPaymentsAPI",
  "password": "Testing123!!W3llf1t1!"
}
```

Expected

- HTTP 200 OK.
- Response body contains a Bearer Token to be used in the Authorization header of the requests that follow.

Step 2: Make the original transaction eligible for refund

Refunds are only eligible for transactions in status 6 (Settled). If the test transaction is not yet in that state, update it via SQL in the Payments DB.

Query

```
UPDATE Transactions.PaymentTransaction SET TransactionStatusId = 6 WHERE PaymentTransactionId = '<originalPaymentTransactionId>'
```

Expected

- 1 row affected; TransactionStatusId is now 6 (Settled).

27

SELECT * FROM Payments.FundingBatches order by requestSentTimestamp desc

28

29

30

update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS6AMKSH52T7G73EMWf9CBAQ'

Results

Messages

umber	OrderId	ParentTransactionId	RootTransactionId	RetryAttempt	RailId	TransactionTypeId	TransactionStatusId	TransactionStatusReason
ie.wi...	ORD-2025-033	NULL	NULL	0	1	1	6	Approved

Figure: UPDATE Transactions.PaymentTransaction SET TransactionStatusId = 6 — original transaction is now Settled and refund-eligible.

Step 3: Submit an ACH refund (partial or full)

Send a refund request against the settled ACH transaction. Use the settled transaction's ID in the URL path. Each refund must use a new Idempotency-Key to avoid being treated as a duplicate. The screenshots below show both the partial and full refund Postman responses.

Request

POST https://stage-wf-payment-management-api.azurewebsites.net/api/transactions/{settledAchTransactionId}/refund

Headers:

Authorization: Bearer <token>
Idempotency-Key: <unique-key>
Content-Type: application/json

Body:

```
{
  "requestId": "token002",
  "amount": 12.00,
  "reason": "QA test - partial refund"
}
```

Expected

- HTTP 200 OK or 202 Accepted, depending on the endpoint.
- Response includes a transactionId / refundTransactionId — record it for use in the queries that follow.




Figure: ACH partial refund — 202 Accepted, response shows refundType: "PARTIAL" with the refundTransactionId.

Step 4: Validate the transaction is stored in the DB as Partial / Full Refund

Run the following queries to confirm the transaction landed in both databases with the expected status. Replace the IDs with the values from Step 1 / 2.

Payments DB queries

```
SELECT TOP 5 * FROM Payments.PaymentRequests
WHERE paymentTransactionId = '<paymentTransactionId>';
```

```
SELECT TOP 5 * FROM Transactions.PaymentTransactionHistory
WHERE PaymentTransactionId = '<paymentTransactionGuid>'
ORDER BY entityCreatedAt DESC;
```

```
SELECT * FROM [Transactions].[PaymentTransaction]
WHERE PaymentTransactionId = '<paymentTransactionId>';
```

Platform DB query

```
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';
```

Expected — Payments DB

- StatusId = 18 (Partial Refund) or 10 (Full Refund) (Partial / Full Refund)
- SettlementDate = NULL
- FundedDate = NULL

Expected — Platform DB

- SettlementDate = NULL
- FundingInstructions = NULL
- Status = Approved

```

2
3 --Payments DB
4
5 SELECT TOP 5* From Payments.PaymentRequests where paymentTransactionId = '01KS6DZG22839BVYTM7BMJXGQ'
6
7
8 SELECT TOP 5* FROM Transactions.PaymentTransactionHistory where PaymentTransactionId = '7384e37c-9303-4772-a936-3b2d35584c22' order by entityCreatedAt DESC
9
10 Select * from Transactions.TransactionStatus
11
12 SELECT * FROM [Transactions].[PaymentTransaction] where PaymentTransactionId = '01KS6DZG22839BVYTM7BMJXGQ'
13 UPDATE Transactions.PaymentTransaction SET SettlementDate = '2026-05-21' where paymenttransactionId = '01KS6DZG22839BVYTM7BMJXGQ'
14
15

```

Id	TransactionTypeId	TransactionStatusId	TransactionStatusReason	Amount	Currency	SubMerchantId	SubMerchantAccountId
1		10	Fully refunded by processor	90.00	USD	a372295a-7aeb-4184-b4e9-16ab615237c4	8b40a4a9-7fe8-419b-9048-542ef

Figure: Payments DB after full refund — TransactionStatusId = 10 "Fully refunded by processor".

Step 5: Manually set the SettlementDate in the Platform DB

Treasury jobs only pick up transactions with a SettlementDate. For testing purposes, set it manually via SQL using today's (or the desired) date.

Query

```

UPDATE Payments.Payments
SET SettlementDate = '2026-05-21'
WHERE transactionId = '<transactionId>';

-- Verify the update
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';

```

Expected

- SettlementDate is now populated with the expected date in the Platform DB.

```

10
11 --Platform DB
12
13 SELECT * From payments.payments where transactionId = '83999403816107069'
14
15 UPDATE Payments.Payments SET SettlementDate = '2026-05-21' where transactionId = '83999403816107069'
16
17 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'

```

Messages	
12:00:16 PM	Started executing query at Line 14 (1 row affected) (1 row affected) Total execution time: 00:00:00.064

Figure: UPDATE Payments.Payments SET SettlementDate — confirms 1 row affected.

```

10
11 --Platform DB
12
13 SELECT * From payments.payments where transactionId = '83999403816107069'
14
15 UPDATE Payments.Payments SET SettlementDate = '2026-05-21' where transactionId = '83999403816107069'
16
17 -- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'

```

Id	ResponseCode	ResponseMessage	Token	SettlementDate	Voided	FundingInstructionId	EmvApplicationId	EmvApplicationName	App
6107069	000	Approved	NULL	2026-05-21	0	NULL	NULL	NULL	NU

Results grid

Figure: Platform DB — SettlementDate now populated (2026-05-21).

Step 6: Trigger the Create Funding Batch treasury API

This API picks up transactions with a SettlementDate and assigns them to a new funding batch.

Request

POST <https://stage-platform.wellfit.com/treasury/create-funding-batch>

```
{}
```

Expected

- HTTP 202 Accepted.
- Response body:

```
{
  "correlationId": "<guid>",
  "stage": "Create"
}
```




Figure: POST /treasury/create-funding-batch — 202 Accepted with stage: "Create".

Step 7: Validate FundingInstructions and SettlementDate in the Platform DB

After the Create Funding Batch call, the transaction should now carry a FundingInstructionId.

Query

```
SELECT * FROM payments.payments WHERE transactionId = '<transactionId>';
```

Expected — Platform DB

- SettlementDate = ExpectedDate (the value set in the previous step).
- FundingInstructions = Contains a FundingId (non-NULL GUID).
- Status = Approved.

Results grid

ResponseCode	ResponseMessage	Token	SettlementDate	Voided	FundingInstructionId	EnvApplicationId	EnvApplicationName	Appr
000	Approved	NULL	2026-05-21	0	d1660000-a5af-70a8-7a31-08deb76321cd	NULL	NULL	NUL

Figure: Platform DB after Create Funding Batch — FundingInstructionId is populated.

Step 8: Validate the transaction has moved to status 5 (Funded) in the Payments DB

Queries

```
SELECT TOP 5 * FROM Payments.PaymentRequests  
WHERE paymentTransactionId = '<paymentTransactionId>';
```

```
SELECT TOP 5 * FROM Transactions.PaymentTransactionHistory  
WHERE PaymentTransactionId = '<paymentTransactionGuid>'  
ORDER BY entityCreatedAt DESC;
```

```
SELECT * FROM [Transactions].[PaymentTransaction]  
WHERE PaymentTransactionId = '<paymentTransactionId>';
```

Expected — Payments DB

- StatusId = 5 (Funded).
- SettlementDate = previously set value.
- FundedDate = NULL (this will be populated after Send Funding Batch runs successfully).

```

3  --Payments DB
4
5  SELECT TOP 5* From Payments.PaymentRequests where paymentTransactionId = '01K555A4WQ2B7K302W50A5DN6C'
6
7  SELECT TOP 5* FROM Transactions.PaymentTransactionHistory where PaymentTransactionId = '2113c14b-e3dd-4e8a-8fd3-7bc0c98cde0c' order by entityCreatedAt DESC
8
9  Select * from Transactions.TransactionStatus
10
11 SELECT * FROM [Transactions].[PaymentTransaction] where PaymentTransactionId = '01K555A4WQ2B7K302W50A5DN6C'
12
13

```

OrderId	ParentTransactionId	RootTransactionId	TransactionTypeId	TransactionStatusId	PreviousStatusId	TransactionStatusReason	Amount	Currency
IRD-2025-033	NULL	NULL	1	5	3	NULL	90.00	USD
IRD-2025-033	NULL	NULL	1	3	NULL	Approved	90.00	USD

Id	Code	Name	Description	IsFinal
1	1	PENDING	Pending	0
2	2	SUBMITTED	Submitted	0
3	3	APPROVED	Approved	0
4	4	DECLINED	Declined	1
5	5	FUNDED	Funds transferred (ACH: funded to merchant)	0
6	6	SETTLED	Settled	1
7	7	RETURNED	Returned	0
8	8	RETURN_RETRY	Return Retry	0
9	9	POST_SETTLE_RETURN	Post-Settle Return	1

Figure: Payments DB — TransactionStatusId = 5 (FUNDED), PreviousStatusId = 3 (Approved). Status table on the right confirms the codes.

Step 9: Validate FundingInstructions correlation values

Cross-check that the FundingInstructionId on the payment is linked to the matching rows in payments.fundingInstructions, and that PayFacFee / Amount values match between tables.

Queries

```

SELECT [id], [fundingInstructionId], [payFacFee], [amount]
FROM payments.payments
WHERE transactionId = '<transactionId>';

```

```

SELECT TOP 3 * FROM payments.fundingInstructions
ORDER BY timestamp DESC;

```

Expected

- FundingInstructionId on the payment matches the Id in payments.fundingInstructions.
- InstructionType rows include both FIPC-PayFac and FISC-NetSettlement for the batch.
- PayFacFee and Amount values are consistent between Payments.Payments and FundingInstructions.

se.win... 19
ibase... 20
se.win... 21
ibase... 22
se.win... 23
ibase... 24
se.win... 25

```

UPDATE Payments.Payment SET SettlementDate = 2026-05-21 WHERE TransactionId = '83999408316107069'
SELECT [id], [fundingInstructionId], [payFacFee], [amount] FROM payments.payments where transactionId = '83999408316107069'
SELECT TOP 3 * FROM payments.fundingInstructions order by timestamp desc
-- update Transactions.PaymentTransaction set TransactionStatusId = 6 where PaymentTransactionId = '01KS39ESRS3HTY2MY3H1JGD4YA'

```

Results Messages

	id	fundingInstructionId	payFacFee	amount
1	2113c14b-e3dd-4e8a-8fd3-7bc8c98cde8c	d1660000-a5af-70a8-7a31-08deb76321cd	2.34	90.00

Results grid

	Id	TimeStamp	BatchId	InstructionType	Amount	TransferId	Chi
1	d1660000-a5af-70a8-e0ed-08deb76321dc	2026-05-21 18:02:33.0960294 +00:00	d1660000-a5af-70a8-9278-08deb76316d2	FIPC-PayFac	2.34	955748481dd44941b608ef73e	NU
2	d1660000-a5af-70a8-7a31-08deb76321cd	2026-05-21 18:02:32.9950945 +00:00	d1660000-a5af-70a8-9278-08deb76316d2	FISC-NetSettlement	87.66	c513a981a0f942d6a6e946726	NU
3	e20c0000-a5ae-70a8-2fb4-08deb6b01c9	2026-05-20 20:40:19.5491476 +00:00	e20c0000-a5ae-70a8-446f-08deb6aff4f2	FIPC-PayFac	5.72	19d27955b9144425b7e7731a9	NU

Figure: FundingInstructions correlation — FIPC-PayFac and FISC-NetSettlement rows match payFacFee and amount on the payment.

Step 10: Trigger the Send Funding Batch treasury API

Preconditions

- Transaction already in status 5 (Funded), with SettlementDate and FundingInstructionId populated.

Request

POST <https://stage-platform.wellfit.com/treasury/send-funding-batch>

```
{}
```

Expected

- HTTP 202 Accepted.
- Response body:

```
{
  "correlationId": "<guid>",
  "stage": "Send"
}
```




Figure: POST /treasury/send-funding-batch — 202 Accepted with stage: "Send".

Step 11: Validate the FundingBatches table contains the BatchFileName

After Send Funding Batch executes successfully, a new row in Payments.FundingBatches is created with a BatchFileName referencing the file in Azure Storage.

Query

```
SELECT * FROM Payments.FundingBatches ORDER BY requestSentTimestamp DESC;
```

Expected

- The most recent row matches the timestamp of the Send Funding Batch call.
- BatchFileName is populated and matches the file in Azure Storage Explorer.

Results Messages

Id	MerchantId	RequestSentTimestamp	BatchFileName	ResponseReceivedTimestamp	TransactionId
1	d1660000-a5af-70a8-9278-08deb76316d2	2026-05-21 18:32:49.1458949 +00:00	05-21-2026_18-02-33-8531_YX0RYWV.xml	NULL	NULL
2	e20c0000-a5ae-70a8-446f-08deb6aff4f2	2026-05-20 20:47:48.0793836 +00:00	05-20-2026_20-40-20-3488_DNNKAKV.xml	2026-05-20 20:50:22.9044045 +00:00	84807295779279617
3	d1660000-a5af-70a8-d44d-08deb68ee485	2026-05-20 16:45:16.0536529 +00:00	05-20-2026_16-43-37-5347_BJLQEP.xml	2026-05-20 16:54:46.4685552 +00:00	84807294718051930
4	76a90000-a59a-70a8-d8ad-08deb5f7d4d8	2026-05-19 23:02:20.6022228 +00:00	05-19-2026_22-43-23-8987_YHSXPUEA.xml	2026-05-19 23:06:07.7134069 +00:00	84807288803300894
5	76a90000-a59a-70a8-1d34-08deb5de87d2	2026-05-19 19:49:58.4829370 +00:00	05-19-2026_19-41-10-2938_PWVIAVON.xml	2026-05-19 20:01:03.9934426 +00:00	83999329731377299
6	55700000-a5ae-70a8-70b6-08deb52c7932	2026-05-18 22:29:33.1715195 +00:00	05-18-2026_22-26-36-4447_GOUHVKVQ.xml	2026-05-18 22:33:52.8460818 +00:00	84807281803735618
7	63bf0000-8d3d-7ced-e027-08deb28ba4f5	2026-05-15 14:13:49.6018383 +00:00	05-15-2026_14-07-50-1772_PWVRRHR.xml	2026-05-15 14:24:20.0970521 +00:00	83999301598578657
8	4b160000-3a3a-000d-5f29-08deabba73e1	2026-05-06 21:58:11.0503756 +00:00	05-06-2026_21-57-44-3495_CKJFUOYP.xml	NULL	NULL
9	d9950000-3a3a-000d-5f6f-08dea316a54	2026-05-04 23:07:10.8732691 +00:00	05-04-2026_23-04-19-4834_ADEPOENF.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
10	d9950000-3a3a-000d-f216-08dea79bab6f	2026-05-04 23:07:09.6292223 +00:00	05-01-2026_16-07-17-5572_NGHWISAE.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
11	34b30000-3a35-000d-2cfd-08dea7943b49	2026-05-04 23:07:08.3513202 +00:00	05-01-2026_15-14-02-1264_KGDKLWME.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
12	58ac0000-480b-0022-5945-08dea780987c	2026-05-04 23:07:07.0462277 +00:00	05-01-2026_14-26-33-9380_HODVQBWK.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
13	58ac0000-480b-0022-f0c7-08dea789abb3	2026-05-04 23:07:05.7949612 +00:00	05-01-2026_13-58-30-1220_NORQKRDJ.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
14	c5d00000-3a3b-000d-50bc-08de489c32e5	2026-05-04 23:07:04.5549608 +00:00	12-31-2025_18-41-42-8228_DRYGVPMH.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
15	c5d00000-3a3b-000d-f74b-08de4899493b	2026-05-04 23:07:03.3043231 +00:00	12-31-2025_18-20-52-6966_YHLSFROP.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
16	f0710000-b002-6045-94f3-08de48936411	2026-05-04 23:07:01.9849275 +00:00	12-31-2025_17-38-30-3546_PQRJWQNG.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
17	f0710000-b002-6045-937f-08de48904827	2026-05-04 23:07:00.6828329 +00:00	12-31-2025_17-16-23-3249_FOWHLQAQ.xml	2026-05-06 20:28:11.6117494 +00:00	NULL
18	e0ff0000-3a33-000d-76ae-08de4712e1a7	2026-05-04 23:06:59.2851751 +00:00	12-29-2025_19-46-38-1425_RKFOXYVR.xml	2026-05-06 20:28:11.6117494 +00:00	NULL

Ln 28, Col 1 (74 selected) Spaces: 2 UTF-8 CRLF 2,373 rows MSSQL 00:00:01 stage-platform-wellfit-sqlserver.database.windows.net : Platform (102)

Figure: Payments.FundingBatches — most recent row contains the BatchFileName (XML in Azure Storage).

Variant — Full ACH Refund

For a full refund, set the amount equal to the original transaction amount. The Postman response will return refundType: "FULL".

Regression / ACH Refunds - Submit partial refund (\$40 of \$100) Copy

POST <https://stage-wf-payment-management-api.azurewebsites.net/api/transactions/{{settledAchTransactionId}}/refund> Send

Docs Params Authorization Headers (13) Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "requestId": "token002",
3   "amount": 90.00,
4   "reason": "QA test - full refund"
5   //"originUserId": "qa_test",
6   //"originSystem": "Postman"
7 }
```

Body Cookies Headers (9) Test Results (3/6) 202 Accepted • 792 ms • 556 B • Save Response

{ JSON Preview Visualize

```
1 {
2   "refundTransactionId": "01KS6E6BSVAQ82HMZZMC70QH3B",
3   "status": "APPROVED",
4   "refundType": "FULL",
5   "amount": 90.00,
6   "parentTransactionId": "01KS6DZWG22839BVYTM7BMJXGQ"
7 }
```

Figure: ACH full refund — 202 Accepted, response shows refundType: "FULL".

Appendix — Notes & Tips

- Always copy the transactionId, paymentTransactionId, and refundTransactionId returned by the API into a local notepad — every subsequent SQL query uses them.
- The SettlementDate is normally set by the settlement process, not manually. Manual SQL is used here only to make the Treasury flow testable on demand.
- For Funding Batches, the BatchFileName in Payments.FundingBatches must match the file present in Azure Storage Explorer for that environment.
- Funding and Settlement should never run on Saturdays, Sundays, or bank holidays. After a holiday, the first Treasury run on the next business day should pick up all skipped transactions.
- Do not reuse the same Idempotency-Key for ACH refunds — the second call will be rejected as a duplicate.
- The Funded status (5) screenshot in Section 5 shows TransactionStatusId = 5 and PreviousStatusId = 3 — this is the expected transition after Create Funding Batch.