

Part 2 ACH Returns & ACH Events Grid (PAY-2342)

 [PAY-2202] Expose ACH Return Received Event to Event Grid Created: 19/Jul/25 Updated: 19/Jun/26 Resolved: 31/Oct/25

Status:	Closed
Project:	Payments
Components:	None
Affects versions:	None
Fix versions:	R8.27
Parent:	Part 2 ACH Returns & ACH Events Grid

Type:	Story	Priority:	3: Standard
Reporter:	Swetha Bayya	Assignee:	Brett Roy
Resolution:	Done		
Labels:	None		
Σ Remaining Estimate:	5 hours	Remaining Estimate:	2 hours
Σ Time Spent:	1 week, 6 hours, 30 minutes	Time Spent:	0 minutes
Σ Original Estimate:	1 week, 1 day, 2 hours	Original estimate:	Not Specified

Sub-tasks:	Key	Summary	Type	Status	Assignee
	PAY-2426	QA: Create Test Cases	Sub-task	Done	Ana Oliva (contractor)
	PAY-2427	QA: Testing in QA	Sub-task	Done	Ana Oliva (contractor)
	PAY-2447	DEV - Expose ACH Return Received Eve...	Sub-task	Done	Brett Roy
	PAY-2709	QA: testing	Sub-task	Done	Radhika Kandoori
	PAY-2739	QA: Test in Stage	Sub-task	Done	Ana Oliva (contractor)

Sprint: PayR8.27 - S1, PayR8.28 - S1, PayR8.26 - S2, PayR8.26 - S1

Acceptance Criteria:

1. Event Publishing and Delivery:

- The **Payments** must **generate** the **ACH ReturnReceived event** immediately after the ACH return is processed.
- The event must be **delivered reliably** to all **subscribed systems**, ensuring that no events are lost or missed.
- Subscribed systems should be able to consume the event and take appropriate actions .

2. Event Payload:

The event payload must include the following fields:

- Wellfit Submerchant ID
- Transaction ID
- Transaction Status
- Return Reason Code
- Return Reason
- Returned Date
- Amount.

These events are specified in Confluence - These were the models used for this <https://wellfit.atlassian.net/wiki/spaces/PAY/pages/2783936515/eCheck+Return+Processing+05+-+Event+Architecture+Workflow+Orchestration#2.-Redeposit-Events>

QA Required:	Yes
Grooming Status:	7-Groomed
Pod:	PAY

Description

As the Payments platform,
I want to publish an ACH ReturnReceived event to Event Grid,
So that downstream systems can be notified in real-time when an ACH return is received from the processor.

Business Context:

By publishing ACH return events, we enable other products (e.g., compliance monitoring, merchant portals, fraud detection, and customer-facing applications) to subscribe and act on the return. This eliminates the need for direct database queries, allowing for efficient, real-time handling of ACH returns. The **ACH ReturnReceived event** ensures all relevant systems are immediately notified, enabling them to process the event based on their requirements, such as notifying customers, flagging transactions, or updating financial records.

Comments

Comment by [Brett Roy](#) [02/Sep/25]

After Done
Next is <https://wellfit.atlassian.net/browse/PAY-2332>

Comment by [Brett Roy](#) [09/Sep/25]

[Swetha Bayya Jason Thomas](#)
The Event Payload above
Which event in the docs are we trying to implement?
I am assuming one in the Redeposit Events
If not, need clarity ... Transaction Status

<https://wellfit.atlassian.net/wiki/spaces/PAY/pages/2783936515/eCheck+Return+Processing+05+-+Event+Architecture+Workflow+Orchestration#2.-Redeposit-Events>

Comment by [Jason Thomas](#) [09/Sep/25]

[Brett Roy](#)!ve updated the Confluence page to match and remove overengineered events

Comment by [Brett Roy](#) [24/Sep/25]

Actual Model

```
namespace AchReturns.API.Events
{
    public class RedepositAttemptedEvent // ACH Retry Initiated Event (RedepositAttemptedEvent?
    ACHRetryAttemptedEvent?) – Published when a redeposit attempt is made
    {
        public Guid RedepositAttemptId { get; set; } // Returns.RedepositAttempts.Id
        public Guid ReturnedPaymentId { get; set; } // Payments.ReturnedPayments.Id
        public Guid OriginalPaymentId { get; set; } // Original Payment/Transaction ID
        public string OriginalProcessorTransactionId { get; set; } // Original Processor Transaction ID
        public int AttemptNumber { get; set; } // Retry Attempt Count
        public decimal RedepositAmount { get; set; } // Payment Amount
        public DateTime ExecutedTimestamp { get; set; } // Retry Payment Date
        public Guid SubMerchantId { get; set; } // Wellfit Sub-Merchant ID
        public string OriginalTransactionStatus { get; set; } // Original Transaction Status (Failed)
        public string RetryTransactionStatus { get; set; } // Retry Transaction Status (Submitted/Failed)
    }
}
```

Comment by [Jason Thomas](#) [26/Sep/25]

Awaiting completion on [New CI/CD and PR Pipelines: ACH Returns API - DevOps and Infrastructure Support - Jira Service Management](#)

Comment by [Brett Roy](#) [06/Oct/25]

[Jason Thomas](#) Just confirming - we are still waiting, correct?

Comment by [Brett Roy](#) [07/Oct/25]

Jason noted still on hold in <https://wellfit.atlassian.net/browse/PAY-1803>
No actions for me at the moment

Comment by [Brett Roy](#) [13/Oct/25]

[Radhika Kandoori Ana Oliva \(contractor\)](#)
I am walking through these in the QA environment right now ... will contact you later today or early tomorrow to review so you can test