

Show: All Tags

Sort by: Name

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
zz_alwaysoff			BOOL	0		Read/Write
 z_TestTimer			TIMER	{...}	TEST	Read/Write
z_TEST_REAL_3			REAL	0.0		Read/Write
z_TEST_REAL_2			REAL	0.0		Read/Write
z_TEST_REAL_1			REAL	0.0		Read/Write
z_TEST_REAL_0			REAL	0.0		Read/Write
 z_TEST_INT_3			INT	0		Read/Write
 z_TEST_INT_2			INT	0		Read/Write
 z_TEST_INT_1			INT	0		Read/Write
z_TEST_INT_1.0			BOOL	0	RESET Fryer Fault M28	Read/Write
 z_TEST_INT_0			INT	0		Read/Write
z_TEST_BIT_3			BOOL	0		Read/Write
z_TEST_BIT_2			BOOL	0		Read/Write
z_TEST_BIT_1			BOOL	0		Read/Write
z_TEST_BIT_0			BOOL	0		Read/Write
TPTO03_b_Rcp_IL			BOOL	0	Lock Transfer From Recipi To PLC While It Is ON	Read/Write
 TPTO02_nn_DateTime			DINT[7]	{...}		Read/Write
 TPTO02_n_LineStateLog			INT[50]	{...}	Line State Trans Log D5900~	Read/Write
 TPTO02_n_LineState_me			INT	56	LineStateNumber D5525	Read/Write
 TPTO02_n_FRYR_SpeedName			INT	0	FRYR Speed set name D5574	Read/Write
 TPTO02_MTR_TU			MTR_MNTR	{...}	Motor Monitor Value Set	Read/Write
 TPTO02_MTR_TRV			MTR_MNTR	{...}	Motor Monitor Value Set	Read/Write
 TPTO02_MTR_PO			MTR_MNTR[12]	{...}	Motor Monitor	Read/Write
 TPTO02_MTR_FRYR			MTR_MNTR	{...}	Motor Monitor Value Set	Read/Write
 TPTO02_MTR_CAP			MTR_MNTR	{...}	Motor Monitor Value Set	Read/Write
 TPTO02_MTR_BND2			MTR_MNTR	{...}	Motor Monitor Value Set	Read/Write
 TPTO02_MTR_BND1			MTR_MNTR	{...}	Motor Monitor Value Set	Read/Write
TPTO02_f_TU_Length_me			REAL	13.83	[m]TakeUp Length Actual D5570	Read/Write
TPTO02_f_TU_BBN_DIA_me			REAL	346.0167	[mm] TakeUpBobbinDiameterActual D6038	Read/Write

Style	Constant
Decimal	No
	No
Float	No
Float	No
Float	No
Float	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
	No
	No
	No
	No
	No
	No
	No
Float	No
Float	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
TPTO02_f_TRV_TrnP_TU_Side_O_ns			REAL	180.0	Traverse Turn P PO side Out Side Limit D6045	Read/Write
TPTO02_f_TRV_TrnP_TU_Side_I_ns			REAL	200.0	Traverse Turn P PO side Out Side Limit D6044	Read/Write
TPTO02_f_TRV_TrnP_PO_Side_O_ns			REAL	535.0	Traverse Turn P PO side Out Side Limit D6049	Read/Write
TPTO02_f_TRV_TrnP_PO_Side_I_ns			REAL	515.0	Traverse Turn P PO side Out Side Limit D6048	Read/Write
TPTO02_f_TRV_Pstn_me			REAL	305.0645	[mm]Traverse Actual position from 0	Read/Write
TPTO02_f_PO_RmngLngh_me			REAL[12]	{...}	[m] PO Remining Length	Read/Write
TPTO02_f_PO_MinLngh			REAL	12698.989	[m]minimun Remaining of Pos D5564	Read/Write
TPTO02_f_PO_BBN_DIA_me			REAL[12]	{...}	[mm] Pay Off Bobbin Diameter Act	Read/Write
TPTO02_f_PO_BBN_DIA_me[0]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 01	Read/Write
TPTO02_f_PO_BBN_DIA_me[1]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 02	Read/Write
TPTO02_f_PO_BBN_DIA_me[2]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 03	Read/Write
TPTO02_f_PO_BBN_DIA_me[3]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 04	Read/Write
TPTO02_f_PO_BBN_DIA_me[4]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 05	Read/Write
TPTO02_f_PO_BBN_DIA_me[5]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 06	Read/Write
TPTO02_f_PO_BBN_DIA_me[6]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 07	Read/Write
TPTO02_f_PO_BBN_DIA_me[7]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 08	Read/Write
TPTO02_f_PO_BBN_DIA_me[8]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 09	Read/Write
TPTO02_f_PO_BBN_DIA_me[9]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 10	Read/Write
TPTO02_f_PO_BBN_DIA_me[10]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 11	Read/Write
TPTO02_f_PO_BBN_DIA_me[11]			REAL	141.1	[mm] Pay Off Bobbin Diameter Act 12	Read/Write
TPTO02_f_LineSpd_me			REAL	0.0	[m/min] Line speed D5579	Read/Write
TPTO02_f_FRYR_Spd_me			REAL	-0.005364418	[rpm]FRYR_Actual Speed D5577	Read/Write
TPTO02_f_DncrPstn_TU_me			REAL	31.723503	Take-Up Dancer PositionD5863	Read/Write
TPTO02_f_DncrPstn_PO_me			REAL[12]	{...}	Pay Off Dancer Position D6600~	Read/Write
TPTO02_f_BND2RmnLngh			REAL	4794.071	[m] Bind2 Cheese Remaining Length D6241	Read/Write
TPTO02_f_BND2CheeseDia_me			REAL	79.51046	[mm]Cheese Dia D5582	Read/Write
TPTO02_f_BND2_Spd_me			REAL	0.0	[rpm]Binder2_Actual Speed	Read/Write
TPTO02_f_BND1RmnLngh			REAL	4794.071	[m] Bind1 Cheese Remaining Length D6241	Read/Write
TPTO02_f_BND1Che			REAL	79.50277	[mm]Cheese Dia D5581	Read/Write

Logix Designer

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
TPTO02_f_BND1_Speed_me			REAL	0.0	[rpm]Binder1_Actual Speed	Read/Write
TPTO02_EventView			SCREEN_EVENT_VIEW	{...}	Screen View of EventList	Read/Write
TPTO02_b_MessageBlock04			BOOL[128]	{...}	Operation Message	Read/Write
TPTO02_b_MessageBlock03			BOOL[128]	{...}	Alarm or Error Message	Read/Write
TPTO02_b_MessageBlock02			BOOL[128]	{...}	Alarm or Error Message	Read/Write
TPTO02_b_MessageBlock01			BOOL[128]	{...}	Alarm or Error Message	Read/Write
TPTO01_n_Grph_TU			INT	3	D5559	Read/Write
TPTO01_n_Grph_SttElm			INT	1	D5551	Read/Write
TPTO01_n_Grph_PO_CvrWS			INT	3	D5549,D5550	Read/Write
TPTO01_n_Grph_PO_CvrMS			INT	3	D5549,D5550	Read/Write
TPTO01_n_Grph_PO			INT[12]	{...}	D5529~	Read/Write
TPTO01_n_Grph_Lump			INT	0	D5555	Read/Write
TPTO01_n_Grph_FR_YR			INT	1	D5558	Read/Write
TPTO01_n_Grph_CAP			INT	1	D5557	Read/Write
TPTO01_n_Grph_BND2			INT	1	D5554	Read/Write
TPTO01_n_Grph_BND1			INT	1	D5553	Read/Write
TPTO01_n_Grph_BND_IL			BOOL	0		Read/Write
TPFRM06_b_SetDate_PB			BOOL	0		Read/Write
TPFRM06_b_ResetServoDrives			BOOL	0	PanelView PB to Reset Servo Drives Relay 10CR5	Read/Write
TPFRM06_b_PO_CtrRst_PB			BOOL[32]	{...}		Read/Write
TPFRM06_b_P_Up_PB			BOOL	0		Read/Write

Style	Constant
Float	No
	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
TPFRM06_b_P_Dwn_PB			BOOL	0		Read/Write
TPFRM06_b_MasterUp_PB			BOOL	0	momentaly D5595.b0	Read/Write
TPFRM06_b_ELIST_Up_PB			BOOL	0		Read/Write
TPFRM06_b_ELIST_Dwn_PB			BOOL	0		Read/Write
TPFRM06_b_CopyDate_PB			BOOL	0		Read/Write
TPFRM06_b_ChSncr02_FrcOn			BOOL	0		Read/Write
TPFRM06_b_ChSncr01_FrcOn			BOOL	0		Read/Write
TPFRM06_b_BND02_CtrRst_PB			BOOL	0		Read/Write
TPFRM06_b_BND01_CtrRst_PB			BOOL	0		Read/Write
TPFRM06_b_BND_IL_PB			BOOL	0	momentaly, Bind Inter Lock Enable D5596.b0	Read/Write
TPFRM05_s_TtlLngthPrntStr			STRING	"		Read/Write
TPFRM05_s_PmtString			STRING[30]			Read/Write
TPFRM05_f_LngthEvtP_To_ZrP			REAL[30]	{...}		Read/Write
TPFRM05_f_EventOffDelyT			REAL[30]	{...}	[s] Event Off Delay	Read/Write
TPFRM05_b_PmtSlct			BOOL[32]	{...}	On=Use	Read/Write
TPFRM04_f_TU_Exc hLngth_ns			REAL	10.0	[m]D5511	Read/Write
TPFRM04_f_TRV_QckJogSpd_ns			REAL	5.0	[%] D6104	Read/Write
TPFRM04_f_TRV_PstnLimitTUside_ns			REAL	10.0	[mm] D6105	Read/Write
TPFRM04_f_TRV_PstnLimitPOside_ns			REAL	545.0	[mm] D6106	Read/Write
TPFRM04_f_TakeUpDiaMin_ns			REAL	0.0	[mm] Minimum dia D6102	Read/Write
TPFRM04_f_TakeUpDiaMax_ns			REAL	0.0	[mm] Maximum dia D6103	Read/Write
TPFRM04_f_SV_MtrTrqHiErr			REAL	150.0	[%] D5500	Read/Write
TPFRM04_f_SV_MtrTrqHiAlm			REAL	90.0	[%] D5501	Read/Write
TPFRM04_f_PassLine_ScrpLngh_ns			REAL	20.0	[m]PassLength 0 to ScrapD5507	Read/Write
TPFRM04_f_PassLine_PO_to_0_ns			REAL	6.0	[m]PassLineLength PO to position D5506	Read/Write

Style	Constant
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
	No
	No
Float	No
Float	No
Decimal	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
TPFRM04_f_INV_MtrTrqHiErr			REAL	0.0	[A] D5502	Read/Write
TPFRM04_f_INV_MtrTrqHiAlm			REAL	0.0	[A] D5503	Read/Write
TPFRM04_f_FRYR_QckStpDcc_ns			REAL	500.0	[rpm/min] D5498	Read/Write
TPFRM04_f_FRYR_Dcc_ns			REAL	250.0	[rpm/min] D5497	Read/Write
TPFRM04_f_FRYR_AccMin			REAL	150.0	[rpm/min] D5495	Read/Write
TPFRM04_f_FRYR_AccMax			REAL	999.0	[rpm/min] D5494	Read/Write
TPFRM04_f_FRYR_Acc_ns			REAL	250.0	[rpm/min] D5496	Read/Write
TPFRM04_f_CtrCrctRatio_ns			REAL	1.0	[m]CAP Circumfrence D5508	Read/Write
TPFRM03_nn_DateTime			DINT[7]	{...}	Year Mounth Day Hour Minute	Read/Write
TPFRM03_f_TU_Lngth_ns			REAL	4062.0	[m] TakeUp Length Set D5568	Read/Write
TPFRM03_f_TU_Exc hLngth_ns			REAL	10.0	[m]TakeUp Bobin Exchange Length D5592	Read/Write
TPFRM03_f_StrtScrpLength_ns			REAL	20.0	[m]StartScrapLength D5591	Read/Write
TPFRM03_f_PO_Lnght_ns			REAL[12]	{...}	[m]PO Length Set List	Read/Write
TPFRM03_f_PO_Exc hLngth_ns			REAL	4056.0	[m]PayOff Bobin Exchange Length D5589	Read/Write
TPFRM03_f_NxtPrdLngth_ns			REAL	4062.0	[m] Prodction Length Set D5587	Read/Write
TPFRM03_f_BND02_ManSpd_ns			REAL	400.0		Read/Write
TPFRM03_f_BND02_Lnght_ns			DINT	4828		Read/Write
TPFRM03_f_BND01_ManSpd_ns			REAL	1100.0		Read/Write
TPFRM03_f_BND01_Lnght_ns			DINT	4828		Read/Write
TPFRM02_f_TRV_TumPstnTUside_ns			REAL	190.0	[mm]_From0pstn D6040	Read/Write
TPFRM02_f_TRV_TumPstnPOside_ns			REAL	530.0	[mm]_From0pstn D6041	Read/Write
TPFRM02_f_TRV_StrtPstn_ns			REAL	205.0	[mm]_From0pstn	Read/Write
TPFRM02_f_TRV_InitialTurnPstnTUside_ns			REAL	190.0	[mm]_From0pstn D6074	Read/Write
TPFRM02_f_TRV_InitialTurnPstnPOside_ns			REAL	525.0	[mm]_From0pstn D6075	Read/Write
TPFRM_TU_BBNRCP			BBN_TYPE[8]	{...}	Define Bobbin Size	Read/Write

Style	Constant
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Decimal	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Decimal	No
Float	No
Decimal	No
Float	No
Float	No
Float	No
Float	No
Float	No
	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
 TPFRM_TU_BBN			BBN_TYPE	{...}	BOBBIN SIZE	Read/Write
 TPFRM_TRVRUNSE T			RCP_TRV	{...}	Taverse Run Turn Set Postion	Read/Write
 TPFRM_TRVRCP			RCP_TRV[8]	{...}	Taverse Run Turn Set Postion	Read/Write
 TPFRM_s_Find_PK			STRING	'PK'		Read/Write
 TPFRM_s_Find_D3			STRING	'D3'		Read/Write
 TPFRM_s_Find_CK			STRING	'CK'		Read/Write
 TPFRM_s_Find_CH2			STRING	'CH'		Read/Write
 TPFRM_RUNSET			RCP_RRDCT	{...}	Recipe File For Production Setting List	Read/Write
 TPFRM_RUNRCPE DT			RCP_RRDCT	{...}	Recipe File For Production Setting List	Read/Write
 TPFRM_RUNRCP			RCP_RRDCT[2 0]	{...}	Recipe File For Production Setting List	Read/Write
 TPFRM_RcpChangeO SR			FBD_ONESHO T	{...}		Read/Write
 TPFRM_nn_RcpOpe Cmmnt			DINT	0		Read/Write
 TPFRM_n_RcpNmbr Run			INT	15	Run Setting Select Recipe	Read/Write
 TPFRM_n_RcpNmbr Edt			INT	15	Selected File Number Of Recipe For Operation Something	Read/Write
 TPFRM_n_LastRcpN mbrRun			INT	15		Read/Write
 TPFRM_n_Find_PK			DINT	0		Read/Write
 TPFRM_n_Find_D3			DINT	6		Read/Write
 TPFRM_n_Find_CK			DINT	0		Read/Write
 TPFRM_n_Find_CH2			DINT	0		Read/Write
 TPFRM_n_BBN_Slct			INT	5	BBN_Number	Read/Write
 TPFRM_b_RcpCmnd			BOOL[32]	{...}	Recipe Operation Keys	Read/Write
TPFRM_b_RcpChang ed			BOOL	1		Read/Write
testPB2			BOOL	0		Read/Write

Style	Constant
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
testPB			BOOL	0		Read/Write
SV2_Cnvtr			AXIS_CIP_DRIVE	{...}		Read/Write
SV2_Axis2_BND02			AXIS_CIP_DRIVE	{...}		Read/Write
SV2_Axis1_BND01			AXIS_CIP_DRIVE	{...}		Read/Write
SV1_Cnvtr			AXIS_CIP_DRIVE	{...}		Read/Write
SV1_Axis4_CAP			AXIS_CIP_DRIVE	{...}		Read/Write
SV1_Axis3_TRV			AXIS_CIP_DRIVE	{...}		Read/Write
SV1_Axis2_TU			AXIS_CIP_DRIVE	{...}		Read/Write
SV1_Axis1_FRYR			AXIS_CIP_DRIVE	{...}		Read/Write
SV_Axis_AllGroup			MOTION_GROUP	{...}		Read/Write
POView_TimeAtMaxOL_s			REAL[12]	{...}		Read/Write
POView_TimeAtMax_s			REAL[12]	{...}		Read/Write
POView_ShowingLastRun			BOOL	1		Read/Write
POView_OLAtMaxCurrent_Pct			REAL[12]	{...}		Read/Write
POView_OCPeak_A			REAL[12]	{...}		Read/Write
POView_OCCount			DINT[12]	{...}		Read/Write
POView_MaxMotorOLL_Pct			REAL[12]	{...}		Read/Write
POView_MaxCurrent_A			REAL[12]	{...}		Read/Write
POView_LongestOC_s			REAL[12]	{...}		Read/Write
POView_LiveMotorOLL_Pct			REAL[12]	{...}		Read/Write
POView_LiveCurrent_A			REAL[12]	{...}		Read/Write
POView_LineSpeedAtMaxOL			REAL[12]	{...}		Read/Write
POView_LineSpeedAtMax			REAL[12]	{...}		Read/Write
POView_CurrentAtMaxOL_A			REAL[12]	{...}		Read/Write
PORT_HUB:I			AB:STRATIX_5700_10PORT_GB_MANAGE_D:I:0	{...}		Read/Write
POHist_ZeroSpeedTiming			BOOL	0		Read/Write
POHist_ZeroSpeedStart_us			LINT	1789409890796714		Read/Write
POHist_ZeroSpeedElapsed_us			LINT	0		Read/Write

Style	Constant
Decimal	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
Float	No
Float	No
Decimal	No
Float	No
Float	No
Decimal	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
Float	No
	No
Decimal	No
Decimal	No
Decimal	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
POHist_RunStopPulse			BOOL	0		Read/Write
POHist_RunStartTime			DINT[7]	{...}		Read/Write
POHist_RunStartPulse			BOOL	0		Read/Write
POHist_RunNumber			DINT	556		Read/Write
POHist_RunMaxMotorOLTime			DINT[12,7]	{...}		Read/Write
POHist_RunMaxMotorOLDwell_ms			DINT[12]	{...}		Read/Write
POHist_RunMaxMotorOL_Pct			REAL[12]	{...}		Read/Write
POHist_RunMaxCurrentTime			DINT[12,7]	{...}		Read/Write
POHist_RunMaxCurrentDwell_ms			DINT[12]	{...}		Read/Write
POHist_RunMaxCurrent_A			REAL[12]	{...}		Read/Write
POHist_OverCurrentThreshold_A			REAL	1.8		Read/Write
POHist_OLPeakBandStart_us			LINT[12]	{...}		Read/Write
POHist_OLPeakBandActive			DINT[12]	{...}		Read/Write
POHist_OLPeakBand_Pct			REAL	0.5		Read/Write
POHist_OLCurrentMaxSeen_A			REAL[12]	{...}		Read/Write
POHist_OLAtMaxCurrent_Pct			REAL[12]	{...}		Read/Write
POHist_OCStart_us			LINT[12]	{...}		Read/Write
POHist_OCRunPeak_A			REAL[12]	{...}		Read/Write
POHist_OCRunLongest_ms			DINT[12]	{...}		Read/Write
POHist_OCRunCount			DINT[12]	{...}		Read/Write
POHist_OCEventPeak_A			REAL[12]	{...}		Read/Write
POHist_OCCurrentDuration_ms			DINT[12]	{...}		Read/Write
POHist_OCAActive			BOOL[32]	{...}		Read/Write

Style	Constant
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Float	No
Decimal	No
Decimal	No
Float	No
Float	No
Decimal	No
Decimal	No
Float	No
Float	No
Float	No
Decimal	No
Float	No
Decimal	No
Decimal	No
Float	No
Decimal	No
Decimal	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
 POHist_NowLocal			DINT[7]	{...}		Read/Write
 POHist_Now_us			LINT	1789465108132912		Read/Write
 POHist_LiveMotorOL_Pct			REAL[12]	{...}		Read/Write
 POHist_LiveCurrent_A			REAL[12]	{...}		Read/Write
 POHist_LineSpeedAtMaxMotorOL			REAL[12]	{...}		Read/Write
 POHist_LineSpeedAtMaxCurrent			REAL[12]	{...}		Read/Write
 POHist_LineRunning_Last			BOOL	0		Read/Write
 POHist_LineRunning			BOOL	0		Read/Write
 POHist_LastRunStartT ime			DINT[7]	{...}		Read/Write
 POHist_LastRunOLAtMaxCurrent_Pct			REAL[12]	{...}		Read/Write
 POHist_LastRunOCPeak_A			REAL[12]	{...}		Read/Write
 POHist_LastRunOCLongest_ms			DINT[12]	{...}		Read/Write
 POHist_LastRunOCCount			DINT[12]	{...}		Read/Write
 POHist_LastRunNumber			DINT	556		Read/Write
 POHist_LastRunMaxMotorOLTime			DINT[12,7]	{...}		Read/Write
 POHist_LastRunMaxMotorOLDwell_ms			DINT[12]	{...}		Read/Write
 POHist_LastRunMaxMotorOL_Pct			REAL[12]	{...}		Read/Write
 POHist_LastRunMaxCurrentTime			DINT[12,7]	{...}		Read/Write
 POHist_LastRunMaxCurrentDwell_ms			DINT[12]	{...}		Read/Write
 POHist_LastRunMaxCurrent_A			REAL[12]	{...}		Read/Write
 POHist_LastRunLineSpdAtMaxOL			REAL[12]	{...}		Read/Write
 POHist_LastRunLineSpdAtMaxCurrent			REAL[12]	{...}		Read/Write
 POHist_LastRunEndTime			DINT[7]	{...}		Read/Write
 POHist_LastRunCurrentAtMaxOL_A			REAL[12]	{...}		Read/Write
 POHist_j			DINT	0		Read/Write
 POHist_i			DINT	0		Read/Write
 POHist_CurrentPeakBandStart_us			LINT[12]	{...}		Read/Write

Style	Constant
Decimal	No
Decimal	No
Float	No
Float	No
Float	No
Float	No
Decimal	No
Decimal	No
Decimal	No
Float	No
Float	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Float	No
Decimal	No
Decimal	No
Float	No
Float	No
Float	No
Decimal	No
Float	No
Decimal	No
Decimal	No
Decimal	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
POHist_CurrentPeakB andActive			BOOL[32]	{...}		Read/Write
POHist_CurrentPeakB and_A			REAL	0.5		Read/Write
POHist_CurrentAtMax MotorOL_A			REAL[12]	{...}		Read/Write
PO12_MaxCurrent			REAL	0.67		Read/Write
PO11_MaxCurrent			REAL	0.67		Read/Write
PO10_MaxCurrent			REAL	2.15		Read/Write
PO9_MaxCurrent			REAL	0.66		Read/Write
PO8_MaxCurrent			REAL	0.67		Read/Write
PO7_MaxCurrent			REAL	0.65		Read/Write
PO6_MaxCurrent			REAL	0.66		Read/Write
PO5_MaxCurrent			REAL	0.66		Read/Write
PO4_MaxCurrent			REAL	0.67		Read/Write
PO3_MaxCurrent			REAL	0.67		Read/Write
PO2_MaxCurrent			REAL	0.67		Read/Write
PO1_MaxCurrent			REAL	0.68		Read/Write
M32TP01:S			AB:PanelView:S:0	{...}		Read/Write
M32INV16:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M32INV16:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M32INV15:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M32INV15:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M32INV14:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M32INV14:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M32INV13:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M32INV13:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M32INV12:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M32INV12:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write

[illegible]

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
M32INV11:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M32INV11:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M32_2ETH:4:O			AB:5000_AI8:O :0	{...}		Read/Write
M32_2ETH:4:I			AB:5000_AI8:I 0	{...}		Read/Write
M32_2ETH:4:C			AB:5000_AI8:C :0	{...}		Read/Write
M32_2ETH:3:O			AB:5000_DO16 :O:0	{...}		Read/Write
M32_2ETH:3:I			AB:5000_DO16 _Diag:I:0	{...}		Read/Write
M32_2ETH:3:C			AB:5000_DO16 _Diag:C:0	{...}		Read/Write
M32_2ETH:2:I			AB:5000_DI16: I:0	{...}		Read/Write
M32_2ETH:2:C			AB:5000_DI16_ Diag:C:0	{...}		Read/Write
M32_2ETH:1:I			AB:5000_DI16: I:0	{...}		Read/Write
M32_2ETH:1:C			AB:5000_DI16_ Diag:C:0	{...}		Read/Write
M32_1ETH:4:O			AB:5000_DO16 :O:0	{...}		Read/Write
M32_1ETH:4:I			AB:5000_DO16 _Diag:I:0	{...}		Read/Write
M32_1ETH:4:C			AB:5000_DO16 _Diag:C:0	{...}		Read/Write
M32_1ETH:3:O			AB:5000_DO16 :O:0	{...}		Read/Write
M32_1ETH:3:I			AB:5000_DO16 _Diag:I:0	{...}		Read/Write
M32_1ETH:3:C			AB:5000_DO16 _Diag:C:0	{...}		Read/Write
M32_1ETH:2:I			AB:5000_DI16: I:0	{...}		Read/Write
M32_1ETH:2:C			AB:5000_DI16: C:0	{...}		Read/Write
M32_1ETH:1:I			AB:5000_DI16: I:0	{...}		Read/Write
M32_1ETH:1:C			AB:5000_DI16: C:0	{...}		Read/Write

Style	Constant
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
M31INV16:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M31INV16:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M31INV15:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M31INV15:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M31INV14:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M31INV14:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M31INV13:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M31INV13:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M31INV12:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M31INV12:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M31INV11:O			AB:PowerFlex5 25V_E2P_Drive :O:0	{...}		Read/Write
M31INV11:I			AB:PowerFlex5 25V_E2P_57A EC46D:I:0	{...}		Read/Write
M31_2ETH:4:O			AB:5000_AI8:O :0	{...}		Read/Write
M31_2ETH:4:I			AB:5000_AI8:I 0	{...}		Read/Write
M31_2ETH:4:C			AB:5000_AI8:C :0	{...}		Read/Write
M31_2ETH:3:O			AB:5000_DO16 :O:0	{...}		Read/Write
M31_2ETH:3:I			AB:5000_DO16 _Diag:I:0	{...}		Read/Write
M31_2ETH:3:C			AB:5000_DO16 _Diag:C:0	{...}		Read/Write
M31_2ETH:2:I			AB:5000_DI16: I:0	{...}		Read/Write
M31_2ETH:2:C			AB:5000_DI16_ Diag:C:0	{...}		Read/Write
M31_2ETH:1:I			AB:5000_DI16: I:0	{...}		Read/Write
M31_2ETH:1:C			AB:5000_DI16_ Diag:C:0	{...}		Read/Write

[illegible]

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
M31_1ETH:4:O			AB:5000_DO16:O:0	{...}		Read/Write
M31_1ETH:4:I			AB:5000_DO16_Diag:I:0	{...}		Read/Write
M31_1ETH:4:C			AB:5000_DO16_Diag:C:0	{...}		Read/Write
M31_1ETH:3:O			AB:5000_DO16:O:0	{...}		Read/Write
M31_1ETH:3:I			AB:5000_DO16_Diag:I:0	{...}		Read/Write
M31_1ETH:3:C			AB:5000_DO16_Diag:C:0	{...}		Read/Write
M31_1ETH:2:I			AB:5000_DI16:I:0	{...}		Read/Write
M31_1ETH:2:C			AB:5000_DI16:C:0	{...}		Read/Write
M31_1ETH:1:I			AB:5000_DI16:I:0	{...}		Read/Write
M31_1ETH:1:C			AB:5000_DI16:C:0	{...}		Read/Write
M21TP01:S			AB:PanelView:S:0	{...}		Read/Write
M21ETH:2:O			AB:5000_DO16:O:0	{...}		Read/Write
M21ETH:2:I			AB:5000_DO16_Diag:I:0	{...}		Read/Write
M21ETH:2:C			AB:5000_DO16_Diag:C:0	{...}		Read/Write
M21ETH:1:I			AB:5000_DI16:I:0	{...}		Read/Write

Style	Constant
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
 M21ETH:1:C			AB:5000_DI16_Diag:C:0	{...}		Read/Write
 M20INV01:S			AB:Motion_Diagnostics:S:1	{...}		Read/Write
 M20INBUS01:S			AB:MotionDevice_Diagnostics:S:0	{...}		Read/Write
 M20ETH:4:O			AB:5000_AI4:O:0	{...}		Read/Write
 M20ETH:4:I			AB:5000_AI4CJ:I:0	{...}		Read/Write
 M20ETH:4:C			AB:5000_AI4CJ:C:0	{...}		Read/Write
 M20ETH:3:O			AB:5000_DO16:O:0	{...}		Read/Write
 M20ETH:3:I			AB:5000_DO16_Diag:I:0	{...}		Read/Write
 M20ETH:3:C			AB:5000_DO16_Diag:C:0	{...}		Read/Write
 M20ETH:2:O			AB:5000_DO16:O:0	{...}		Read/Write
 M20ETH:2:I			AB:5000_DO16_Diag:I:0	{...}		Read/Write
 M20ETH:2:C			AB:5000_DO16_Diag:C:0	{...}		Read/Write
 M20ETH:1:I			AB:5000_DI16:I:0	{...}		Read/Write
 M20ETH:1:C			AB:5000_DI16:C:0	{...}		Read/Write
 M11TP01:S			AB:PanelView:S:0	{...}		Read/Write
 M11ETH:3:O			AB:5000_DO16:O:0	{...}		Read/Write
 M11ETH:3:I			AB:5000_DO16_Diag:I:0	{...}		Read/Write
 M11ETH:3:C			AB:5000_DO16_Diag:C:0	{...}		Read/Write
 M11ETH:2:I			AB:5000_DI16:I:0	{...}		Read/Write
 M11ETH:2:C			AB:5000_DI16_Diag:C:0	{...}		Read/Write
 M11ETH:1:I			AB:5000_DI16:I:0	{...}		Read/Write
 M11ETH:1:C			AB:5000_DI16_Diag:C:0	{...}		Read/Write
 M10INV02:S			AB:Motion_Diagnostics:S:1	{...}		Read/Write
 M10INV01:S			AB:Motion_Diagnostics:S:1	{...}		Read/Write
 M10BUS01:S			AB:MotionDevice_Diagnostics:S:0	{...}		Read/Write
 M_31TP01:S			AB:PanelView:S:0	{...}		Read/Write
 Local:5:O			AB:5000_AO8:O:0	{...}		Read/Write
Local:5:I			AB:5000_AO8:I	{...}		Read/Write

[illegible]

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
Local:4:C			AB:5000_AI4C J:C:0	{...}		Read/Write
Local:3:O			AB:5000_DO16 :O:0	{...}		Read/Write
Local:3:I			AB:5000_DO16 _Diag:I:0	{...}		Read/Write
Local:3:C			AB:5000_DO16 _Diag:C:0	{...}		Read/Write
Local:2:I			AB:5000_DI16: I:0	{...}		Read/Write
Local:2:C			AB:5000_DI16: C:0	{...}		Read/Write
Local:1:I			AB:5000_DI16: I:0	{...}		Read/Write
Local:1:C			AB:5000_DI16: C:0	{...}		Read/Write
GTU_f_Spd_as			REAL	0.0 [rpm]	Take Up Speed Reference D3304	Read/Write
GTU_f_AppAxisSpd_ as			REAL	0.0		Read/Write
GTU_b_SyncRun			BOOL	0	Take-Up Bobbin Motor Synchronise Run m3204	Read/Write
GTU_b_RvJog_Mb			BOOL	0	Take Up Reverse Jog Mb m3201	Read/Write
GTU_b_Linkg_Run_ Mb			BOOL	0	Take Up Reverse Jog Mb	Read/Write
GTU_b_FwJog_Mb			BOOL	0	Take Up Foword Jog Mb m3200	Read/Write
GTRV_OriRTB_State			INT	0		Read/Write
GTRV_f_Spd_as			REAL	0.0 [mm/s]	Traverse Speed Reference D3402	Read/Write
GTRV_f_OriRTBLow Spd_as			REAL	0.0 [mm/sec]	Traverse Origin RTB Speed Low Level	Read/Write
GTRV_f_OriRTBHiS pd_as			REAL	0.0 [mm/sec]	Traverse Origin RTB Speed Hi Level	Read/Write
GTRV_b_ST200_O_P stnCmp			BOOL	1	Traverse 0 position complete M3400	Read/Write
GTRV_b_Qjog_TU_si de			BOOL	0	Traverse Quick Jog for TU Side	Read/Write
GTRV_b_Qjog_PO_si de			BOOL	0	Traverse Quick Jog for PO Side	Read/Write
GTRV_b_OriRTB_M b			BOOL	0		Read/Write
GTRV_b_Go_StrtPstn			BOOL	0		Read/Write
GTRV_b_Go_Home			BOOL	0		Read/Write
GTRV_b_Drct_is_PO			BOOL	0	Traverse Direction is PO side B1202	Read/Write

Style	Constant
	No
	No
	No
	No
	No
	No
	No
	No
Float	No
Float	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Float	No
Float	No
Float	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
GTEST_b_Test_Dncr CntrlCut			BOOL	0	1=Cut, Disable Dancer Control	Read/Write
GSV_b_TRV_StrtPstn Cmp			BOOL	0		Read/Write
GSV_b_TRV_HomeCmp			BOOL	0		Read/Write
■ GSTT_n_LineState			INT	56	Line State Number D3000	Read/Write
■ GSTT_b_LineState			BOOL[256]	{...}	Line State bit	Read/Write
■ GPO_f_DNCR_Spd_as			REAL[12]	{...}	PO Speed Reference D3804	Read/Write
■ GPO_b_RUN_Mb			BOOL[32]	{...}	PO Run Main bit M3750~	Read/Write
GLNGTH_f_TU_LngLastMem			REAL	0.0	[m]Take Up Length Before Reset D2906	Read/Write
GLNGTH_f_PO_NeedLngth			REAL	0.0	[m]Necessary Length for Product D2908	Read/Write
GLNGTH_b_TU_Exc hStpPre			BOOL	0	Take-Up Bobbin Exchange Stop Pre -Alarm	Read/Write
GLNGTH_b_TU_Exc hStp			BOOL	0	Take-UP Bobbin Exchange Stop	Read/Write
GLNGTH_b_TU_Cnt rRst			BOOL	0		Read/Write
GLNGTH_b_ScrpPre			BOOL	0		Read/Write
GLNGTH_b_Scrp			BOOL	0		Read/Write
GLNGTH_b_PrdEnd_is_0_Pre			BOOL	0	Pre Alarm for Products End reach 0 position M2900	Read/Write
GLNGTH_b_PrdEnd_is_0			BOOL	0	Product End is Reached 0 Position M2901	Read/Write
■ GLNGTH_b_PO_RmngInsff			BOOL[32]	{...}		Read/Write
GLNGTH_b_PO_Exc hStpPre			BOOL	0	Pay-Off Bobbin Exchange Stop Pre -Alarm	Read/Write
GLNGTH_b_PO_Exc hStp			BOOL	0	Pay-Off Bobbin Exchange Stop	Read/Write
GLNGTH_b_CntrRst			BOOL	0	Inter Lock while Counter Reset	Read/Write
GLNGTH_b_BND02_RmngInsff			BOOL	0		Read/Write
GLNGTH_b_BND01_RmngInsff			BOOL	0		Read/Write
■ GLIB_PO_BBN_TYP E			BBN_TYPE	{...}	Define Bobbin Size	Read/Write
■ GLIB_PO_BBN_TYP E.s_Name			STRING	"	Define Bobbin Size Name of Bobbin Type	Read/Write
GLIB_PO_BBN_TYP E.f_DiaMin			REAL	155.0	Define Bobbin Size [mm] Minimum Diameter = Barel Diameter	Read/Write
GLIB_PO_BBN_TYP E.f_DiaMax			REAL	405.0	Define Bobbin Size [mm] Maximum Diameter = Flange Diameter	Read/Write
GLIB_PO_BBN_TYP E.f_innrWidth			REAL	0.0	Define Bobbin Size [mm] Inner Width Of Barrel	Read/Write

[illegible]

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
GLIB_PO_BBN_T YPE.f_OutrWidth			REAL	0.0	Define Bobbin Size [mm] Out Side Widht OF Bbbin	Read/Write
GLIB_f_Z_pstnSpdCh ngAngl			REAL	300.0	[degree] Speed Cahnge Deg D2061	Read/Write
GLIB_f_TRV_PG_Pls Rate			REAL	0.26666668	[posUnit/mm]	Read/Write
GLIB_f_POINV_Trq HiErr			REAL	1.8000001		Read/Write
GLIB_f_POINV_Trq HiAlm			REAL	1.08		Read/Write
GLIB_f_LineZ_pstnSp d_ns			REAL	5.0	[rpm]0 return speed D2052	Read/Write
GLIB_f_LineZ_pstnL owSpd_ns			REAL	2.0	[rpm]0 return speed D2060	Read/Write
GLIB_f_LineJogSpd_ ns			REAL	10.0	[rpm]Line Jog Speed_D2051	Read/Write
GLIB_f_FRYR_Mtr_ Load_Rate			REAL	8.0	[posUnit/Rev]	Read/Write
GLIB_f_CAP_Lngth_ Pos_Rate			REAL	12.48961	[posUnit/m]	Read/Write
GLIB_f_BND_DiaMi n			REAL	84.0		Read/Write
GLIB_f_BND_DiaMa x			REAL	140.0		Read/Write
■ GLIB_EVENT_PAR_ SETSI			EVENT_PAR_ SET	{...}	Parameters to make Event Data	Read/Write
■ GLIB_DNCR_SCL_P AR_TU			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_P AR_PO			DNCR_PSTN_ SCL_PAR[12]	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[0]			DNCR_PSTN_ SCL_PAR	{...}	PO1	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[1]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[2]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[3]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[4]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[5]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[6]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[7]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[8]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[9]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
■ GLIB_DNCR_SCL_ _PAR_PO[10]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write

Logix Designer

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
■ GLIB_DNCR_SCL _PAR_PO[11]			DNCR_PSTN_ SCL_PAR	{...}	Dancer Position Scale Tanslate Parameter	Read/Write
GLIB_DNCR_GAIN_ TU_bbn5_D3			REAL	3.0	TU Dancer Gain - Bobbin 5 D3	Read/Write
GLIB_DNCR_GAIN_ TU_bbn1_CH			REAL	10.0	TU Dancer Gain - Bobbin 1 CH	Read/Write
■ GLIB_DNCR_GAIN_ TU			DNCR_GAIN	{...}	Dancer Control Parameter	Read/Write
■ GLIB_DNCR_GAIN_ PO			DNCR_GAIN	{...}	Dancer Control Parameter	Read/Write
GLIB_DNCR_GAI N_PO.f_P			REAL	21.0	Dancer Control Parameter [rpm/100%] P correct Gain With Dancer Maximum Error	Read/Write
GLIB_DNCR_GAI N_PO.f_I_Time			REAL	8.0	Dancer Control Parameter [s] Integrate Time for Diameter Correct with Maximum Dancer Error	Read/Write
■ GLIB_AX_TU			AX_PAR_BBN	{...}	Bobbin Drive Axis Gia Parameter	Read/Write
■ GLIB_AX_TRV			AX_PAR_TRV	{...}	Parameter for Traverse Gia Diagram	Read/Write
■ GLIB_AX_PO			AX_PAR_BBN	{...}	Bobbin Drive Axis Gia Parameter	Read/Write
GLIB_AX_PO.f_Sp d_Max			REAL	460.8	Bobbin Drive Axis Gia Parameter [rpm] Maximum speed Of Out Put Shaft with Maximum Motor Speed	Read/Write
GLIB_AX_PO.f_Re f_Max			REAL	12000.0	Bobbin Drive Axis Gia Parameter Maximum Speed Reference for Motor	Read/Write
GLIB_AX_PO.f_Sp d_HiLmt			REAL	460.8	Bobbin Drive Axis Gia Parameter [rpm] Hiest Limit of the Speed for real Use	Read/Write
GLIB_AX_PO.b_is _TU			BOOL	0	Bobbin Drive Axis Gia Parameter Property of This Axix, "Off" means Pay Off, "On" means Take Up	Read/Write
■ GLIB_AX_FRYR			AX_PAR_FRY R	{...}	Fryer Axis Gia Difine	Read/Write
■ GLIB_AX_CAP			AX_PAR_CAP	{...}	Capstan Axis Gia Diagram Parameter	Read/Write
■ GLIB_AX_BND2			AX_PAR_BND	{...}	Axis Gia Diagram Parameter of Binder	Read/Write
■ GLIB_AX_BND1			AX_PAR_BND	{...}	Axis Gia Diagram Parameter of Binder	Read/Write
GFRYR_f_Spd_as			REAL	0.0	[rpm]Fryr Speed Actual Set D2752	Read/Write
■ GEVENT_PRNT_PO INT			EVENT_POIN T	{...}	ENVENT POINT for Print Out	Read/Write
■ GEVENT_nn_Stt			DINT	34		Read/Write
■ GEVENT_nn_Numbe r			DINT	1		Read/Write
■ GEVENT_LIST			EVENT_LIST[3]	{...}	Event Record List for Product with Each Take Up Bobbin	Read/Write
GEVENT_b_PmtRq			BOOL	0	Event Print Out Request M3500	Read/Write

Style	Constant
	No
Float	No
Float	No
	No
	No
Float	No
Float	No
	No
	No
Float	No
Float	No
Float	No
Decimal	No
	No
	No
	No
	No
Float	No
	No
Decimal	No
Decimal	No
	No
Decimal	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
GEVENT_b_HdrPmtRq			BOOL		0 Event Header Print Out Request	Read/Write
GEVENT_b_EvPmtCmplt			BOOL	0		Read/Write
GCMND_b_LineStrtBell			BOOL	0	Sum of Line Start bell PB	Read/Write
GCMND_b_LineStp			BOOL	0	Sum of LineStop PB	Read/Write
GCMND_b_LineRun			BOOL	0	Sum of LineRun PB	Read/Write
GCMND_b_LineJog			BOOL	0	Sum of LineJog PB	Read/Write
GCMND_b_BzStp			BOOL	0	Sum of BZ Stop PB	Read/Write
GCMND_b_AlmRst			BOOL	0	Sum of AlmRst PB	Read/Write
GCAP_f_Spd_as			REAL	0.0	[m/min] Line speed Actual SetD2753	Read/Write
GBIND02_f_Spd_as			REAL	0.0	[rpm] Binder No2 Speed Reference D3102	Read/Write
GBIND02_b_RUNNING			BOOL	0	Binder No2 Running Now!	Read/Write
GBIND01_f_Spd_as			REAL	0.0	[rpm] Binder No1 Speed Reference D3102	Read/Write
GBIND01_b_RUNNING			BOOL	0	Binder No1 Running Now!	Read/Write
GAUX_b_SttcElmntr_Mb			BOOL	0	Static Eliminator Run Master bit M4350	Read/Write
 G_tmr_RunHours			TIMER	{...}	Machine Run Hours Timer	Read/Write
 G_tmr_M28_PB			TIMER	{...}		Read/Write
 G_tmr_M28			TIMER	{...}	Timer for Relay 10CR5	Read/Write

Style	Constant
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Float	No
Float	No
Decimal	No
Float	No
Decimal	No
Decimal	No
	No
	No
	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
 G_tmr_32TP			TIMER	{...}	32TP LINK FAULT Timer	Read/Write
 G_tmr_32ETH			TIMER	{...}	32 ETH LINK FAULT Timer	Read/Write
 G_tmr_32DRV			TIMER	{...}	32CP DRIVE LINK FAULT Timer	Read/Write
 G_tmr_32_2CP			TIMER	{...}	32-2 CP LINK FAULT Timer	Read/Write
 G_tmr_32_1CP			TIMER	{...}	32-1 CP LINK FAULT Timer	Read/Write
 G_tmr_31TP			TIMER	{...}	31TP LINK FAULT Timer	Read/Write
 G_tmr_31ETH			TIMER	{...}	31 ETH LINK FAULT Timer	Read/Write
 G_tmr_31DRV			TIMER	{...}	31CP DRIVE LINK FAULT Timer	Read/Write
 G_tmr_31_2CP			TIMER	{...}	31-2 CP LINK FAULT Timer	Read/Write
 G_tmr_31_1CP			TIMER	{...}	31-1 CP LINK FAULT Timer	Read/Write
 G_tmr_21TP			TIMER	{...}	21TP LINK FAULT Timer	Read/Write
 G_tmr_21OP			TIMER	{...}	21OP LINK FAULT Timer	Read/Write
 G_tmr_21ETH			TIMER	{...}	21 ETH LINK FAULT Timer	Read/Write
 G_tmr_20ETH			TIMER	{...}	20 ETH LINK FAULT Timer	Read/Write
 G_tmr_20DRV			TIMER	{...}	20CP DRIVE LINK FAULT Timer	Read/Write
 G_tmr_20CP			TIMER	{...}	20CP LINK FAULT Timer	Read/Write
 G_tmr_11TP			TIMER	{...}	11TP LINK FAULT Timer	Read/Write
 G_tmr_11OP			TIMER	{...}	11OP LINK FAULT Timer	Read/Write
 G_tmr_11ETH			TIMER	{...}	11 ETH LINK FAULT Timer	Read/Write
 G_tmr_10DRV			TIMER	{...}	10CP DRIVE LINK FAULT Timer	Read/Write
 G_n_ModuleEntryStat us			INT[50]	{...}	Store Module Status	Read/Write
 G_interum_timer			TIMER[20]	{...}		Read/Write
G_f_MachineRunHours			REAL	3025.015	Machine Run Hours	Read/Write
G_f_LngthCtr			REAL	33.92882	[m]Original Hardware Counter	Read/Write
G_f_FRYR_Angl_me			REAL	358.57324	[degree]FLYR Actual Angle	Read/Write
G_b_TU_SV_ON			BOOL	0	Take Up Servo On Request	Read/Write
G_b_TU_SV_ENBL			BOOL	0		Read/Write
G_b_TU_MC_ON			BOOL	0	Take Up Mc On Request	Read/Write
G_b_TRV_SV_ON			BOOL	0	Traverse Servo On m3403	Read/Write
G_b_TRV_SV_ENBL			BOOL	1		Read/Write
G_b_TRV_MC_ON			BOOL	0		Read/Write
G_b_tmrM28Start			BOOL	0		Read/Write
G_b_StrtBell_On			BOOL	0	Line Star bell On M2650	Read/Write
G_b_Spd_is_StrtUp			BOOL	0	Fryer Speed Set is Start Up M2755	Read/Write

Style	Constant
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
	No
Decimal	No
	No
Float	No
Float	No
Float	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
G_b_RPR			BOOL		1 Preparation On M2003	Read/Write
G_b_OP_Dly			BOOL		1 Operation Power On Delay M2002	Read/Write
G_b_OP			BOOL		1 OperationPower On M2001	Read/Write
G_b_MasterUp			BOOL	0	MasterUp M2659	Read/Write
G_b_M28FaultActive			BOOL	0		Read/Write
G_b_LineZeroStopHb			BOOL	0	Line Zero Stop Hold bit M2662	Read/Write
G_b_LineZeroSerchin g			BOOL	0	Line Zero Serching M2710	Read/Write
G_b_LineZeroPstnMb			BOOL	0	Line Zero Position Mster Hold bit M2661	Read/Write
G_b_LineZeroCmplt			BOOL	0	Line Zero Positon Complete M2676	Read/Write
G_b_LineStpHb			BOOL	0	Line Run Stop Hold bit M2652	Read/Write
G_b_LineRunMb			BOOL	0	Line Run Mater Hold bit M2651	Read/Write
G_b_LineRunJogZero			BOOL	0	Line Run,Jog ,Zero M2665	Read/Write
G_b_LineRunJog			BOOL	0	Line Run + Jog M2657	Read/Write
G_b_LineQstpHb			BOOL	0	Line Run Quick Stop Hold bit M2653	Read/Write
G_b_LineOriRTB_Sto pKP			BOOL	0	Keeping Line Origin RTB Stop m2664	Read/Write
G_b_LineJogStpHb			BOOL	0	Line_Jog Stop Hold bit M2655	Read/Write
G_b_LineJogQstpHb			BOOL	0	Line Jog Q Stop Hold bit M2656	Read/Write
G_b_LineJogMb			BOOL	0	Line Jog Mater Hold bit M2654	Read/Write
G_b_FryrZeroSpdRch			BOOL	1	Zero Positon Speed is Reach M2754	Read/Write
G_b_FryrSpdRch			BOOL	1	Line Speed reference is set Value M2753	Read/Write
G_b_FRYR_SV_ON			BOOL	0	Fryer Servo On Request	Read/Write
G_b_FRYR_SV_ENB L			BOOL	0		Read/Write
G_b_FRYR_MC_ON			BOOL	0	Fryer MC On Request	Read/Write
G_b_FRYR_M28			BOOL	0	Fryer Servo Drive Fault M28	Read/Write
G_b_Fryr_CntrRst			BOOL	0	Fryr Position Counter Reset Command after 0 Positioning M2711	Read/Write
G_b_Flicker			BOOL	1	1 Sec Flicker SM412	Read/Write
G_b_F10			BOOL	0	SIUNNTENN	Read/Write
G_b_F2			BOOL	0	ATODEKAKUNIN	Read/Write
G_b_DncrDsbl			BOOL	0	Disable all Dancer	Read/Write
G_b_CNV2_MC_Intv l_OK			BOOL	1	Interval Timer For MC On Again	Read/Write
G_b_CNV1_MC_Intr vl OK			BOOL	1	Interval Timer For MC On Again	Read/Write

[illegible]

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
G_b_CAP_SV_ON			BOOL	0	CAP Servo On Request	Read/Write
G_b_CAP_SV_ENBL			BOOL	0		Read/Write
G_b_CAP_MC_ON			BOOL	0	CAP MC On Request	Read/Write
G_b_Bz_On_Ope			BOOL	0	Operational Bz On	Read/Write
G_b_Bz_On_Alm			BOOL	0	Error and Alarm BZ On	Read/Write
G_b_BrakeOff_BND02			BOOL	0		Read/Write
G_b_BrakeOff_BND01			BOOL	0		Read/Write
G_b_BND02_SV_ON			BOOL	0	Binder02 Servo On Request	Read/Write
G_b_BND02_SV_ENBL			BOOL	1		Read/Write
G_b_BND02_MC_ON			BOOL	0	Binder02 MC On Request	Read/Write
G_b_BND01_SV_ON			BOOL	0	Binder01 Servo On Request	Read/Write
G_b_BND01_SV_ENBL			BOOL	1		Read/Write
G_b_BND01_MC_ON			BOOL	0	Binder01 MC On Request	Read/Write
G_b_Always_On			BOOL	1	Always On	Read/Write
 G_b_Alm4Ope_IL			BOOL[128]	{...}	Oeration Message and Interlock bit list	Read/Write
 G_b_Alm4Ope_Bz			BOOL[128]	{...}	Operation Message Bz bit list	Read/Write
 G_b_Alm3IL			BOOL[128]	{...}	Alarm or Error Message and Interlock bit list	Read/Write
 G_b_Alm3Bz			BOOL[128]	{...}	Alarm or Error Bz bit list	Read/Write
 G_b_Alm2IL			BOOL[128]	{...}	Alarm or Error Message and Interlock bit list	Read/Write
 G_b_Alm2Bz			BOOL[128]	{...}	Alarm or Error Bz bit list	Read/Write
 G_b_Alm1IL			BOOL[128]	{...}	Alarm or Error Message and Interlock bit list	Read/Write
 G_b_Alm1Bz			BOOL[128]	{...}	Alarm or Error Bz bit list	Read/Write
 FRYR_M28_ALM			INT	0		Read/Write
FRYR_M28_ALM.0			BOOL	0	Fryer Axis Alarms trap 0	Read/Write

[illegible]

Name	Alias For	Base Tag	Data Type	Value	Description	External Access
FRYR_M28_ALM.1			BOOL	0	Fryer Axis Alarms2 trap 1	Read/Write
FRYR_M28_ALM.2			BOOL	0	Fryer Axis AlarmsRA trap 2	Read/Write
FRYR_M28_ALM.3			BOOL	0	Fryer Axis Faults trap 3	Read/Write
FRYR_M28_ALM.4			BOOL	0	Fryer Axis Faults2 trap 4	Read/Write
FRYR_M28_ALM.5			BOOL	0	Fryer Axis FaultsRA trap 5	Read/Write
EvPmtr:O			ZT:LinkOS:O:0	{...}		Read/Write
EvPmtr:I			ZT:LinkOS:I:0	{...}		Read/Write
Always_ON			BOOL	1	Always ON	Read/Write
Always_OFF			BOOL	0	Always OFF	Read/Write
A_Payoff_UninstalledIL			BOOL	0	Bit to store whether a Payoff Bobbin has been uninstalled. True if all bobbins are installed	Read/Write

Style	Constant
Decimal	No
Decimal	No
Decimal	No
Decimal	No
Decimal	No
	No
	No
Decimal	No
Decimal	No
Decimal	No