


Connor Williams - Assignment 2



Relationships:

1. baristas - employs - shops
 - a. Many-to-many
2. shops - offers - pastries
 - a. Many-to-many

Question 1

```

57 #Questions
58 #-----
59 #1.Find the average price of pastries for each category from the pastries table.
60 SELECT category, AVG(price) AS average_price
61 FROM pastries
62 GROUP BY category;
63
64
65 #2. Find the total number of baristas at each experience level from the baristas table.
66 SELECT experience_level, COUNT(*) AS total_baristas
67 FROM baristas
68 GROUP BY experience_level;
69
70
71 #3. Count the total number of shops located in each city from the shops table.
72 SELECT city, COUNT(*) AS shop_count
73 FROM shops
74 GROUP BY city;
75
100% 19:42

```

Result Grid

category	average_price
Pastry	4.666666666666667
Muffin	3.625
Bakery	4.25
Scone	3.85
Breakfast	6
Cake	3.875

Result 25 Read Only

Question 2

```

65 #2. Find the total number of baristas at each experience level from the baristas table.
66 SELECT experience_level, COUNT(*) AS total_baristas
67 FROM baristas
68 GROUP BY experience_level;
69
70
71 #3. Count the total number of shops located in each city from the shops table.
72 SELECT city, COUNT(*) AS shop_count
73 FROM shops
74 GROUP BY city;
75
100% 27:68

```

Result Grid

experience_level	total_barist...
Junior	2
Senior	2
Mid-Level	2

Result 26

Question 3

```
71 #3. Count the total number of shops located in each city from the shops table.
72 • SELECT city, COUNT(*) AS shop_count
73 FROM shops
74 GROUP BY city;
75
76
77 #4. Find the maximum price among pastries for each category from the pastries table.
78 • SELECT category, MAX(price) AS max_price
79 FROM pastries
80 GROUP BY category;
81
82
83 #5. Count how many pastries have been added by each shop using the shopID column from the offers table.
84 • SELECT shopID, COUNT(pastryID) AS pastry_count
85 FROM offers
```

100% 15:74

Result Grid Filter Rows: Search Export:

city	shop_count
Seattle	1
Portland	1
Austin	1
Chicago	1
Denver	1
Boston	1

Result 27

Question 4

```
77 #4. Find the maximum price among pastries for each category from the pastries table.
78 • SELECT category, MAX(price) AS max_price
79 FROM pastries
80 GROUP BY category;
81
82
83 #5. Count how many pastries have been added by each shop using the shopID column from the offers table.
84 • SELECT shopID, COUNT(pastryID) AS pastry_count
85 FROM offers
```

100% 19:30

Result Grid Filter Rows: Search Export:

category	max_price
Pastry	5.5
Muffin	3.75
Bakery	4.25
Scone	3.85
Breakfast	8.5
Cake	4

Question 5

```
83 #5. Count how many pastries have been added by each shop using the shopID column from the offers table.
84 • SELECT shopID, COUNT(pastryID) AS pastry_count
85 FROM offers
86 GROUP BY shopID;
87
88
89 #6. Find the name, category, and price of any pastry whose price matches the maximum price within its category.
90 • SELECT name, category, price
91 FROM pastries p
92 WHERE price = (
93     SELECT MAX(price)
94     FROM pastries
95     WHERE category = p.category
96 );
```

100% 17:86

Result Grid Filter Rows: Search Export:

shopID	pastry_cou...
1	2
2	2
3	2
4	2
5	2
6	2

Result 29

Question 6

```
89 #6. Find the name, category, and price of any pastry whose price matches the maximum price within its category.
90 • SELECT name, category, price
91 FROM pastries p
92 WHERE price = (
93     SELECT MAX(price)
94     FROM pastries
95     WHERE category = p.category
96 );
97
98
99 #7. Find the unique shop IDs from the offers table that have offered at least one pastry whose price is strictly greater t
100 • SELECT DISTINCT shopID
101 FROM offers
102 WHERE pastryID IN (
103     SELECT pastryID
104     FROM offers
105     WHERE price > (
106         SELECT MAX(price)
107         FROM pastries
108         WHERE category = o.category
109     )
110 );
```

100% 3:96

Result Grid Filter Rows: Search Export:

name	category	price
Almond Croissant	Pastry	5.5
Blueberry Muffin	Muffin	3.75
Cinnamon Roll	Bakery	4.25
Chocolate Scone	Scone	3.85
Blueberry Scone	Scone	3.85
Breakfast Burrito	Breakfast	8.5
Lemon Loaf	Cake	4

pastries 30

Question 7

```
99 #7. Find the unique shop IDs from the offers table that have offered at least one pastry whose price is strictly greater than the overall average price of all pastries.
100 SELECT DISTINCT shopID
101 FROM offers
102 WHERE pastryID IN (
103     SELECT pastryID
104     FROM pastries
105     WHERE price > (
106         SELECT AVG(price)
107         FROM pastries
108     )
109 )
```

100% 3:109

Result Grid Filter Rows: Search Export:

shopID
1
5

offers 31

Question 8

```
112 #8. Find the shop ID and pastry ID for the records in the offers table that have the earliest date_added (minimum date).
113 SELECT shopID, pastryID, date_added
114 FROM offers
115 WHERE date_added = (SELECT MIN(date_added) FROM offers);
```

```
116
117
118 #9. Find the shop ID(s) that offer the highest number of pastries, utilizing a subquery to evaluate the maximum count per shop
119 SELECT shopID
120 FROM offers
121 GROUP BY shopID
```

100% 1:116

Result Grid Filter Rows: Search Export:

shopID	pastryID	date_added
1	1	1/10/26

offers 32

Question 9

