# Temperature dependent EXAFS analysis of structural disorder in the using Monte Carlo methods and evolutionary algorithm

Carlos William Galdino<sup>1</sup>, Daniele C. Freitas<sup>2,3</sup>, Cynthia P. C. Medrano<sup>2</sup>, Rodolfo Tartaglia<sup>1</sup>, Carlos Pinheiro<sup>5</sup>, Gustavo M. Azevedo<sup>4</sup>, Eduardo Granado<sup>1</sup>

<sup>1</sup>Instituto de Física "Gleb Wataghin", Universidade Estadual de Campinas (UNICAMP), Campinas-SP

<sup>2</sup>Universidade Federal Fluminense (UFF), Niterói - RJ

<sup>3</sup>Centro Brasileiro de Pesquisas Físicas (CBPF), Rio de Janeiro - RJ

<sup>4</sup>Universidade Federal do Rio de Grande do Sul (UFRGS), Porto Alegre - RS

<sup>5</sup>Universidade Federal de Minas Gerais (UFMG), Belo Horizonte - MG












Disorder in Co<sub>3</sub>O<sub>2</sub>BO<sub>3</sub> seems to be relevant







isorder in Co<sub>3</sub>O<sub>2</sub>BO<sub>3</sub> eems to be relevant Charge rearrangement at high temperatures








## Single crystal X-ray diffraction




Galdino et al. To be submitted


### Single crystal X-ray diffraction




Galdino et al. To be submitted
























### Pair distribution function (PDF)




## Pair distribution function (PDF)



## Standard deviation (EXAFS Debie-Waller factor)




## Standard deviation (EXAFS Debie-Waller factor)



isorder in Co₃O₂BO₃ eems to be relevant Charge rearrangement at high temperatures








Disorder in Co<sub>3</sub>O<sub>2</sub>BO<sub>3</sub> seems to be relevant

Charge rearrangement at high temperatures







## Reverse Monte Carlo Genetic algorithm Disorder in Co<sub>3</sub>O<sub>2</sub>BO<sub>3</sub> Charge rearrangement at high temperatures







galdino@ifi.unicamp.br