

# RESEARCH STATEMENT

MILTON LIN

My research revolves around foundational aspects of pure mathematics and machine learning. In pure mathematics, I focus on the geometric Langlands program: its metaplectic extension and its relative version. In machine learning, I aim to explore associative memory models and their scaling properties, focusing on how algebraic and topological methods can provide deeper insights into the qualitative behavior of neural networks.

## MATHEMATICS: P-ADIC GEOMETRY AND LANGLANDS PROGRAM

I split my current and future projects into two categories: **core projects**, where I am primarily focused on advancing mixed characteristic and metaplectic aspects of the Langlands program, and additional **ongoing work in related areas**, including categorical deformations, motivic aspects, and stacky approaches.

**Core projects.** In the geometric Langlands program, my graduate work<sup>1</sup> has focused on extensions in the mixed characteristic setting, [ILZ24], this is joint work with Ashwin Iyengar (American Mathematical Society) and Konrad Zou (Bonn University). Our work applied the framework of Zhu's perfect geometry [Zhu17] to prove the Casselman-Shalika formula [NP01] for mixed characteristics. The Casselman-Shalika formula computes the "fourier coefficients" of automorphic forms and is fundamental to modern works of geometric Langlands, see [FR22]. Moving forward, I will continue this research in two directions:

- (1) **Relative aspects of Langlands**, joint project with Yuta Takaya (University of Tokyo), we aim to explore relative aspects of the Langlands program on the Fargues-Fontaine curve, [FS24], recent conjectures of Ben-Zvi, Sakellaridis, and Venkatesh [BSV], particularly the relationship between period sheaves and  $L$ -sheaves as in [FW24].
- (2) **Metaplectic aspects of Langlands**, joint with Toan Pham (Johns Hopkins University) I intend to give a geometric metaplectic Casselman-Shalika formula, building on the works of Gaitsgory and Lysenko [GL22], McNamara [McN16], and Brubaker et al. [Bru+24].

**Related works.** In addition to my primary projects in the relative and metaplectic aspects of Langlands, I am equally committed to three other areas of study, each of which contributes to the broader foundation of representation theory:

- (1) **Categorical deformations of representation category** This builds upon my current research on the Whittaker category, from the point of view of deformation theory. We will first document a careful proof of Lurie's theorem, [Lur10, Thm 10.10], which describe *formal deformation of categories*, as gerbes see [Lur10, Ch.8-10] for definitions. Then, we will explore deformations of representation of Lusztig's small quantum group, using recent advances in quantum geometric Langlands. Ultimately, this research aims to contribute to the foundations of categorical deformations.

---

*Date:* October 31, 2024.

<sup>1</sup>Details of my mathematical research: <https://cwlin4916.github.io/Trees/Application/Postdoc/Research.pdf>

- (2) **Motivic aspects of Langlands** Building on [RS20], I aim to define a Whittaker category in motivic setting, obtaining a similar equivalence at [FGV01]. To begin, we prove the same statement in [NP01] in the category of mixed Tate motives. The difficulty is that the original argument requires characteristic 0 coefficients, whilst in positive characteristic, there are problems of extensions.
- (3) **Stacky Approaches to Periods** Using geometric techniques, I study of periods. I have proven that the unipotent fundamental group associated to a pointed scheme can be recovered via a *stacky approach*, see [GR14], [Toë06], [MR23]. That is, for a given scheme  $X$ , there exists a natural stack,  $\mathbf{U}(X_{\mathrm{dR}})$  whose fundamental group coincides with the unipotent de Rham fundamental group as studied in [Bro14]. By similar techniques of [Bha23], we should recover Haine’s theorem: the pro-unipotent completion of de Rham fundamental group admits a mixed Hodge structure.<sup>2</sup> We hope that such work can spark new techniques and new phenomena, such as those used in  $p$ -adic integration theory, [Vol01].

#### MACHINE LEARNING: GEOMETRY OF ASSOCIATIVE MEMORY NETWORKS

In machine learning, I am particularly interested<sup>3</sup> in foundational theories of associative memory networks, going back to the work of Hopfield and to modern-day associative memories, [KH16]. These networks serve as a bridge between biological realism and computational efficiency.

- (1) **Polytopal Decomposition of Memory Networks** in joint work with Chris Hillar (former Redwood Research, currently startup on Algebraic) and Tenzin Chan (Algebraic) we focus on the polytopal decomposition of the weight spaces of memory networks and its relation to network scaling. Similar works include, [ZNL18].
- (2) **Study of Homotopy Type:** To further my study with Chris Hillar, we propose to explore *Hopfield networks* using a recent formalism by Manin and Marcolli [MM24], which uses *summing functors* and *Gamma spaces* to model the allocation of resources in neural networks. The formalism allows us to study a *homotopy type* - a mathematical construct at a deeper level than *homology*<sup>4</sup>. Homotopy captures invariants of the network up to continuous deformations.
- (3) **Empirical Study of Energy Transformers** My joint work with Muhan Gao (Johns Hopkins University) empirically studies modern energy-based memory network transformers for language modeling. This was previously studied in the context of vision task in [Hoo+24]. This research will also highlight the limitations of synthetic memory networks, especially in their use as proxies for explaining biological networks, see also [KH21].

#### TIMELINE FOR ACCOMPLISHMENTS


In the first year of my fellowship, I will complete my collaboration with Yuta Takaya on relative Langlands for the Fargues–Fontaine curve in mathematics. Concurrently, in machine learning, I will finalize my joint work with Chris Hillar on the polytopal decomposition of memory networks and with Muhan Gao on experiments involving memory networks in language modeling. Over the next three years, I plan to extend my research on  $p$ -adic aspects of the Langlands correspondence with Yashi Jain at Johns Hopkins. In machine learning, I aim to develop theoretical results supporting associative memory models and their scaling properties, striving for both mathematical rigor and

<sup>2</sup>This is important in Brown’s approach, where he reduced his study of motivic periods to mixed Hodge periods [Bro17, p. 3].

<sup>3</sup>Details of my interest in memory networks <https://cwlin4916.github.io/Trees/Application/Postdoc/ResearchA.pdf>

<sup>4</sup>which is commonly used in topological data analysis (TDA). For a short survey of topology and neural code, see [Cur16].

practical applications in AI. To visually summarize my research timeline and collaborations, I present the following diagram: which includes the names of my co-authors.



In the diagram, the second row represents projects planned to be completed for the first year of my fellowship, while the third and fourth row corresponds to projects undertaken in the second year and beyond.

## REFERENCES

- [Bha23] Bhatt, Bhargav. *Prismatic  $F$ -gauges*. 2023 (cit. on p. 2).
- [Bro14] Brown, Francis. *Motivic periods and the projective line minus three points*. 2014. arXiv: [1407.5165](https://arxiv.org/abs/1407.5165) [math.NT]. URL: <https://arxiv.org/abs/1407.5165> (cit. on p. 2).
- [Bro17] Brown, Francis. “Notes on motivic periods”. In: *Commun. Number Theory Phys.* 11.3 (2017), pp. 557–655. ISSN: 1931-4523,1931-4531. URL: <https://doi.org/10.4310/CNTP.2017.v11.n3.a2> (cit. on p. 2).
- [Bru+24] Brubaker, Ben, Buciumas, Valentin, Bump, Daniel, and Gustafsson, Henrik P. A. *Meta-plectic Iwahori Whittaker functions and supersymmetric lattice models*. 2024. arXiv: [2012.15778](https://arxiv.org/abs/2012.15778) [math.RT]. URL: <https://arxiv.org/abs/2012.15778> (cit. on p. 1).
- [BSV] Ben-Zvi, David, Sakellaridis, Yiannis, and Venkatesh, Akshay. “Relative Langlands duality”. In: () (cit. on p. 1).
- [Cur16] Curto, Carina. *What can topology tell us about the neural code?* 2016. arXiv: [1605.01905](https://arxiv.org/abs/1605.01905) [q-bio.NC]. URL: <https://arxiv.org/abs/1605.01905> (cit. on p. 2).
- [FGV01] Frenkel, E., Gaitsgory, D., and Vilonen, K. “Whittaker patterns in the geometry of moduli spaces of bundles on curves”. In: *Ann. of Math. (2)* 153.3 (2001), pp. 699–748. ISSN: 0003-486X,1939-8980. URL: <https://doi.org/10.2307/2661366> (cit. on p. 2).
- [FR22] Faergeman, Joakim and Raskin, Sam. *Non-vanishing of geometric Whittaker coefficients for reductive groups*. 2022. arXiv: [2207.02955](https://arxiv.org/abs/2207.02955) [math.RT]. URL: <https://arxiv.org/abs/2207.02955> (cit. on p. 1).
- [FS24] Fargues, Laurent and Scholze, Peter. “Geometrization of the local Langlands correspondence”. In: *arXiv e-prints*, arXiv:2102.13459 (Feb. 2024), arXiv:2102.13459. arXiv: [2102.13459](https://arxiv.org/abs/2102.13459) [math.RT] (cit. on p. 1).

- [FW24] Feng, Tony and Wang, Jonathan. *Geometric Langlands duality for periods*. 2024. arXiv: [2402.00180](https://arxiv.org/abs/2402.00180) [math.NT]. URL: <https://arxiv.org/abs/2402.00180> (cit. on p. 1).
- [GL22] Gaitsgory, D. and Lysenko, S. *Parameters and duality for the metaplectic geometric Langlands theory*. 2022. arXiv: [1608.00284](https://arxiv.org/abs/1608.00284) [math.AG]. URL: <https://arxiv.org/abs/1608.00284> (cit. on p. 1).
- [GR14] Gaitsgory, Dennis and Rozenblyum, Nick. *Crystals and D-modules*. 2014. arXiv: [1111.2087](https://arxiv.org/abs/1111.2087) [math.AG]. URL: <https://arxiv.org/abs/1111.2087> (cit. on p. 2).
- [Hoo+24] Hoover, Benjamin, Strobel, Hendrik, Krotov, Dmitry, Hoffman, Judy, Kira, Zsolt, and Chau, Duen Horng. *Memory in Plain Sight: Surveying the Uncanny Resemblances of Associative Memories and Diffusion Models*. 2024. arXiv: [2309.16750](https://arxiv.org/abs/2309.16750) [cs.LG]. URL: <https://arxiv.org/abs/2309.16750> (cit. on p. 2).
- [ILZ24] Iyengar, Ashwin, Lin, Milton, and Zou, Konrad. *Geometric Casselman-Shalika in mixed characteristic*. 2024. arXiv: [2408.07953](https://arxiv.org/abs/2408.07953) [math.AG]. URL: <https://arxiv.org/abs/2408.07953> (cit. on p. 1).
- [KH16] Krotov, Dmitry and Hopfield, John J. *Dense Associative Memory for Pattern Recognition*. 2016. arXiv: [1606.01164](https://arxiv.org/abs/1606.01164) [cs.NE]. URL: <https://arxiv.org/abs/1606.01164> (cit. on p. 2).
- [KH21] Krotov, Dmitry and Hopfield, John. *Large Associative Memory Problem in Neurobiology and Machine Learning*. 2021. arXiv: [2008.06996](https://arxiv.org/abs/2008.06996) [q-bio.NC]. URL: <https://arxiv.org/abs/2008.06996> (cit. on p. 2).
- [Lur10] Lurie, Jacob. “Moduli problems for ring spectra”. In: *Proceedings of the International Congress of Mathematicians. Volume II*. Hindustan Book Agency, New Delhi, 2010, pp. 1099–1125. ISBN: 978-81-85931-08-3; 978-981-4324-32-8; 981-4324-32-9 (cit. on p. 1).
- [McN16] McNamara, Peter J. “The metaplectic Casselman-Shalika formula”. In: *Trans. Amer. Math. Soc.* 368.4 (2016), pp. 2913–2937. ISSN: 0002-9947,1088-6850. URL: <https://doi.org/10.1090/tran/6597> (cit. on p. 1).
- [MM24] Manin, Yuri and Marcolli, Matilde. “Homotopy Theoretic and Categorical Models of Neural Information Networks”. In: *Compositionality* Volume 6 (2024) (Sept. 2024). ISSN: 2631-4444. URL: <http://dx.doi.org/10.46298/compositionality-6-4> (cit. on p. 2).
- [MR23] Mondal, Shubhodip and Reinecke, Emanuel. *Unipotent homotopy theory of schemes*. 2023. arXiv: [2302.10703](https://arxiv.org/abs/2302.10703) [math.AG] (cit. on p. 2).
- [NP01] Ngô, B. C. and Polo, P. “Résolutions de Demazure affines et formule de Casselman-Shalika géométrique”. In: *J. Algebraic Geom.* 10.3 (2001), pp. 515–547. ISSN: 1056-3911,1534-7486 (cit. on pp. 1, 2).
- [RS20] Richarz, Timo and Scholbach, Jakob. “The intersection motive of the moduli stack of Shtuka”. In: *Forum of Mathematics, Sigma* 8 (2020). ISSN: 2050-5094 (cit. on p. 2).
- [Toë06] Toën, Bertrand. “Champs affines”. In: *Selecta Math. (N.S.)* 12.1 (2006), pp. 39–135. ISSN: 1022-1824,1420-9020. URL: <https://doi.org/10.1007/s00029-006-0019-z> (cit. on p. 2).
- [Vol01] Vologodsky, Vadim. *Hodge structure on the fundamental group and its application to p-adic integration*. 2001. arXiv: [math/0108109](https://arxiv.org/abs/math/0108109) [math.AG] (cit. on p. 2).
- [Zhu17] Zhu, Xinwen. “Affine Grassmannians and the geometric Satake in mixed characteristic”. In: *Ann. of Math. (2)* 185.2 (2017), pp. 403–492. ISSN: 0003-486X,1939-8980. URL: <https://doi.org/10.4007/annals.2017.185.2.2> (cit. on p. 1).
- [ZNL18] Zhang, Liwen, Naitzat, Gregory, and Lim, Lek-Heng. *Tropical Geometry of Deep Neural Networks*. 2018. arXiv: [1805.07091](https://arxiv.org/abs/1805.07091) [cs.LG]. URL: <https://arxiv.org/abs/1805.07091> (cit. on p. 2).