[Back to server]

D-I-TASSER results for D5315

[Click result.zip to download all results on this page]

Input Sequence in FASTA format

```
>6HisTEV_VuCA1Pase (445 residues)
KRVVLVRHGQSTWNAEGRIQGSSNFSVLTKKGESQAETSRQMLIDDNFDACFASPLARSK
KTAEIIWGSRPEPIITDSDLREIDLYSFQGLLKHEGKAKFGSAFHQWQVDAENFIIDGHY
PVRELWDRARSCWTKILAHDSRSVLVVAHNAVNQALVATAIGLGSEYFRKLLQSNCGVSV
LDFIPRSEGGSPHICLNRLNQTPGSPIAGGKSGGRETSKRIILVCNGSTQGNTENGFPFG
GDQPLNMLGVIQSQKSAELLLDLKVSSIISSSNKASVGTASVISQVQEAADCLGADCVPR
YVEMKQIGNLDVETIFKQSEMDISNFPPFQPGWLNRVDDGLRTRLWNQSGKVWQSLLDEI
SDESKPEEVIVAVGHPAIHIALMGHCLNLSKEWLGSFHLDAGSVSVLDFPDGAKGKGVIR
CINYTAHLGRWSIPITRSTEDGEEF
```

Predicted Secondary Structure

```
                             20                  40                  60                  80                 100                 120                 140                 160                 180                 200                 220                 240                 260                 280                 300                 320                 340                 360                 380                 400                 420                 440
                              |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |
Sequence   KRVVLVRHGQSTWNAEGRIQGSSNFSVLTKKGESQAETSRQMLIDDNFDACFASPLARSKKTAEIIWGSRPEPIITDSDLREIDLYSFQGLLKHEGKAKFGSAFHQWQVDAENFIIDGHYPVRELWDRARSCWTKILAHDSRSVLVVAHNAVNQALVATAIGLGSEYFRKLLQSNCGVSVLDFIPRSEGGSPHICLNRLNQTPGSPIAGGKSGGRETSKRIILVCNGSTQGNTENGFPFGGDQPLNMLGVIQSQKSAELLLDLKVSSIISSSNKASVGTASVISQVQEAADCLGADCVPRYVEMKQIGNLDVETIFKQSEMDISNFPPFQPGWLNRVDDGLRTRLWNQSGKVWQSLLDEISDESKPEEVIVAVGHPAIHIALMGHCLNLSKEWLGSFHLDAGSVSVLDFPDGAKGKGVIRCINYTAHLGRWSIPITRSTEDGEEF
Prediction CSSSSSSCCCCHHHHCCCSSCCCCCCCCCHHHHHHHHHHHHHHHCCCCCSSSSCCHHHHHHHHHHHHHHCCCCCSSCCCCSSCCCHHHCCCCHHHHHHHCHHHHHHHHHCCCCCCCCCCCCHHHHHHHHHHHHHHHHHCCCCCSSSSSCHHHHHHHHHHHHCCCHHHHHHCCCCCCSSSSSSSSSCCCCCCSSSSHHHHCCCCCCCCCCCCCCCCCCCCSSSSSCCCCCCCCCCCCSCCCCCCCCCHHHHHHHHHHHHHHHCCCCCSSSSCCHHHHHHHHHHHHHHCCCCCCCCCCCHHHHHHHCHCCCCCCCCHHHHCHHHHHHHHHHCHHCCCCCCCCCHHHHHHHHHHHHHHHHHHHHHHHCCCCSSSSSSCCHHHHHHHHHHHCCCHHHHHHSSCCCCSSSSSSSSCCCCCCSSSSSSSCCCCCCCCCCCCCCCCCCCCCC
Confidence 9799994678724541773378999874989999999999999981699989998765999999999998429990887665226650013890999999769999999969445899999999999999999999749991999938099999999994999889630577886689999841689985033222320345555555444567776489998078874322375268999985979999999999999825999899987839999999999872887644554214556530016745553443132348887653710158999989999999999999999999998750898879999383899999999994999888531111785689999716999864899872431258877777887677789
           H:Helix; S:Strand; C:Coil
```

Predicted Solvent Accessibility

```
                             20                  40                  60                  80                 100                 120                 140                 160                 180                 200                 220                 240                 260                 280                 300                 320                 340                 360                 380                 400                 420                 440
                              |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |                   |
Sequence   KRVVLVRHGQSTWNAEGRIQGSSNFSVLTKKGESQAETSRQMLIDDNFDACFASPLARSKKTAEIIWGSRPEPIITDSDLREIDLYSFQGLLKHEGKAKFGSAFHQWQVDAENFIIDGHYPVRELWDRARSCWTKILAHDSRSVLVVAHNAVNQALVATAIGLGSEYFRKLLQSNCGVSVLDFIPRSEGGSPHICLNRLNQTPGSPIAGGKSGGRETSKRIILVCNGSTQGNTENGFPFGGDQPLNMLGVIQSQKSAELLLDLKVSSIISSSNKASVGTASVISQVQEAADCLGADCVPRYVEMKQIGNLDVETIFKQSEMDISNFPPFQPGWLNRVDDGLRTRLWNQSGKVWQSLLDEISDESKPEEVIVAVGHPAIHIALMGHCLNLSKEWLGSFHLDAGSVSVLDFPDGAKGKGVIRCINYTAHLGRWSIPITRSTEDGEEF
Prediction 7361515433010135312011031357365015004400624672501000011442022003101751714032264212010132451326202751361043026215513053110042005102400420163674200000110000000001004031620250403100000000011434221000000202212223222322323241000000000102213532101230250265025004400620571501000000030023002100532721411324213202220231230203412543352044015224512711621214200400140033005402762465320200010000000020030216201403001102002103436513000100000040251411323146646664
           Values range from 0 (buried residue) to 8 (highly exposed residue)
```

Predicted Contact and Distance Map Used in D-I-TASSER simulation



Contact Map

Distance Map

Hydrogen bond networks

D-I-TASSER simulation is guided by the consensus contact map (left figure), distance map (middle figure) and Hydrogen bond network (right figure) derived based on confidence scores of AttentionPotential. In the contact, distance map and hydrogen bond networks, the axes mark the residue index along the sequence. For the contact map, each dot represents a residue pair with predicted contact, while for the distance map and hydrogen bond network, a color scale represents a distance of 1-20+ angstroms or a angle of 0-180 degree.

Top 10 threading templates used by D-I-TASSER

Rank	PDB hit	ID1	ID2	Cov	Norm. Zscore	Download alignment	20 40 60 80 100 120 140 160 180 200 220 240 260 280 300 320 340 360 380 400 420 440
						SS	CSSSSSSCCCCHHHHCCCSSCCCCCCCCCHHHHHHHHHHHHHHHCCCCCSSSSCCHHHHHHHHHHHHHHCCCCCSSCCCCSSCCCHHHCCCCHHHHHHHCHHHHHHHHHCCCCCCCCCCCCHHHHHHHHHHHHHHHHHCCCCCSSSSSCHHHHHHHHHHHHCCCHHHHHHCCCCCCSSSSSSSSSCCCCCCSSSSHHHHCCCCCCCCCCCCCCCCCCCCSSSSSCCCCCCCCCCCCSCCCCCCCCCHHHHHHHHHHHHHHHCCCCCSSSSCCHHHHHHHHHHHHHHCCCCCCCCCCCHHHHHHHCHCCCCCCCCHHHHCHHHHHHHHHHCHHCCCCCCCCCHHHHHHHHHHHHHHHHHHHHHHHCCCCSSSSSSCCHHHHHHHHHHHCCCHHHHHHSSCCCCSSSSSSSSCCCCCCSSSSSSSCCCCCCCCCCCCCCCCCCCCCC
						Seq	KRVVLVRHGQSTWNAEGRIQGSSNFSVLTKKGESQAETSRQMLIDDNFDACFASPLARSKKTAEIIWGSRPEPIITDSDLREIDLYSFQGLLKHEGKAKFGSAFHQWQVDAENFIIDGHYPVRELWDRARSCWTKILAHDSRSVLVVAHNAVNQALVATAIGLGSEYFRKLLQSNCGVSVLDFIPRSEGGSPHICLNRLNQTPGSPIAGGKSGGRETSKRIILVCNGSTQGNTENGFPFGGDQPLNMLGVIQSQKSAELLLDLKVSSIISSSNKASVGTASVISQVQEAADCLGADCVPRYVEMKQIGNLDVETIFKQSEMDISNFPPFQPGWLNRVDDGLRTRLWNQSGKVWQSLLDEISDESKPEEVIVAVGHPAIHIALMGHCLNLSKEWLGSFHLDAGSVSVLDFPDGAKGKGVIRCINYTAHLGRWSIPITRSTEDGEEF
1	4ij5A	0.25	0.12	3.62	**1.17**	SPARKS-K	VKLILVRHAESEWNPVGRYQGLLD-PDLSERGKKQAKLLAQELSREHLDVIYSSPLKRTYLTALEIAEAKNLEVIKEDRIIEIDHGMWSGMLVEEVMEKYPEDFRRWVEEPHKVEFQGGESLASVYNRVKGFLEEVRKRWNQTVVVVSHTVPMRAMYCALLGVDLSKFWSFGCDNASYSVIHMEERR------NVILKLNITGEFYVEAHKAI-- -
2	4ij5A	0.25	0.12	3.62	**1.72**	HHsearch	VKLILVRHAESEWNPVGRYQGLLD-PDLSERGKKQAKLLAQELSREHLDVIYSSPLKRTYLTALEIAEAKNLEVIKEDRIIEIDHGMWSGMLVEEVMEKYPEDFRRWVEEPHKVEFQGGESLASVYNRVKGFLEEVRKRHNQTVVVVSHTVPMRAMYCALLGVDLSKFWSFGCDNASYSVIHMEER------RNVILKLNITCHLGEFYV--EAHK---AI-- -
3	6e4bA	0.22	0.10	3.11	**2.10**	FFAS-3D	-RLWLIRHGETQANIDGLYSGHAP-TPLTARGIEQAQNLHTLLHGVSFDLVLCSELERAQHTARLVLSDRQLPVQIIPELNEMFFGDWEMRHHRDLMQEDAENYSAWCNDWQHAIPTNGEGFQAFSQRVERFIARLSEQHYQNILVVSHQGVLSLLIARLIGMPAEAMWHFRVDQGCWSAIDINQK------FATLRVLNSRAI--- -
4	2j5wA	0.07	0.05	1.98	0.67	DEthreader	---------IGIIE--KKALYFLGPIIVLFHSITYLLATEEQSPGEGDGNCVTRIYHIGP-LII-CKKDSLEKHIDREFVVMFSVVDEFSWYLEDNIKTYCSVKNDFQQSNR-MYS-NGYTFGSLGVHAAFFHGQALTNKNYRI--INLFPATLFD--SCQNLNHLKAG-------------TADPVCLAKYLFANLF-------------------------------------LGERTYYI---------YSPQREWEKLHNLGSKKVVYRQRKEEHLGI---------------MATRPYSIHAHGVQWKIPERSGA-GTEDSACI---P---W---AY-YSTVDQVKDLYSENESLKDDEFIESKMHAINGWYLMGMGNEIDL----IFPGTYQTLELLHCHVTD--------HIHAGMETTY-TVLQ-------------
5	4ij5A	0.26	0.11	3.47	**1.54**	CNFpred	VKLILVRHAESEWNPVGRYQGLLDP-DLSERGKKQAKLLAQELSREHLDVIYSSPLKRTYLTALEIAEAKNLEVIKEDRIIEIDHGMWSGMLVEEVMEKYPEDFRRWVEEPHKVEFQGGESLASVYNRVKGFLEEVRKRHNQTVVVVSHTVPMRAMYCALLGVDLSKFWSFGCDNASYSVIHMEE------RRNVILKLNIT--- -
6	1h2fA	0.24	0.11	3.43	**1.70**	HHsearch	TTLYLTRHGETKWNVERRMQGWQD-SPLTEKGRQDAMRLGKRLEAVELAAIYTSTSGRALETAEIVRGGRLIPIYQDERLREIHLGDWEGKTHDEIRQMDPIAFDHFWQAPHLYAPQRGERFCDVQQRALEAVQSIVDRHGETVLIVTHGVVLKTLMAAFKDTPLDHLWSPYMYGTSVTIIEVDGGT------FHVAVEGDVSHIEEVK--EV-- -
7	4ij5A	0.25	0.11	3.56	**2.09**	FFAS-3D	-KLILVRHAESEWNPVGRYQGLLD-PDLSERGKKQAKLLAQELSREHLDVIYSSPLKRTYLTALEIAEAKNLEVIKEDRIIEIDHGMWSGMLVEEVMEKYPEDFRRWVEEPHKVEFQGGESLASVYNRVKGFLEEVRKRWNQTVVVVSHTVPMRAMYCALLGVDLSKFWSFGCDNASYSVIHMEERR------NVILKLNITCHLGEFYVEAHKA-- -
8	4ij6A	0.25	0.11	3.41	**1.54**	CNFpred	VKLILVRAAESEWNPVGRYQGLLDP-DLSERGKKQAKLLAQELSREHLDVIYSSPLKRTYLTALEIAEAKNLEVIKEDRIIEIDHGMWSGMLVEEVMEKYPEDFRRWVEEPHKVEFQGGESLASVYNRVKGFLEEVRKRHNQTVVVVSHTVPMRAMYCALLGVDLSKFWSFGCDNASYSVIHMEE------RRNVILKLNIT--- -
9	6e4bA	0.22	0.10	3.12	**1.70**	HHsearch	MRLWLIRHGETQANIDGLYSGHAP-TPLTARGIEQAQNLHTLLHGVSFDLVLCSELERAQHTARLVLSDRQLPVQIIPELNEMFFGDWEMRHHRDLMQEDAENYSAWCNDWQHAIPTNGEGFQAFSQRVERFIARLSEFQYQNILVVSHQGVLSLLIARLIGMPAEAMWHFRVDQGCWSAIDINQK------FATLRVLNSRAIGVEN--- -
10	1h2fA	0.24	0.11	3.43	**2.07**	FFAS-3D	-TLYLTRHGETKWNVERRMQGWQD-SPLTEKGRQDAMRLGKRLEAVELAAIYTSTSGRALETAEIVRGGRLIPIYQDERLREIHLGDWEGKTHDEIRQMDPIAFDHFWQAPHLYAPQRGERFCDVQQRALEAVQSIVDREGETVLIVTHGVVLKTLMAAFKDTPLDHLWSPYMYGTSVTIIEVDGG------TFHVAVEGDVSHIEEVKE--- -

(a) *ID1* is the number of template residues identical to query divided by number of aligned residues.
(b) *ID2* is the number of template residues identical to query divided by query sequence length.
(c) *Cov* is equal the number of aligned template residues divided by query sequence length.
(d) *Norm. Zscore* is the normalized Z-score of the threading alignments. A Normalized Z-score >1 means a good alignment and is highlighted in **bold**.
(e) *Download alignment* lists the threading program used to identify the template, and provide the 3D structure of aligned regions of threading templates (threading[1-10].pdb.gz).
(f) Template residues identical to query sequence are highlighted in color.

Top 1 final models from D-I-TASSER

Click to view	Rank[a]	Download PDB	Download ModelCIF	Estimated TM-score[b]
●	1	model1.pdb.gz	model1.cif	0.91

(a) D-I-TASSER simulations generate a large ensemble of structural conformations, i.e. decoys. These decoys are clustered by SPICKER based on pairwise structure similarity to report up to five final models from the five largest clusters. Models are ranked in descending order of cluster size. If the simulations converge well, it is possible to have less than 5 models generated, which is usually an indication of good model quality.
(b) The model confidence is quantitatified by estimated TM-score (eTM-score), calculated based on significance of threading template alignments, contact map satisfaction rate, mean absolute error between distance of model and distance of AttentionPotential, and convergence of D-I-TASSER simulations. eTM-score is typically in the range of [0, 1], with higher eTM-score signifies higher model confidence.

Prot

Top 10 structural analogs in PDB (as identified by TM-align)

Click to view	Rank	PDB Hit	TM-score	RMSD^a	IDEN^a	Cov.	Download Alignment
○	1	4embA	0.44	2.33	0.250	0.467	model1_4embA.pdb.gz
○	2	4ij5A	0.43	2.12	0.240	0.461	model1_4ij5A.pdb.gz
○	3	1h2fA	0.43	1.94	0.241	0.456	model1_1h2fA.pdb.gz
○	4	1e58A	0.43	2.52	0.251	0.467	model1_1e58A.pdb.gz
○	5	6e4bA	0.43	1.84	0.224	0.452	model1_6e4bA.pdb.gz
○	6	3gp5A	0.43	2.50	0.232	0.465	model1_3gp5A.pdb.gz
○	7	5vveA	0.43	2.49	0.233	0.463	model1_5vveA.pdb.gz
○	8	1yjxA	0.43	2.40	0.233	0.463	model1_1yjxA.pdb.gz
○	9	1xq9A	0.43	2.32	0.235	0.458	model1_1xq9A.pdb.gz
○	10	2hhjA	0.43	2.65	0.192	0.467	model1_2hhjA.pdb.gz

(a) Query structure is shown in cartoon, while the structural analog is displayed using backbone trace.
(b) Ranking of proteins is based on TM-score of the structural alignment between the query structure and known structures in the PDB library.
(c) RMSD^a is the RMSD between residues that are structurally aligned by TM-align.
(d) IDEN^a is the percentage sequence identity in the structurally aligned region.
(e) Cov. represents the coverage of the alignment by TM-align and is equal to the number of structurally aligned residues divided by length of the query protein.

Predicted Gene Ontology (GO) Terms



Molecular Function (MF)

GO term	Cscore^{GO}	Name
GO:0003824	1.00	catalytic activity
GO:0016791	0.76	phosphatase activity

Download full result of the above consensus prediction.

Click the graph to show a high resolution version.

(a) Cscore^{GO} is the confidence score of predicted GO terms. Cscore^{GO} values range in between [0-1]; where a higher value indicates a better confidence in predicting the function using the template.
(b) The graph shows the predicted terms within the Gene Ontology hierachy for Molecular Function. Confidently predicted terms are color coded by Cscore^{GO}:
[0.4,0.5) [0.5,0.6) [0.6,0.7) [0.7,0.8) [0.8,0.9) [0.9,1.0]

Biological Process (BP)

GO term	Cscore^{GO}	Name
GO:0009987	1.00	cellular process
GO:0044237	0.99	cellular metabolic process
GO:0006796	0.95	phosphate-containing compound metabolic process
GO:0071704	0.91	organic substance metabolic process
GO:0044699	0.88	single-organism process
GO:0044763	0.87	single-organism cellular process
GO:0044238	0.86	primary metabolic process
GO:0044710	0.85	single-organism metabolic process
GO:1901564	0.84	organonitrogen compound metabolic process
GO:0044281	0.84	small molecule metabolic process
GO:1901360	0.82	organic cyclic compound metabolic process
GO:1901135	0.82	carbohydrate derivative metabolic process
GO:0046483	0.82	heterocycle metabolic process
GO:0034641	0.82	cellular nitrogen compound metabolic process
GO:0019752	0.82	carboxylic acid metabolic process
GO:0019637	0.82	organophosphate metabolic process
GO:0006725	0.82	cellular aromatic compound metabolic process
GO:0044723	0.81	single-organism carbohydrate metabolic process
GO:0009058	0.81	biosynthetic process
GO:1901576	0.80	organic substance biosynthetic process
GO:0051186	0.80	cofactor metabolic process
GO:0019693	0.80	ribose phosphate metabolic process
GO:0046128	0.79	purine ribonucleoside metabolic process
GO:0032787	0.79	monocarboxylic acid metabolic process
GO:0009205	0.79	purine ribonucleoside triphosphate metabolic process
GO:0009150	0.79	purine ribonucleotide metabolic process
GO:0006732	0.79	coenzyme metabolic process
GO:0046496	0.78	nicotinamide nucleotide metabolic process
GO:0044724	0.78	single-organism carbohydrate catabolic process
GO:0044711	0.78	single-organism biosynthetic process
GO:0006757	0.78	ATP generation from ADP
GO:0006090	0.78	pyruvate metabolic process
GO:0044283	0.76	small molecule biosynthetic process
GO:0006006	0.75	glucose metabolic process
GO:0016051	0.74	carbohydrate biosynthetic process
GO:0006096	0.74	glycolytic process
GO:0019319	0.73	hexose biosynthetic process
GO:0065007	0.71	biological regulation
GO:0050794	0.69	regulation of cellular process
GO:0006094	0.68	gluconeogenesis
GO:0043456	0.67	regulation of pentose-phosphate shunt



Download full result of the above consensus prediction.

Click the graph to show a high resolution version.

(a) Cscore^{GO} is the confidence score of predicted GO terms. Cscore^{GO} values range in between [0-1]; where a higher value indicates a better confidence in predicting the function using the template.
(b) The graph shows the predicted terms within the Gene Ontology hierachy for Biological Process. Confidently predicted terms are color coded by Cscore^{GO}:
[0.4,0.5) [0.5,0.6) [0.6,0.7) [0.7,0.8) [0.8,0.9) [0.9,1.0]



Cellular Component (CC)

GO term	Cscore^{GO}	Name
GO:0005829	1.00	cytosol

Download full result of the above consensus prediction.

Click the graph to show a high resolution version.

(a) Cscore^{GO} is the confidence score of predicted GO terms. Cscore^{GO} values range in between [0-1]; where a higher value indicates a better confidence in predicting the function using the template.

(b) The graph shows the predicted terms within the Gene Ontology hierachy for Cellular Component. Confidently predicted terms are color coded by Cscore^{GO}:

[0.4,0.5) [0.5,0.6) [0.6,0.7) [0.7,0.8) [0.8,0.9) [0.9,1.0]

Predicted Enzyme Commission (EC) Numbers

Reset ☐ Spin ☐ High quality ☐ White background Save image

Top 5 enzyme homologs in PDB

Click to view	Rank	Cscore^{EC}	PDB Hit	TM-score	RMSD^{a}	IDEN^{a}	Cov.	EC Number	Predicted Active Site Residues
○	1	0.060	1skaA	0.400	5.04	0.089	0.517	3.1.3.8	NA
○	2	0.060	1e58A	0.429	2.52	0.251	0.467	5.4.2.1	NA
○	3	0.060	1larA	0.384	6.41	0.035	0.582	3.1.3.48	NA
○	4	0.060	3ce6A	0.379	6.81	0.035	0.600	3.3.1.1	NA
○	5	0.060	1riiA	0.423	2.67	0.256	0.465	5.4.2.1	NA

Click on the radio buttons to visualize predicted active site residues.

(a) Cscore^{EC} is the confidence score for the Enzyme Commission (EC) number prediction. Cscore^{EC} values range in between [0-1]; where a higher score indicates a more reliable EC number prediction.

(b) TM-score is a measure of global structural similarity between query and template protein.

(c) RMSD^{a} is the RMSD between residues that are structurally aligned by TM-align.

(d) IDEN^{a} is the percentage sequence identity in the structurally aligned region.

(e) Cov. represents the coverage of global structural alignment and is equal to the number of structurally aligned residues divided by length of the query protein.

Predicted Ligand Binding Sites

Reset ☐ Spin ☐ High quality ☐ White background Save image

Template proteins with similar binding site:

Click to view	Rank	Cscore^{LB}	PDB Hit	TM-score	RMSD^{a}	IDEN^{a}	Cov.	BS-score	Lig. Name	Download Complex	Predicted binding site residues
○	1	0.23	3gw8A	0.411	2.09	0.251	0.438	1.28	UUU	complex1.pdb.gz	7,8,14,18,19,20,21,58,82,85,149,150
○	2	0.18	1bq3A	0.414	2.42	0.245	0.449	0.80	IHP	complex2.pdb.gz	7,8,10,11,13,14,19,20,21,85,93

Click on the radio buttons to visualize predicted binding site and residues.

(a) Cscore^{LB} is the confidence score of predicted binding site. Cscore^{LB} values range in between [0-1]; where a higher score indicates a more reliable ligand-binding site prediction.

(b) BS-score is a measure of local similarity (sequence & structure) between template binding site and predicted binding site in the query structure. Based on large scale benchmarking analysis, we have observed that a BS-score >1 reflects a significant local match between the predicted and template binding site.

(c) TM-score is a measure of global structural similarity between query and template protein.

(d) RMSD^{a} the RMSD between residues that are structurally aligned by TM-align.

(e) IDEN^{a} is the percentage sequence identity in the structurally aligned region.

(f) Cov. represents the coverage of global structural alignment and is equal to the number of structurally aligned residues divided by length of the query protein.

[Click result.zip to download all results on this page]

References:
1. Wei Zheng, Qiqige Wuyun, Yang Li, Quancheng Liu, Xiaogen Zhou, Chunxiang Peng, Yiheng Zhu, Lydia Freddolino, Yang Zhang. Deep-learning-based single-dome and multidomain protein structure prediction with D-I-TASSER. Nature Biotechnology. In Press. 2025.