

one_stationary_noiseless Experiment Report

Matthew Swartwout

August 10, 2016

This is a summary of the data from the one_stationary_noiseless experiment.

Shown below is the summary of the error of all robots combined for both x and y coordinates, and also the error in total distance.

```
summary(continuous$x_error)
```

```
##      Min.   1st Qu.   Median     Mean   3rd Qu.     Max.
## 1.519e-05 1.383e-04 2.620e-04 2.629e-04 3.882e-04 5.119e-04
```

```
summary(continuous$y_error)
```

```
##      Min.   1st Qu.   Median     Mean   3rd Qu.     Max.
## 7.599e-10 1.053e-08 2.664e-08 3.401e-08 5.391e-08 9.374e-08
```

```
summary(continuous$yaw_error)
```

```
##      Min.   1st Qu.   Median     Mean   3rd Qu.     Max.
## 5.472e-05 9.873e-05 1.723e-04 1.868e-04 2.584e-04 3.673e-04
```

```
summary(continuous$horizontal_error)
```

```
##      Min.   1st Qu.   Median     Mean   3rd Qu.     Max.
## 1.519e-05 1.383e-04 2.620e-04 2.629e-04 3.882e-04 5.119e-04
```

```
summary(discrete$x_error)
```

```
##      Min.   1st Qu.   Median     Mean   3rd Qu.     Max.
## -4.850e-04 -2.749e-04 -1.505e-04 -1.525e-04 -2.321e-05 8.222e-05
```

```
summary(discrete$y_error)
```

```
##      Min.   1st Qu.   Median     Mean   3rd Qu.     Max.
## -8.503e-08 -2.827e-08 -9.538e-09 -1.528e-08 -7.374e-10 5.728e-09
```

```
summary(discrete$yaw_error)
```

```
##      Min.   1st Qu.   Median     Mean   3rd Qu.     Max.
## -1.578e-05 1.760e-05 3.408e-05 3.863e-05 5.684e-05 1.169e-04
```

```
summary(discrete$horizontal_error)
```


```
##      Min.   1st Qu.   Median     Mean   3rd Qu.     Max.
## 3.006e-07 5.273e-05 1.505e-04 1.681e-04 2.749e-04 4.850e-04
```

```
if (params$robot >= 2) {
  summary(external_data_averages)
}
```

Shown below are plots representing the robot's motion and error over time.

```
plot(gazebo$x_position, gazebo$y_position,
     main = "Ground truth visited locations of robots")
```

Ground truth visited locations of robots




```
hist(gazebo$dist_from_origin,  
     main = "Distance from origin vs. time")
```

Distance from origin vs. time




```
hist(continuous$x_error,  
     main = "Continuous x_error")
```

Continuous x_error



```
hist(continuous$y_error,  
     main = "Continuous y_error")
```

Continuous y_error




```
hist(continuous$horizontal_error,  
     main = "Continuous total distance error")
```

Continuous total distance error




```
hist(discrete$x_error,  
      main = "Discrete x_error")
```

Discrete x_error




```
hist(discrete$y_error,  
      main = "Discrete y_error")
```

Discrete y_error



```
hist (discrete$horizontal_error,  
      main = "Discrete total distance error")
```

Discrete total distance error



```
figure_dir <- "/home/matt/thesis/writing/r_figures/"  
filename = paste0(figure_dir, params$experiment, "_continuous_error.pdf")
```

```

pdf(filename)
plot(continuous$horizontal_error, main="Continuous Filter Error", sub=paste0("For ", params$experiment,
dev.off()

## pdf
## 2

filename = paste0(figure_dir, params$experiment, "_discrete_error.pdf")
pdf(filename)
plot(discrete$horizontal_error, main="Discrete Filter Error", sub=paste0("For ", params$experiment, " E
dev.off()

## pdf
## 2

if (params$experiment == "one_stationary_noiseless") {
  gazebo$horizontal_error <- sqrt(gazebo$x_position ^ 2 + gazebo$y_position ^ 2)
  pdf(paste0(figure_dir, "gazebo_odom_drift.pdf"))

  plot(gazebo$horizontal_error, main="Gazebo Odometry Drift for Stationary Robot with Noiseless Odome
  dev.off()
}

## pdf
## 2

table_dir <- "/home/matt/thesis/writing/autogenerated_tables/"

out_file <- paste0(table_dir, params$experiment, "_continuous_summary.tex")
tex_label <- paste0("tab:", params$experiment, "_continuous_summary")
stargazer(continuous,
  out=out_file,
  table.placement="h",
  label=tex_label,
  title=gsub("_", "-", paste0("Continuous Filter Estimate for ", params$experiment, " Experimen
  digits.extra = 20)

##
## % Table created by stargazer v.5.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard
## % Date and time: Wed, Aug 10, 2016 - 04:37:58 PM
## \begin{table}[h] \centering
## \caption{Continuous Filter Estimate for one-stationary-noiseless Experiment}
## \label{tab:one_stationary_noiseless_continuous_summary}
## \begin{tabular}{@{\extracolsep{5pt}}lcccc}
## \hline
## \hline
## Statistic & \multicolumn{1}{c}{N} & \multicolumn{1}{c}{Mean} & \multicolumn{1}{c}{St. Dev.} & \multic
## \hline
## x\_position & 488 & $-0.000 & 0.000 & $-0 & 0 \\
## y\_position & 488 & 0.000 & 0.000 & $-0 & 0 \\
## yaw & 488 & $-0.000 & 0.000 & $-0 & 0 \\
## x\_variance & 488 & 1.528 & 0.843 & 0.077 & 2.988 \\
## y\_variance & 488 & 1.528 & 0.843 & 0.077 & 2.988 \\
## yaw\_variance & 488 & 1.831 & 1.011 & 0.092 & 3.582 \\
## yaw\_error & 488 & 0.0002 & 0.0001 & 0.0001 & 0.0004

```

```

## x\_error & 488 & 0.0003 & 0.0001 & 0.00002 & 0.001 \\
## y\_error & 488 & 0.00000003 & 0.00000003 & 0.000 & 0.0000001 \\
## horizontal\_error & 488 & 0.0003 & 0.0001 & 0.00002 & 0.001 \\
## \hline \\[-1.8ex]
## \end{tabular}
## \end{table}

out_file <- paste0(table_dir, params$experiment, "_discrete_summary.tex")
tex_label <- paste0("tab:", params$experiment, "_discrete_summary")
stargazer(discrete,
  out=out_file,
  table.placement="h",
  label=tex_label,
  title=gsub("_", "-", paste0("Discrete Filter Estimate for ", params$experiment, " Experiment")),
  digits.extra = 20)

##
## % Table created by stargazer v.5.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard
## % Date and time: Wed, Aug 10, 2016 - 04:37:58 PM
## \begin{table}[h] \centering
## \caption{Discrete Filter Estimate for one-stationary-noiseless Experiment}
## \label{tab:one_stationary_noiseless_discrete_summary}
## \begin{tabular}{@{\extracolsep{5pt}}lcccc}
## \\[-1.8ex]\hline
## \hline \\[-1.8ex]
## Statistic & \multicolumn{1}{c}{N} & \multicolumn{1}{c}{Mean} & \multicolumn{1}{c}{St. Dev.} & \multicolumn{1}{c}{St. Dev.} \\
## \hline \\[-1.8ex]
## x\_position & 488 & 0.0004 & 0.0003 & $-0.000 & 0.001 \\
## y\_position & 488 & 0.00000005 & 0.00000004 & $-0.000 & 0.0000002 \\
## yaw & 488 & 0.0001 & 0.0001 & $-0.000 & 0.0003 \\
## x\_variance & 488 & 0.393 & 0.149 & 0.083 & 0.664 \\
## y\_variance & 488 & 0.393 & 0.149 & 0.083 & 0.664 \\
## yaw\_variance & 488 & 0.383 & 0.171 & 0.090 & 0.691 \\
## x\_error & 488 & $-0.0002 & 0.0001 & $-0.0005 & 0.0001 \\
## y\_error & 488 & $-0.00000002 & 0.00000002 & $-0.0000001 & 0.000 \\
## horizontal\_error & 488 & 0.0002 & 0.0001 & 0.0000003 & 0.0005 \\
## yaw\_error & 488 & 0.00004 & 0.00003 & $-0.00002 & 0.0001 \\
## \hline \\[-1.8ex]
## \end{tabular}
## \end{table}

if (params$experiment == "one_stationary_noiseless") {
  stargazer(gazebo,
    out=paste0(table_dir, "gazebo_stationary_noiseless_summary.tex"),
    table.placement="h",
    label="tab:gazebo_stationary_noiseless_summary",
    title="Ground Truth Noiseless Odometry for Stationary Robot located at Origin",
    digits.extra = 20)
}

##
## % Table created by stargazer v.5.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard
## % Date and time: Wed, Aug 10, 2016 - 04:37:58 PM
## \begin{table}[h] \centering
## \caption{Ground Truth Noiseless Odometry for Stationary Robot located at Origin}

```

```

## \label{tab:gazebo_stationary_noiseless_summary}
## \begin{tabular}{@{\extracolsep{5pt}}lcccc}
## \hline
## \hline \hline
## Statistic & \multicolumn{1}{c}{N} & \multicolumn{1}{c}{Mean} & \multicolumn{1}{c}{St. Dev.} & \multicolumn{1}{c}{St. Dev.} \\
## \hline \hline
## x\_position & 488 & 0.0003 & 0.0001 & 0.00002 & 0.001 \\
## y\_position & 488 & 0.00000003 & 0.00000003 & 0.000 & 0.0000001 \\
## yaw & 488 & 0.0002 & 0.0001 & 0.0001 & 0.0004 \\
## x\_variance & 488 & 0.100 & 0.000 & 0.100 & 0.100 \\
## y\_variance & 488 & 0.100 & 0.000 & 0.100 & 0.100 \\
## yaw\_variance & 488 & 0.050 & 0.000 & 0.050 & 0.050 \\
## dist\_from\_origin & 488 & 0.0003 & 0.0001 & 0.00002 & 0.001 \\
## horizontal\_error & 488 & 0.0003 & 0.0001 & 0.00002 & 0.001 \\
## \hline \hline
## \end{tabular}
## \end{table}

```