

Homework 1

Quantum Mechanics

August 29th, 2022

CLAYTON SEITZ

Problem 1. For the spin $1/2$ state $|+\rangle_x$, evaluate both sides of the inequality

$$\langle(\Delta A)^2\rangle\langle(\Delta B)^2\rangle \geq \frac{1}{4}|\langle[A, B]\rangle|^2$$

for the operators $A = S_x$ and $B = S_y$, and show that the inequality is satisfied. Repeat for the operators $A = S_z$ and $B = S_y$

Solution.

Let $A = S_x$ and $B = S_y$. The variance $\langle(\Delta S_x)^2\rangle$ in state $|+\rangle_x$ must be zero since $|+\rangle_x$ is an eigenvector of S_x

$$\langle(\Delta S_x)^2\rangle = \langle S_x^2\rangle - \langle S_x\rangle^2 = 0$$

Therefore, the LHS of the above inequality is zero. The commutator $[S_x, S_y] = i\hbar S_z$ and

$$\langle S_z\rangle = \langle + |_x S_z | + \rangle_x = 0$$

Clearly the inequality is satisfied since both sides are zero. Now let $A = S_z$ and $B = S_y$. Since the state is prepared in $|+\rangle_x$, the variances $\langle(\Delta S_x)^2\rangle$ and $\langle(\Delta S_y)^2\rangle$ must be $1/4$ (this is just a fair coin toss).

The commutator $[S_z, S_y] = -i\hbar S_x$ and $\langle S_x\rangle = \frac{\hbar}{2}$. The inequality then reads

$$\frac{1}{16} \geq \frac{\hbar^2}{16}$$

which is satisfied given that $\hbar \approx 10^{-34} \text{ J} \cdot \text{s}$



Problem 2.

Solution.



Problem 3.

Solution.



Problem 4.

Solution.



Problem 5.

Solution.



Problem 6.

Solution.

