# Learning a dynamical attractor by maximizing multivariate information


Clayton Seitz

May 8, 2021





Each frame should have a title.



#### unnumbered lists

- Introduction to LATEX
- Course 2
- $\bullet$  Termpapers and presentations with  $\LaTeX$
- Beamer class

ullet Introduction to LATEX

- Introduction to LATEX
- Course 2

- Introduction to LATEX
- Course 2
- $\bullet$  Termpapers and presentations with  $\LaTeX$

- Introduction to LATEX
- Course 2
- $\bullet$  Termpapers and presentations with  $\LaTeX$
- Beamer class

#### numbered lists

- Introduction to LATEX
- Course 2
- Termpapers and presentations with LATEX
- Beamer class

Introduction to LATEX

- Introduction to LATEX
- 2 Course 2

- 1 Introduction to LATEX
- 2 Course 2
- Termpapers and presentations with LATEX

- Introduction to LATEX
- Course 2
- Termpapers and presentations with LATEX
- Beamer class

#### Tables

Date	Instructor	Title
WS 04/05	Sascha Frank	First steps with LATEX
SS 05	Sascha Frank	₽TEX Course serial

# Tables with pause

A B C

# Tables with pause

A B C 1 2 3

# Tables with pause

```
A B C 1 2 3 A B C
```

#### blocs

#### title of the bloc

bloc text

#### title of the bloc

bloc text

#### title of the bloc

bloc text

### splitting screen

- Beamer
- Beamer Class
- Beamer Class Latex

Instructor	Title
Sascha Frank	LATEX Course 1
Sascha Frank	Course serial



• subject 1

• subject 1

- subject 1
- subject 2

- subject 1
- subject 2

- subject 1
- subject 2
- subject 3

