Interferon- γ induction of GBP5 in HeLa cells

Clayton W. Seitz

March 25, 2023

The principle of Interferon- γ induced transcriptional memory





Figure 1


Siwek et al. Activation of Clustered IFNg Target Genes Drives Cohesin-Controlled Transcriptional Memory. Molecular Cell 2020

Rare HeLa cell GBP5 expression @ 24h after reinduction with IFN- γ


Single max intensity projection from a 10x10x9 (2mm x 2mm x 8um) tiled acquisition



Rare HeLa cell GBP5 expression @ 24h after reinduction with IFN- γ



Intensity histogram for rare GBP5 expression




- ▶ Very few (1-5%) reinduced cells express GBP5, but those that do express at levels comparable to GAPDH
- Control sample shows little to no GBP5 expression

Comments on ergodicity of transcription

1. Priming leads to more transcription




2. Priming leads to more cells transcribing




- ▶ RNA flow cannot apply to non-ergodic systems (yet ergodicity is often assumed)
- lacktriangle Previous work suggests that IFN- γ induces epigenetic changes at the GBP5 locus
- ▶ What is the epigenetic change? Is the epigenetic change all or nothing?

Epigenetic changes at GBP genes after IFN- γ treatment

Siwek et al. Activation of Clustered IFNg Target Genes Drives Cohesin-Controlled Transcriptional Memory. Molecular Cell 2020




STORM imaging of H2B




Lakadamyali et al. Visualizing the genome in high resolution challenges our textbook understanding. Nature Methods 2020

Working principle of dSTORM



Details on STORM timing setup



Remaining questions on the application of STORM

If STORM works with the H2B-HaloTag

- ► How do we interpet H2B density maps?
- Can you correlate ChIP-seq/ATAC-seq data with H2B density?