

Configuration Sheet for 2+1 Row 6-Seat Electric Golf Sightseeing Vehicle

|                                                    |                                                                                                                                                       |                                                                                   |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Vehicle Model                                      | 4-Seat Golf Sightseeing Vehicle                                                                                                                       |  |
| Color                                              | Customized According to Customer Requirements                                                                                                         |                                                                                   |
| Curb Weight (kg)                                   | ≤650                                                                                                                                                  |                                                                                   |
| Maximum Load (kg)                                  | 800                                                                                                                                                   |                                                                                   |
| Overall Dimensions (mm)<br>Length × Width × Height | 3650*1350*2050                                                                                                                                        |                                                                                   |
| Rated Passenger Capacity (persons)                 | 6                                                                                                                                                     |                                                                                   |
| Wheelbase (mm)                                     | 2460                                                                                                                                                  |                                                                                   |
| Track Width (Front/Rear mm)                        | 970/1035                                                                                                                                              |                                                                                   |
| Battery Capacity (Ah)                              | 100AH                                                                                                                                                 |                                                                                   |
| Rated Voltage (V)                                  | 72V                                                                                                                                                   |                                                                                   |
| Controller                                         | Domestic Renowned Brand Yingboer Controller                                                                                                           |                                                                                   |
| Drive Motor Power (kW)                             | Brand Depuda 3.5 kW Motor                                                                                                                             |                                                                                   |
| Maximum Speed (km/h)                               | ≤35                                                                                                                                                   |                                                                                   |
| Braking Distance (m)                               | ≤5                                                                                                                                                    |                                                                                   |
| Minimum Turning Radius (m)                         | ≤6                                                                                                                                                    |                                                                                   |
| Maximum Driving Range (km)                         | Approximately 80.90                                                                                                                                   |                                                                                   |
| Minimum Ground Clearance (mm)                      | 150                                                                                                                                                   |                                                                                   |
| Maximum Climbing Capability                        | 20%                                                                                                                                                   |                                                                                   |
| Body Panels                                        | Injection Molded Shell/ ABSEngineering Plastic Components                                                                                             |                                                                                   |
| Seating                                            | Front Bench Seats, Rear Foldable Flip Seats (Leather Upholstery + High Resilience PU , Knitted Stitch Automotive Seats)                               |                                                                                   |
| Frame                                              | Golf-Specific Chassis, Steel Frame                                                                                                                    |                                                                                   |
| Instrument Cluster                                 | Nine-Inch HD LCD Instrument Cluster with Reversing Camera, Bluetooth Connectivity, Speed, Battery Level, and Lighting Indicators<br><br>Light Display |                                                                                   |
| Rearview Mirror                                    | Manual exterior rearview mirror with turn signal indicators on both inner and outer sides                                                             |                                                                                   |
| Steering                                           | Polyurethane foam steering wheel with rack and pinion steering system featuring automatic backlash compensation and mechanical power assist           |                                                                                   |
| Braking                                            | Rear wheel hydraulic drum brakes, dual-circuit hydraulic braking                                                                                      |                                                                                   |

|                                  |                                                                                                        |
|----------------------------------|--------------------------------------------------------------------------------------------------------|
|                                  | system, and parking brake                                                                              |
| <b>Suspension</b>                | Front suspension: MacPherson independent suspension with hydraulic twin shock absorbers and springs    |
| <b>Drive Mode</b>                | Direct Drive                                                                                           |
| <b>Rear Axle</b>                 | Integral rear axle+high-strength leaf springs<br>+cylindrical hydraulic shock absorbers                |
| <b>Tire/Wheel</b>                | 14 inch Off-Road Deep Tread Vacuum Tires<br>with Bumper                                                |
| <b>Lighting</b>                  | LED Combination Headlights, Turn Signals, Combination<br>Rear Tail Lights, Brake Lights, Electric Horn |
| <b>Others</b>                    | DC-DC Converter, Reverse Alarm, Speaker                                                                |
| <b>Configuration<br/>(Price)</b> | 72V 3.5 kW Motor, 100A Lithium Battery, Onboard<br>Charger                                             |

**After-sales Service: 1 , Free One-Year Vehicle Warranty (Battery Replacement Free Within One Year If Faulty During Warranty). 2 , Free Production of Vehicle Body LOGO and Application to Vehicle Body (Customer Provides High-Resolution LOGO Image).**

**Reference image: (For reference only; actual product shall prevail)**

